

LEADER IN INDUSTRIAL TYRES

F E R E N T I N O T Y R E C O R P O R A T I O N



INDUSTRIAL TIRES
PRODUCT CATALOG 2021

FERENTINO
TYRE CORPORATION



STRONGER PERFORMANCE SAVES YOU TIME

FERENTINO INDUSTRIAL TIRES ARE THE ONLY CHOICE for those who want maximum performance and minimum wear. Those who work hard know how crucial time is. Continuous and extended use with no downtime for maintenance is a critical time saver. This indisputable advantage combined with high quality compounds and raw materials that extend the tire's lifespan allows us to achieve another key result: a reduction in costs. The wide range of FERENTINO INDUSTRIAL TIRES products is able to meet any and all requirements in terms of reliability, performance and safety. Guaranteed return for a long-term investment.



A SINGLE RESPONSE TO ALL YOUR NEEDS: PERFORMANCE



CUT OPERATING COSTS

Reducing rolling resistance means reducing heat and thus energy consumption. The benefits are a greater yield per battery charge for electric forklifts and fewer refuelling stops for those based on internal combustion engines.

ACHIEVE HIGH STANDARDS OF QUALITY AND RELIABILITY

The management of the entire production process makes FERENTINO INDUSTRIAL TIRES one of the few companies able to choose compounds, technologies, machinery and moulds, while at the same time implementing unparalleled know-how. This results in highly proven and cutting edge products that always offer the performance you need.

IMPROVE EFFICIENCY

Constant performance levels, limited wear, plus comfort, stability and excellent loading capacity guarantee higher efficiency even for heavy duty forklifts.

CHOOSE THE BEST PRODUCT

Many of the leading manufacturers of forklifts and industrial vehicles have chosen FERENTINO INDUSTRIAL TIRES as their original equipment supplier and have cooperated with the Research and Development Centre to develop their products according to different needs: efficiency, safety, and comfort. Users can benefit from the wide range of products offered by FERENTINO INDUSTRIAL TIRES, a leading specialist in the sector globally.

REDUCE YOUR COMPANY'S FOOTPRINT

By ensuring industrial tires a longer lifespan and decreasing the energy consumption of vehicles, which in turn reduces polluting emissions and thus the overall ecological impact is significantly reduced.

SPECIALIST STRENGTH

The quality of the compounds used is essential in the solid industrial tire sector.



TREAD COMPOUND

Resistant to wear and tear, guarantees excellent grip on wet or slippery surfaces (e.g. oil stains)

CUSHION COMPOUND

Central compound, lowers operating temperature and ensures low rolling resistance.

+LIFE

+COMFORT

+SAVING

+STABILITY

BASE 1

Ensures the tire remains attached to the rim over time: the metal rings inside the tire adhere perfectly to the metal.

Perfect coupling to the rim: easy to fit and remove.

BASE 2

Extremely hard material that reduces deformation and supports the load while preserving bead stiffness and preventing the tire from coming off the rim.



SPECIAL-S

This version was designed and developed especially for loaders and

produced in the 20 and 24 inch sizes. It is constructed using compounds which are particularly resistant to tearing. The tire stands out for its resistance to wear and tear, jolts, cuts and abrasions, as well as for its high rigidity that provides stability to the vehicle and, therefore, to the load. Used for vehicles which carry loads, usually in environments with extreme conditions, such as scrap yards and dumps.



HIGH CAPACITY-HL

This is a tire designed with a highly rigid structure in comparison to standard

It is constructed with extremely hard compounds that are able to maintain all the other physical and mechanical characteristics to excellent levels. The distinguishing feature of Super-elastic and Cushion tires is their ability to sustain high loads with minimal deformation. It is widely used in situations where it is of paramount importance to maintain the stability of the vehicle and, therefore, of the load. It is also utilised in other specific cases. Contact a FERENTINO INDUSTRIAL TIRES technician for advice before choosing this version.



ANTISTATIC-AS

This tire was designed to release the static electricity accumulated by the vehicle

onto the ground. It is constructed with special additives which perform this action while maintaining all the other physical and mechanical characteristics to excellent levels. It is typically used in paint and solvent factories, in gas tank deposits, in environments with easily flammable fine dust particles or in environments where the accumulation of static electricity can cause explosions. In all of these cases, the use of this tire increases safety levels. The AS Super-elastic and Cushion tires are in compliance with the ISO standards. A certificate of conformity shall be provided upon customers' request.




NON MARKING-NM

This is a yellow coloured tire, designed not to leave dark marks on the ground surface.

It is constructed with a yellow mixture, containing no dark substances. Its use is recommended in environments where cleanliness is of great importance, for example in the pharmaceutical, food and beverage, and electronic industries, or anywhere light coloured floors must stay clean.

SURFACE: RECOMMENDED USE



FERENTINO
INDUSTRIAL TIRES

INNOVATIVE SOLUTIONS

FERENTINO HIGHRIIDE INTEGRATED LOADER SYSTEM

The FERENTINO INDUSTRIAL TIRES integrated loader system is ideal for all stressful situations in which the machines have to work in a stationary position, travelling just short distances and carrying particularly heavy loads (scrap yards, landfills, timber yards, etc.).

TIRE

square and compact pattern
less vertical deformation
MORE STABILITY
COMPOUND
resistant to cuts and tears
+ LIFE
TREAD
designed to transmit
MORE TRACTION

SPACER

prevents infiltration
of debris and other
similar objects

REINFORCED RIM WITH FLAT BOTTOM CHANNEL

increased thickness
no aeration or inflation valve holes
STURDIER
perfect coupling to the tires
MORE SOLIDITY



HIGHRIIDE TIRE

High stability tire designed to withstand very high loads. The reinforced sidewall limits vertical deformation and protects against accidental impact. The compounds used guarantee maximum resistance to cuts and tears and consequently longer life. The tread is designed to improve traction in all working conditions.

RING PROTECTOR

The spacer perfectly traces the profile of the FERENTINO INDUSTRIAL TIRES tire sidewall, thus preventing infiltration of debris and the like.

RIM

The reinforced rim with flat bottom channel, designed especially to mount FERENTINO INDUSTRIAL TIRES solid tires, solves all skidding problems. Especially robust due to increased thickness and elimination of the aeration holes and the hole for the inflation valve.

FERENTINO HIGHRIIDE QUICK

QUICK - Bead structure consist of a special border made of highly resistant rubber; guarantees a perfect fit on the rim with no need for fastening rings.

HIGHRIIDE QUICK FOR QUICK AND EASY INSTALLATION



FOR BEAD QUICK VERSION

HIGHRIIDE STANDARD (NON QUICK) FOR FITTING ON INDUSTRIAL MULTIPIECE RIMS



FOR BEAD STANDARD VERSION
Movable rimparts 1, 2 and 3.

RIMS FOR QUICK SOLID TIRES

- Fit all sizes of Quick Solid Tires from 8" to 24"
- Available for all standard applications.
- Adaptable to most custom applications.



INDUSTRIAL MULTIPIECE RIMS

- Fit all sizes of Industrial Tires from 8" to 24".
- Available for all standard and heavy duty (20 and 24") applications.
- Multipiece design includes 2 or 3 piece components or base wheel for the quick type applications.
- Fit tube type tires as well as STANDARD solid tires.
- Designed for easy tire installation and precise fitment.



SPLIT RIMS (DIVIDED TYPE)

- Designed for easy tire installation and precise fitment without press.















WHEELS FOR POB CUSHION TIRES

- Fit all sizes of press on band cushion from 6,5" to 22".
- Available for all standard applications.
- Adaptable to most custom applications.




SPECIALISED RANGE

FERENTINO PREMIUM



FERENTINO CURED-ON



CONVENTIONAL PNEUMATIC INDUSTRIAL TYRES



CONVENTIONAL PNEUMATIC SKID STEER TIRES FOR SMALL - SIZED MACHINES



CONVENTIONAL PNEUMATIC TIRES FOR INDUSTRIAL TRACTORS

FOR CONSTRUCTION AND ROAD WORKS



MULTI-PURPOSE CONVENTIONAL PNEUMATIC TIRES FOR MANUFACTURING MACHINES



CONVENTIONAL PNEUMATIC TIRES FOR INDUSTRIAL TRACTORS

FOR CONSTRUCTION AND ROAD WORKS



FERENTINO PREMIUM THE TECHNOLOGY THAT ANTICIPATES TOMORROW BY 10%



Our prime objective? To extend tire life and save our customers time and money, without compromising on performance. Rather, improving performance even more compared to similar competing products. FERENTINO INDUSTRIAL TIRES' response has a name: **Ferentino Premium**. This new range can withstand a high number of working hours (10% more compared to other premium products) by generating less heat, the result of a new structure and optimised characteristics of the compounds.

The results achieved today with **Ferentino Premium** in terms of reliability, performance and safety were unconceivable just a few years ago.

Longer continuous service without stopping for maintenance means savings in terms of time and costs, as well as reducing environmental impact.

Less replacements mean less CO2 emissions, beneficial for the environment.



-8%*
LOWER ROLLING
RESISTANCE



-15%*
REDUCED HEAT
PRODUCTION



-20%*
LOWER ENERGY
CONSUMPTION



+10%*
LONGER
LIFE

* Tests conducted in the laboratory with other premium products.



MORE TIME, MORE EVOLUTION

**NEW TREAD STRUCTURE,
WITH THE 60J POSITIONED
ON A SMALLER DIAMETER**
= longer life compared to
other premium products

DEEPER TREAD

**EVOLVED AND
UPGRADED
COMPOUNDS**

Ferentino Premium is the super-elastic superior tire by FERENTINO INDUSTRIAL TIRES offering the best performance in terms of durability, reliability and energy consumption.

The FERENTINO INDUSTRIAL TIRES R&D Division, after hundreds of hours spent on testing, has achieved the goal to optimize structures and compounds so as to obtain the best product in the market.

Low rolling resistance together with reduced heat generation allow **Ferentino Premium** to be used even in extreme operating conditions, guaranteeing long product life.

**COMPOUNDS DESIGNED FOR
BETTER ROLLING RESISTANCE
AND LESS FRICTION BETWEEN
THE TREAD AND THE GROUND**
= lower energy consumption and
maximum battery efficiency

**GOOD
DIRECTIONALITY**



**BETTER
TRACTION**



**GREATER STABILITY
SMOOTH RUNNING**



FERENTINO
TIRE CORPORATION

FERENTINO PREMIUM

PREMIUM

FERENTINO PREMIUM



FERENTINO PREMIUM NON MARKING



S
special



HL
high capacity



AS
antistatic



NM
non marking

Continuous center lug

- Increased directionality
- Greater stability and smooth running
- Excellent comfort in every situation

Deeper tread

- Better traction

Wide tread profile

- Increases lateral load stability
- Safer in high-lift and cornering situations

Exceptional tread rubber compound properties

- Makes this tire the longest lasting tire in the industry for high intensity applications

Wear indicator

- Ensures maximum tire utilization

Low heat resistance rubber compounds

- Withstand high intensity usage and offer low energy consumption.



FERENTINO PREMIUM

| CODE | PRODUCT NAME (FERENTINO PREMIUM) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|-------------------------------------|------------|----------|---------|--------|-------------|-------|------------------|---------------|------------------|---------------|-----------------|----------------|--------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | LOAD WHEEL | STEERING WHEEL |
| | | | | | | | | | | | | Kg | Kg | | |
| 3212410001 | NORMAL | 5.00-8 | 3.00D-8 | TR | BLACK | 16.66 | 36.65 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212410190 | QUICK | 5.00-8 | 3.00D-8 | TR | BLACK | 16.86 | 37.09 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310360 | NORMAL NMW | 5.00-8 | 3.00D-8 | TR | WHITE | 16.66 | 36.65 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310365 | NORMAL NMW | 5.00-8 | 3.50D-8 | TR | WHITE | 16.66 | 36.65 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310610 | QUICK NMW | 5.00-8 | 3.00D-8 | TR | WHITE | 16.86 | 37.09 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310344 | NORMAL NMG | 5.00-8 | 3.00D-8 | TR | GREY | 16.66 | 36.65 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310346 | NORMAL NMG | 5.00-8 | 3.50D-8 | TR | GREY | 16.66 | 36.65 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310468 | QUICK NMG | 5.00-8 | 3.00D-8 | TR | GREY | 16.86 | 37.09 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310546 | NORMAL NMY | 5.00-8 | 3.00D-8 | TR | YELLOW | 16.73 | 36.81 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310548 | NORMAL NMY | 5.00-8 | 3.50D-8 | TR | YELLOW | 16.73 | 36.81 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212310672 | QUICK NMY | 5.00-8 | 3.00D-8 | TR | YELLOW | 16.93 | 37.25 | 17.87 | 4.65 | 454 | 118 | 39 | 1415 | 1090 | |
| 3212410005 | NORMAL | 15x4 1/2-8 | 3.00D-8 | TR | BLACK | 9.98 | 21.95 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212410195 | QUICK | 15x4 1/2-8 | 3.00D-8 | TR | BLACK | 10.17 | 22.38 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310370 | NORMAL NMW | 15x4 1/2-8 | 3.00D-8 | TR | WHITE | 9.98 | 21.95 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310375 | NORMAL NMW | 15x4 1/2-8 | 3.25I-8 | TR | WHITE | 9.98 | 21.95 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310615 | QUICK NMW | 15x4 1/2-8 | 3.00D-8 | TR | WHITE | 10.17 | 22.38 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310348 | NORMAL NMG | 15x4 1/2-8 | 3.00D-8 | TR | GREY | 9.98 | 21.95 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310352 | NORMAL NMG | 15x4 1/2-8 | 3.25I-8 | TR | GREY | 9.98 | 21.95 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310472 | QUICK NMG | 15x4 1/2-8 | 3.00D-8 | TR | GREY | 10.17 | 22.38 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310552 | NORMAL NMY | 15x4 1/2-8 | 3.00D-8 | TR | YELLOW | 10.02 | 22.04 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310554 | NORMAL NMY | 15x4 1/2-8 | 3.25I-8 | TR | YELLOW | 10.02 | 22.04 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212310674 | QUICK NMY | 15x4 1/2-8 | 3.00D-8 | TR | YELLOW | 10.22 | 22.48 | 14.92 | 4.45 | 379 | 113 | 27 | 1040 | 800 | |
| 3212410010 | NORMAL | 16x6-8 | 4.33R-8 | TR | BLACK | 16.26 | 35.77 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212410200 | QUICK | 16x6-8 | 4.33R-8 | TR | BLACK | 16.86 | 37.09 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212310380 | NORMAL NMW | 16x6-8 | 4.33R-8 | TR | WHITE | 16.26 | 35.77 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212310620 | QUICK NMW | 16x6-8 | 4.33R-8 | TR | WHITE | 16.86 | 37.09 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212310354 | NORMAL NMG | 16x6-8 | 4.33R-8 | TR | GREY | 16.26 | 35.77 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212310474 | QUICK NMG | 16x6-8 | 4.33R-8 | TR | GREY | 16.86 | 37.09 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212310556 | NORMAL NMY | 16x6-8 | 4.33R-8 | TR | YELLOW | 16.33 | 35.92 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212310676 | QUICK NMY | 16x6-8 | 4.33R-8 | TR | YELLOW | 16.93 | 37.25 | 16.18 | 5.98 | 411 | 152 | 33 | 1495 | 1150 | |
| 3212410015 | NORMAL | 18x7-8 | 4.33R-8 | TR | BLACK | 21.61 | 47.53 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212410205 | QUICK | 18x7-8 | 4.33R-8 | TR | BLACK | 21.75 | 47.84 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212310385 | NORMAL NMW | 18x7-8 | 4.33R-8 | TR | WHITE | 21.61 | 47.53 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212310625 | QUICK NMW | 18x7-8 | 4.33R-8 | TR | WHITE | 21.75 | 47.84 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212310356 | NORMAL NMG | 18x7-8 | 4.33R-8 | TR | GREY | 21.61 | 47.53 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212310476 | QUICK NMG | 18x7-8 | 4.33R-8 | TR | GREY | 21.75 | 47.84 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212310558 | NORMAL NMY | 18x7-8 | 4.33R-8 | TR | YELLOW | 21.70 | 47.74 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212310678 | QUICK NMY | 18x7-8 | 4.33R-8 | TR | YELLOW | 21.84 | 48.05 | 17.83 | 5.98 | 453 | 152 | 44 | 2145 | 1650 | |
| 3212410210 | QUICK | 140/55-9 | 4.00E-09 | TR | BLACK | 10.67 | 23.48 | 14.84 | 5.12 | 377 | 130 | 28 | 1170 | 900 | |
| 3212310630 | QUICK NMW | 140/55-9 | 4.00E-09 | TR | WHITE | 10.67 | 23.48 | 14.84 | 5.12 | 377 | 130 | 28 | 1170 | 900 | |
| 3212310478 | QUICK NMG | 140/55-9 | 4.00E-09 | TR | GREY | 10.67 | 23.48 | 14.84 | 5.12 | 377 | 130 | 28 | 1170 | 900 | |
| 3212310682 | QUICK NMY | 140/55-9 | 4.00E-09 | TR | YELLOW | 10.72 | 23.58 | 14.84 | 5.12 | 377 | 130 | 28 | 1170 | 900 | |
| 3212410020 | NORMAL | 6.00-9 | 4.00E-09 | TR | BLACK | 25.84 | 56.84 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212410215 | QUICK | 6.00-9 | 4E.00-09 | TR | BLACK | 26.33 | 57.93 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212310395 | NORMAL NMW | 6.00-9 | 4.00E-9 | TR | WHITE | 25.84 | 56.84 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212310635 | QUICK NMW | 6.00-9 | 4.00E-09 | TR | WHITE | 26.33 | 57.93 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212310362 | NORMAL NMG | 6.00-9 | 4.00E-9 | TR | GREY | 25.84 | 56.84 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212310482 | QUICK NMG | 6.00-9 | 4.00E-09 | TR | GREY | 26.33 | 57.93 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212310564 | NORMAL NMY | 6.00-9 | 4.00E-9 | TR | YELLOW | 25.95 | 57.08 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212310684 | QUICK NMY | 6.00-9 | 4.00E-09 | TR | YELLOW | 26.45 | 58.18 | 20.59 | 5.31 | 523 | 135 | 52 | 1885 | 1450 | |
| 3212410025 | NORMAL | 21x8-9 | 6.00E-09 | TR | BLACK | 35.11 | 77.25 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |
| 3212410220 | QUICK | 21x8-9 | 6.00-09 | TR | BLACK | 35.51 | 78.12 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |
| 3212310400 | NORMAL NMW | 21x8-9 | 6.00E-09 | TR | WHITE | 35.11 | 77.25 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |
| 3212310640 | QUICK NMW | 21x8-9 | 6.00E-09 | TR | WHITE | 35.51 | 78.12 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |
| 3212310364 | NORMAL NMG | 21x8-9 | 6.00E-09 | TR | GREY | 35.11 | 77.25 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |
| 3212310484 | QUICK NMG | 21x8-9 | 6.00E-09 | TR | GREY | 35.51 | 78.12 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |
| 3212310566 | NORMAL NMY | 21x8-9 | 6.00E-09 | TR | YELLOW | 35.26 | 77.58 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY





FERENTINO PREMIUM

| CODE | PRODUCT NAME (FERENTINO PREMIUM) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|-------------------------------------|-----------|-----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|---------------|------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | UP TO 25KM/H | LOAD WHEEL | STEERING WHEEL |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | | |
| | | | | | | | | | | | | | | | |
| 3212310686 | QUICK NMY | 21x8-9 | 6.00E-09 | TR | YELLOW | 35.66 | 78.46 | 20.39 | 7.20 | 518 | 183 | 49 | 2755 | 2120 | |
| 3212410225 | QUICK | 180/60-10 | 5.00F-10 | TR | BLACK | 20.05 | 44.11 | 17.80 | 6.30 | 452 | 160 | 33 | 2410 | 1850 | |
| 3212318398 | QUICK NMW | 180/60-10 | 5.00F-10 | TR | WHITE | 20.05 | 44.11 | 17.80 | 6.30 | 452 | 160 | 33 | 2410 | 1850 | |
| 3212318402 | QUICK NMG | 180/60-10 | 5.00F-10 | TR | GREY | 20.05 | 44.11 | 17.80 | 6.30 | 452 | 160 | 33 | 2410 | 1850 | |
| 3212318404 | QUICK NMY | 180/60-10 | 5.00F-10 | TR | YELLOW | 20.05 | 44.11 | 17.80 | 6.30 | 452 | 160 | 33 | 2410 | 1850 | |
| 3212410030 | NORMAL | 200/50-10 | 6.50F-10 | TR | BLACK | 24.84 | 54.64 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212410230 | QUICK | 200/50-10 | 6.50F-10 | TR | BLACK | 25.34 | 55.74 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212310405 | NORMAL NMW | 200/50-10 | 6.50F-10 | TR | WHITE | 24.84 | 54.64 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212310645 | QUICK NMW | 200/50-10 | 6.50F-10 | TR | WHITE | 25.34 | 55.74 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212310366 | NORMAL NMG | 200/50-10 | 6.50F-10 | TR | GREY | 24.84 | 54.64 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212310486 | QUICK NMG | 200/50-10 | 6.50F-10 | TR | GREY | 25.34 | 55.74 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212310568 | NORMAL NMY | 200/50-10 | 6.50F-10 | TR | YELLOW | 24.84 | 54.64 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212310688 | QUICK NMY | 200/50-10 | 6.50F-10 | TR | YELLOW | 25.45 | 55.98 | 17.99 | 7.60 | 457 | 193 | 34 | 2470 | 1900 | |
| 3212410035 | NORMAL | 6.50-10 | 5.00F-10 | TR | BLACK | 34.71 | 76.37 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212410235 | QUICK | 6.50-10 | 5.00F-10 | TR | BLACK | 35.21 | 77.47 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310410 | NORMAL NMW | 6.50-10 | 5.00F-10 | TR | WHITE | 34.71 | 76.37 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310415 | NORMAL NMY | 6.50-10 | 5.00F-10 | TR | WHITE | 34.71 | 76.37 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310650 | QUICK NMW | 6.50-10 | 5.00F-10 | TR | WHITE | 35.21 | 77.47 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310368 | NORMAL NMG | 6.50-10 | 5.00F-10 | TR | GREY | 34.71 | 76.37 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310372 | NORMAL NMG | 6.50-10 | 5.00F-10 | TR | GREY | 34.71 | 76.37 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310488 | QUICK NMG | 6.50-10 | 5.00F-10 | TR | GREY | 35.21 | 77.47 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310572 | NORMAL NMY | 6.50-10 | 5.00F-10 | TR | YELLOW | 34.86 | 76.70 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310574 | NORMAL NMY | 6.50-10 | 5.00F-10 | TR | YELLOW | 34.86 | 76.70 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212310692 | QUICK NMY | 6.50-10 | 5.00F-10 | TR | YELLOW | 35.36 | 77.80 | 22.36 | 6.18 | 568 | 157 | 55 | 2340 | 1800 | |
| 3212410040 | NORMAL | 23x9-10 | 6.50F-10 | TR | BLACK | 48.78 | 107.31 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212410240 | QUICK | 23x9-10 | 6.50F-10 | TR | BLACK | 49.78 | 109.51 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212310420 | NORMAL NMW | 23x9-10 | 6.50F-10 | TR | WHITE | 48.78 | 107.31 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212310655 | QUICK NMW | 23x9-10 | 6.50F-10 | TR | WHITE | 49.78 | 109.51 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212310374 | NORMAL NMG | 23x9-10 | 6.50F-10 | TR | GREY | 48.78 | 107.31 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212310492 | QUICK NMG | 23x9-10 | 6.50F-10 | TR | GREY | 49.78 | 109.51 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212310576 | NORMAL NMY | 23x9-10 | 6.50F-10 | TR | YELLOW | 48.99 | 107.77 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212310694 | QUICK NMY | 23x9-10 | 6.50F-10 | TR | YELLOW | 49.99 | 109.98 | 22.99 | 7.83 | 584 | 199 | 52 | 3445 | 2650 | |
| 3212410045 | NORMAL | 23x10-12 | 8.00G-12 | TR | BLACK | 52.69 | 115.92 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212410245 | QUICK | 23x10-12 | 8.00G-12 | TR | BLACK | 53.09 | 116.80 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212310435 | NORMAL NMW | 23x10-12 | 8.00G-12 | TR | WHITE | 52.69 | 115.92 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212310665 | QUICK NMW | 23x10-12 | 8.00G-12 | TR | WHITE | 53.09 | 116.80 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212310382 | NORMAL NMG | 23x10-12 | 8.00G-12 | TR | GREY | 52.69 | 115.92 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212310496 | QUICK NMG | 23x10-12 | 8.00G-12 | TR | GREY | 53.09 | 116.80 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212310584 | NORMAL NMY | 23x10-12 | 8.00G-12 | TR | YELLOW | 52.92 | 116.42 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212310698 | QUICK NMY | 23x10-12 | 8.00G-12 | TR | YELLOW | 53.32 | 117.30 | 23.07 | 9.21 | 586 | 234 | 45 | 3770 | 2900 | |
| 3212410050 | NORMAL | 23x12-12 | 10.00G-12 | TR | BLACK | 64.13 | 141.08 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212410250 | QUICK | 23x12-12 | 10.00G-12 | TR | BLACK | 65.32 | 143.70 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212318384 | NORMAL NMW | 23x12-12 | 10.00G-12 | TR | WHITE | 64.13 | 141.08 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212318386 | NORMAL NMG | 23x12-12 | 10.00G-12 | TR | GREY | 64.13 | 141.08 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212318388 | NORMAL NMY | 23x12-12 | 10.00G-12 | TR | YELLOW | 64.40 | 141.68 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212318392 | NORMAL NMW | 23x12-12 | 10.00G-12 | TR | WHITE | 65.32 | 143.70 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212318394 | NORMAL NMG | 23x12-12 | 10.00G-12 | TR | GREY | 65.32 | 143.70 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212318396 | NORMAL NMY | 23x12-12 | 10.00G-12 | TR | YELLOW | 65.60 | 144.32 | 22.99 | 11.06 | 584 | 281 | 43 | 4485 | 3450 | |
| 3212410055 | NORMAL | 27x10-12 | 8.00G-12 | TR | BLACK | 78.74 | 173.23 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212410255 | QUICK | 27x10-12 | 8.00G-12 | TR | BLACK | 79.54 | 174.98 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310440 | NORMAL NMW | 27x10-12 | 8.00G-12 | TR | WHITE | 78.74 | 173.23 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310670 | QUICK NMW | 27x10-12 | 8.00G-12 | TR | WHITE | 79.54 | 174.98 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310384 | NORMAL NMG | 27x10-12 | 8.00G-12 | TR | GREY | 78.74 | 173.23 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310498 | QUICK NMG | 27x10-12 | 8.00G-12 | TR | GREY | 79.54 | 174.98 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310586 | NORMAL NMY | 27x10-12 | 8.00G-12 | TR | YELLOW | 79.08 | 173.23 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310702 | QUICK NMY | 27x10-12 | 8.00G-12 | TR | YELLOW | 79.88 | 174.98 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310435 | NORMAL NMW | 23x10-12 | 8.00G-12 | TR | WHITE | 78.74 | 173.23 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO PREMIUM

| CODE | PRODUCT NAME (FERENTINO PREMIUM) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|-------------------------------------|-----------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|----------------|--------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | LOAD WHEEL | STEERING WHEEL |
| | | | | | | | | | | | | Kg | Kg | | |
| 3212310665 | QUICK NMW | 23x10-12 | 8.00G-12 | TR | WHITE | 79.54 | 174.98 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310382 | NORMAL NMG | 23x10-12 | 8.00G-12 | TR | GREY | 78.74 | 173.23 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310496 | QUICK NMG | 23x10-12 | 8.00G-12 | TR | GREY | 79.54 | 174.98 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310584 | NORMAL NMY | 23x10-12 | 8.00G-12 | TR | YELLOW | 79.08 | 173.97 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212310698 | QUICK NMY | 23x10-12 | 8.00G-12 | TR | YELLOW | 79.88 | 175.73 | 26.77 | 9.53 | 680 | 242 | 63 | 3900 | 3000 | |
| 3212410060 | NORMAL | 7.00-12 | 5.00S-12 | TR | BLACK | 47.32 | 104.11 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212410260 | QUICK | 7.00-12 | 5.00S-12 | TR | BLACK | 48.32 | 106.30 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212310445 | NORMAL NMW | 7.00-12 | 5.00S-12 | TR | WHITE | 47.32 | 104.11 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212310675 | QUICK NMW | 7.00-12 | 5.00S-12 | TR | WHITE | 48.32 | 106.30 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212310386 | NORMAL NMG | 7.00-12 | 5.00S-12 | TR | GREY | 47.32 | 104.11 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212310502 | QUICK NMG | 7.00-12 | 5.00S-12 | TR | GREY | 48.32 | 106.30 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212310588 | NORMAL NMY | 7.00-12 | 5.00S-12 | TR | YELLOW | 47.53 | 104.56 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212310704 | QUICK NMY | 7.00-12 | 5.00S-12 | TR | YELLOW | 48.53 | 106.76 | 25.71 | 6.54 | 653 | 166 | 60 | 2920 | 2240 | |
| 3212410065 | NORMAL | 28x9-15 | 7.00-15 | TR | BLACK | 60.65 | 133.42 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212410265 | QUICK | 28x9-15 | 7.00-15 | TR | BLACK | 61.64 | 135.61 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310460 | NORMAL NMW | 28x9-15 | 6.50-15 | TR | WHITE | 60.65 | 133.42 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310465 | NORMAL NMW | 28x9-15 | 7.00-15 | TR | WHITE | 60.65 | 133.42 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310685 | QUICK NMW | 28x9-15 | 7.00-15 | TR | WHITE | 61.64 | 135.61 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310394 | NORMAL NMG | 28x9-15 | 6.50-15 | TR | GREY | 60.65 | 133.42 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310396 | NORMAL NMG | 28x9-15 | 7.00-15 | TR | GREY | 60.65 | 133.42 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310506 | QUICK NMG | 28x9-15 | 7.00-15 | TR | GREY | 61.64 | 135.61 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310596 | NORMAL NMY | 28x9-15 | 6.50-15 | TR | YELLOW | 60.91 | 133.99 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310598 | NORMAL NMY | 28x9-15 | 7.00-15 | TR | YELLOW | 60.91 | 133.99 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212310708 | QUICK NMY | 28x9-15 | 7.00-15 | TR | YELLOW | 61.91 | 136.19 | 27.09 | 8.43 | 688 | 214 | 53 | 3900 | 3000 | |
| 3212410070 | NORMAL | 355/45-15 | 9.75-15 | TR | BLACK | 84.01 | 184.82 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212410270 | QUICK | 355/45-15 | 9.75-15 | TR | BLACK | 84.91 | 186.79 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212318324 | NORMAL | 355/45-15 | 9.75-15 | TR | WHITE | 84.01 | 184.82 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212318326 | NORMAL | 355/45-15 | 9.75-15 | TR | GREY | 84.01 | 184.82 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212318328 | NORMAL | 355/45-15 | 9.75-15 | TR | YELLOW | 84.37 | 185.62 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212318332 | QUICK | 355/45-15 | 9.75-15 | TR | WHITE | 84.91 | 186.79 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212318334 | QUICK | 355/45-15 | 9.75-15 | TR | GREY | 84.91 | 186.79 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212318336 | QUICK | 355/45-15 | 9.75-15 | TR | YELLOW | 85.27 | 187.59 | 27.17 | 11.26 | 690 | 286 | 53 | 5690 | 4375 | |
| 3212410075 | NORMAL | 355/50-15 | 9.75-15 | TR | BLACK | 94.65 | 208.23 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212410275 | QUICK | 355/50-15 | 9.75-15 | TR | BLACK | 95.64 | 210.41 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212310476 | NORMAL NMW | 355/50-15 | 9.75-15 | TR | WHITE | 94.65 | 208.23 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212310690 | QUICK NMW | 355/50-15 | 9.75-15 | TR | WHITE | 95.64 | 210.41 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212310398 | NORMAL NMG | 355/50-15 | 9.75-15 | TR | GREY | 94.65 | 208.23 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212310508 | QUICK NMG | 355/50-15 | 9.75-15 | TR | GREY | 95.64 | 210.41 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212310602 | NORMAL NMY | 355/50-15 | 9.75-15 | TR | YELLOW | 95.05 | 209.12 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212310712 | QUICK NMY | 355/50-15 | 9.75-15 | TR | YELLOW | 96.05 | 211.32 | 28.03 | 11.61 | 712 | 295 | 52 | 5690 | 4375 | |
| 3212410080 | NORMAL | 355/65-15 | 9.75-15 | TR | BLACK | 140.78 | 309.71 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212410280 | QUICK | 355/65-15 | 9.75-15 | TR | BLACK | 141.57 | 311.46 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212310475 | NORMAL NMW | 355/65-15 | 9.75-15 | TR | WHITE | 140.78 | 309.71 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212310695 | QUICK NMW | 355/65-15 | 9.75-15 | TR | WHITE | 141.57 | 311.46 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212310402 | NORMAL NMG | 355/65-15 | 9.75-15 | TR | GREY | 140.78 | 309.71 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212310512 | QUICK NMG | 355/65-15 | 9.75-15 | TR | GREY | 141.57 | 311.46 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212310604 | NORMAL NMY | 355/65-15 | 9.75-15 | TR | YELLOW | 141.38 | 311.04 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212310714 | QUICK NMY | 355/65-15 | 9.75-15 | TR | YELLOW | 142.18 | 312.80 | 32.24 | 12.28 | 819 | 312 | 75 | 7800 | 6000 | |
| 3212410085 | NORMAL | 250-15 | 7.00-15 | TR | BLACK | 71.98 | 158.36 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |
| 3212410090 | NORMAL | 250-15 | 7.50-15 | TR | BLACK | 73.37 | 161.42 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212410285 | QUICK | 250-15 | 7.00-15 | TR | BLACK | 72.08 | 158.58 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |
| 3212410290 | QUICK | 250-15 | 7.50-15 | TR | BLACK | 72.38 | 159.23 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212310480 | NORMAL NMW | 250-15 | 7.00-15 | TR | WHITE | 71.98 | 158.36 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |
| 3212310485 | NORMAL NMW | 250-15 | 7.50-15 | TR | WHITE | 73.37 | 161.42 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212310700 | QUICK NMW | 250-15 | 7.00-15 | TR | WHITE | 72.08 | 158.58 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |
| 3212310705 | QUICK NMW | 250-15 | 7.50-15 | TR | WHITE | 72.38 | 159.23 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212310404 | NORMAL NMG | 250-15 | 7.00-15 | TR | GREY | 71.98 | 158.36 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY





FERENTINO PREMIUM

PREMIUM

| CODE | PRODUCT NAME (FERENTINO PREMIUM) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY COUNTERBALANCE | | |
|------------|-------------------------------------|-----------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|------------------------------|------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | UP TO 25KM/H | LOAD WHEEL | STEERING WHEEL |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | | |
| | | | | | | | | Mm | Mm | | | | | | |
| 3212310406 | NORMAL NMG | 250-15 | 7.50-15 | TR | GREY | 73.37 | 161.42 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212310514 | QUICK NMG | 250-15 | 7.00-15 | TR | GREY | 72.08 | 158.58 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |
| 3212310516 | QUICK NMG | 250-15 | 7.50-15 | TR | GREY | 72.38 | 159.23 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212310606 | NORMAL NMY | 250-15 | 7.00-15 | TR | YELLOW | 72.29 | 159.04 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |
| 3212310608 | NORMAL NMY | 250-15 | 7.50-15 | TR | YELLOW | 73.69 | 162.11 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212310716 | QUICK NMY | 250-15 | 7.00-15 | TR | YELLOW | 72.39 | 159.26 | 28.31 | 8.70 | 719 | 221 | 60 | 4745 | 3650 | |
| 3212310718 | QUICK NMY | 250-15 | 7.50-15 | TR | YELLOW | 72.69 | 159.92 | 28.31 | 8.86 | 719 | 225 | 62 | 4745 | 3650 | |
| 3212410095 | NORMAL | 300-15 | 8.00-15 | TR | BLACK | 113.34 | 249.35 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212410295 | QUICK | 300-15 | 8.00-15 | TR | BLACK | 114.13 | 251.10 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212310490 | NORMAL NMW | 300-15 | 8.00-15 | TR | WHITE | 113.34 | 249.35 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212310710 | QUICK NMW | 300-15 | 8.00-15 | TR | WHITE | 114.13 | 251.10 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212310408 | NORMAL NMG | 300-15 | 8.00-15 | TR | GREY | 113.34 | 249.35 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212310518 | QUICK NMG | 300-15 | 8.00-15 | TR | GREY | 114.13 | 251.10 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212310612 | NORMAL NMY | 300-15 | 8.00-15 | TR | YELLOW | 113.83 | 250.42 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212310722 | QUICK NMY | 300-15 | 8.00-15 | TR | YELLOW | 114.62 | 252.17 | 32.09 | 10.12 | 815 | 257 | 75 | 5850 | 4500 | |
| 3212410100 | NORMAL | 7.00-15 | 5.50-15 | TR | BLACK | 58.26 | 128.17 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212410105 | NORMAL | 7.00-15 | 6.00-15 | TR | BLACK | 58.46 | 128.61 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212410300 | QUICK | 7.00-15 | 5.50-15 | TR | BLACK | 58.56 | 128.83 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310510 | NORMAL NMW | 7.00-15 | 5.50-15 | TR | WHITE | 58.26 | 128.17 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310515 | NORMAL NMW | 7.00-15 | 6.00-15 | TR | WHITE | 58.46 | 128.61 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310715 | QUICK NMW | 7.00-15 | 5.50-15 | TR | WHITE | 58.56 | 128.83 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310418 | NORMAL NMG | 7.00-15 | 5.50-15 | TR | GREY | 58.26 | 128.17 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310422 | NORMAL NMG | 7.00-15 | 6.00-15 | TR | GREY | 58.46 | 128.61 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310522 | QUICK NMG | 7.00-15 | 5.50-15 | TR | GREY | 58.56 | 128.83 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310622 | NORMAL NMY | 7.00-15 | 5.50-15 | TR | YELLOW | 58.51 | 128.72 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310624 | NORMAL NMY | 7.00-15 | 6.00-15 | TR | YELLOW | 58.71 | 129.16 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212310724 | QUICK NMY | 7.00-15 | 5.50-15 | TR | YELLOW | 58.81 | 129.38 | 28.70 | 7.05 | 729 | 179 | 60 | 3545 | 2725 | |
| 3212410110 | NORMAL | 7.50-15 | 5.50-15 | TR | BLACK | 68.20 | 150.05 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212410115 | NORMAL | 7.50-15 | 6.00-15 | TR | BLACK | 68.80 | 151.36 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212410120 | NORMAL | 7.50-15 | 6.50-15 | TR | BLACK | 69.59 | 153.11 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212410305 | QUICK | 7.50-15 | 6.50-15 | TR | BLACK | 70.19 | 154.42 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310520 | NORMAL NMW | 7.50-15 | 5.50-15 | TR | WHITE | 68.20 | 150.05 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310525 | NORMAL NMW | 7.50-15 | 6.00-15 | TR | WHITE | 68.80 | 151.36 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310530 | NORMAL NMW | 7.50-15 | 6.50-15 | TR | WHITE | 69.59 | 153.11 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310720 | QUICK NMW | 7.50-15 | 5.50-15 | TR | WHITE | 68.20 | 150.05 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310725 | QUICK NMW | 7.50-15 | 6.50-15 | TR | WHITE | 70.19 | 154.42 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310424 | NORMAL NMG | 7.50-15 | 5.50-15 | TR | GREY | 68.20 | 150.05 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310426 | NORMAL NMG | 7.50-15 | 6.00-15 | TR | GREY | 68.80 | 151.36 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310428 | NORMAL NMG | 7.50-15 | 6.50-15 | TR | GREY | 69.59 | 153.11 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310524 | QUICK NMG | 7.50-15 | 5.50-15 | TR | GREY | 68.20 | 150.05 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310526 | QUICK NMG | 7.50-15 | 6.50-15 | TR | GREY | 70.19 | 154.42 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310626 | NORMAL NMY | 7.50-15 | 5.50-15 | TR | YELLOW | 68.50 | 150.69 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310628 | NORMAL NMY | 7.50-15 | 6.00-15 | TR | YELLOW | 69.09 | 152.01 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310632 | NORMAL NMY | 7.50-15 | 6.50-15 | TR | YELLOW | 69.89 | 153.76 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310726 | QUICK NMY | 7.50-15 | 5.50-15 | TR | YELLOW | 68.50 | 150.69 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212310728 | QUICK NMY | 7.50-15 | 6.50-15 | TR | YELLOW | 70.49 | 155.08 | 29.61 | 7.83 | 752 | 199 | 62 | 3900 | 3000 | |
| 3212410125 | NORMAL | 8.25-15 | 5.50-15 | TR | BLACK | 90.07 | 198.16 | 32.01 | 8.35 | 813 | 212 | 72 | 4615 | 3550 | |
| 3212410130 | NORMAL | 8.25-15 | 6.50-15 | TR | BLACK | 91.47 | 201.23 | 32.01 | 8.35 | 813 | 212 | 72 | 4750 | 3650 | |
| 3212410310 | QUICK | 8.25-15 | 5.50-15 | TR | BLACK | 90.87 | 199.91 | 32.01 | 8.35 | 813 | 212 | 72 | 4615 | 3550 | |
| 3212410315 | QUICK | 8.25-15 | 6.50-15 | TR | BLACK | 92.26 | 202.98 | 32.01 | 8.35 | 813 | 212 | 72 | 4750 | 3650 | |
| 3212310535 | NORMAL NMW | 8.25-15 | 5.50-15 | TR | WHITE | 90.07 | 198.16 | 32.01 | 8.35 | 813 | 212 | 72 | 4615 | 3550 | |
| 3212310540 | NORMAL NMW | 8.25-15 | 6.50-15 | TR | WHITE | 91.47 | 201.23 | 32.01 | 8.35 | 813 | 212 | 72 | 4750 | 3650 | |
| 3212310730 | QUICK NMW | 8.25-15 | 5.50-15 | TR | WHITE | 90.87 | 199.91 | 32.01 | 8.35 | 813 | 212 | 72 | 4615 | 3550 | |
| 3212310735 | QUICK NMW | 8.25-15 | 6.50-15 | TR | WHITE | 92.26 | 202.98 | 32.01 | 8.35 | 813 | 212 | 72 | 4750 | 3650 | |
| 3212310432 | NORMAL NMG | 8.25-15 | 5.50-15 | TR | GREY | 90.07 | 198.16 | 32.01 | 8.35 | 813 | 212 | 72 | 4615 | 3550 | |
| 3212310434 | NORMAL NMG | 8.25-15 | 6.50-15 | TR | GREY | 91.47 | 201.23 | 32.01 | 8.35 | 813 | 212 | 72 | 4750 | 3650 | |
| 3212310528 | QUICK NMG | 8.25-15 | 5.50-15 | TR | GREY | 90.87 | 199.91 | 32.01 | 8.35 | 813 | 212 | 72 | 4615 | 3550 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY

FERENTINO HIGHRIDE



FERENTINO HIGHRIDE NON MARKING



S
special



HL
high capacity



AS
antistatic



NM
non marking

The Quality alternative for normal requirements & standard application

Wide profile and flat footprint

- Increases stability and grip

Large tread blocks and deep lugs

- Maximizes life and traction
- Established tread pattern design
- Exceptional tread rubber compound properties
- Ensures maximum tire utilization



FERENTINO HIGHRIDE

HIGHRIDE

| CODE | PRODUCT NAME (FERENTINO HIGHRIDE) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|-----------------------------------|------------|----------|---------|--------|-------------|-------|------------------|---------------|------------------|---------------|-----------------|----------------|--------------|----|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | Kg | Kg |
| | | | | | | | | | | | | | | | |
| 3212420740 | NORMAL | 3.00-4 | 2.10-4 | TR | BLACK | 3.90 | 8.57 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212420745 | NORMAL | 3.00-4 | 2.50C-4 | TR | BLACK | 3.65 | 8.02 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212321145 | NORMAL NMW | 3.00-4 | 2.10-4 | TR | WHITE | 3.90 | 8.57 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212321150 | NORMAL NMW | 3.00-4 | 2.50C-4 | TR | WHITE | 3.65 | 8.02 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212321142 | NORMAL NMG | 3.00-4 | 2.10-4 | TR | GREY | 3.90 | 8.57 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212321144 | NORMAL NMG | 3.00-4 | 2.50C-4 | TR | GREY | 3.65 | 8.02 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212321344 | NORMAL NMY | 3.00-4 | 2.10-4 | TR | YELLOW | 3.91 | 8.61 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212321346 | NORMAL NMY | 3.00-4 | 2.50C-4 | TR | YELLOW | 3.66 | 8.06 | 9.88 | 3.31 | 251 | 84 | 23 | 255 | 195 | |
| 3212420750 | NORMAL | 4.00-4 | 2.10-4 | TR | BLACK | 6.69 | 14.73 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212420755 | NORMAL | 4.00-4 | 2.50C-4 | TR | BLACK | 7.09 | 15.61 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212321155 | NORMAL NMW | 4.00-4 | 2.10-4 | TR | WHITE | 6.69 | 14.73 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212321160 | NORMAL NMW | 4.00-4 | 2.50C-4 | TR | WHITE | 7.09 | 15.61 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212321146 | NORMAL NMG | 4.00-4 | 2.10-4 | TR | GREY | 6.69 | 14.73 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212321148 | NORMAL NMG | 4.00-4 | 2.50C-4 | TR | GREY | 7.09 | 15.61 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212321348 | NORMAL NMY | 4.00-4 | 2.10-4 | TR | YELLOW | 6.72 | 14.79 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212321352 | NORMAL NMY | 4.00-4 | 2.50C-4 | TR | YELLOW | 7.12 | 15.67 | 12.09 | 3.78 | 307 | 96 | 36 | 535 | 410 | |
| 3212420760 | NORMAL | 4.00-8 | 3.00D-8 | TR | BLACK | 11.37 | 25.02 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212421010 | QUICK | 4.00-8 | 3.00D-8 | TR | BLACK | 11.57 | 25.46 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212321165 | NORMAL NMW | 4.00-8 | 3.00D-8 | TR | WHITE | 11.37 | 25.02 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212321415 | QUICK NMW | 4.00-8 | 3.00D-8 | TR | WHITE | 11.57 | 25.46 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212321152 | NORMAL NMG | 4.00-8 | 3.00D-8 | TR | GREY | 11.37 | 25.02 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212321276 | QUICK NMG | 4.00-8 | 3.00D-8 | TR | GREY | 11.57 | 25.46 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212321354 | NORMAL NMY | 4.00-8 | 3.00D-8 | TR | YELLOW | 11.42 | 25.12 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212321478 | QUICK NMY | 4.00-8 | 3.00D-8 | TR | YELLOW | 11.62 | 25.57 | 16.14 | 4.02 | 410 | 102 | 34 | 950 | 730 | |
| 3212420765 | NORMAL | 5.00-8 | 3.00D-8 | TR | BLACK | 16.56 | 36.43 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212420770 | NORMAL | 5.00-8 | 3.50D-8 | TR | BLACK | 16.56 | 36.43 | 17.72 | 4.80 | 450 | 122 | 39 | 1415 | 1090 | |
| 3212421015 | QUICK | 5.00-8 | 3.00D-8 | TR | BLACK | 16.76 | 36.87 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212321170 | NORMAL NMW | 5.00-8 | 3.00D-8 | TR | WHITE | 16.56 | 36.43 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212321175 | NORMAL NMW | 5.00-8 | 3.50D-8 | TR | WHITE | 16.56 | 36.43 | 17.72 | 4.80 | 450 | 122 | 39 | 1415 | 1090 | |
| 3212321420 | QUICK NMW | 5.00-8 | 3.00D-8 | TR | WHITE | 16.76 | 36.87 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212321154 | NORMAL NMG | 5.00-8 | 3.00D-8 | TR | GREY | 16.56 | 36.43 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212321156 | NORMAL NMG | 5.00-8 | 3.50D-8 | TR | GREY | 16.56 | 36.43 | 17.72 | 4.80 | 450 | 122 | 39 | 1415 | 1090 | |
| 3212321278 | QUICK NMG | 5.00-8 | 3.00D-8 | TR | GREY | 16.76 | 36.87 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212321356 | NORMAL NMY | 5.00-8 | 3.00D-8 | TR | YELLOW | 16.63 | 36.59 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212321358 | NORMAL NMY | 5.00-8 | 3.50D-8 | TR | YELLOW | 16.63 | 36.59 | 17.72 | 4.80 | 450 | 122 | 39 | 1415 | 1090 | |
| 3212321482 | QUICK NMY | 5.00-8 | 3.00D-8 | TR | YELLOW | 16.83 | 37.03 | 17.83 | 4.61 | 453 | 117 | 39 | 1415 | 1090 | |
| 3212420775 | NORMAL | 15x4 1/2-8 | 3.00D-8 | TR | BLACK | 9.88 | 21.73 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212420780 | NORMAL | 15x4 1/2-8 | 3.00D-8 | TR | BLACK | 10.07 | 22.16 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212321180 | NORMAL NMW | 15x4 1/2-8 | 3.00D-8 | TR | WHITE | 9.88 | 21.73 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212321425 | QUICK NMW | 15x4 1/2-8 | 3.00D-8 | TR | WHITE | 10.07 | 22.16 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212321158 | NORMAL NMG | 15x4 1/2-8 | 3.00D-8 | TR | GREY | 9.88 | 21.73 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212321282 | QUICK NMG | 15x4 1/2-8 | 3.00D-8 | TR | GREY | 10.07 | 22.16 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212321362 | NORMAL NMY | 15x4 1/2-8 | 3.00D-8 | TR | YELLOW | 9.92 | 21.82 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212321484 | QUICK NMY | 15x4 1/2-8 | 3.00D-8 | TR | YELLOW | 10.12 | 22.26 | 14.84 | 4.45 | 377 | 113 | 26 | 1040 | 800 | |
| 3212321185 | NM NORMAL | 15x4 1/2-8 | 3.25I-8 | TR | BLACK | 9.98 | 21.95 | 14.80 | 4.49 | 376 | 114 | 26 | 1040 | 800 | |
| 3212321185 | NORMAL NMW | 15x4 1/2-8 | 3.25I-8 | TR | WHITE | 9.98 | 21.95 | 14.80 | 4.49 | 376 | 114 | 26 | 1040 | 800 | |
| 3212321162 | NORMAL NMG | 15x4 1/2-8 | 3.25I-8 | TR | GREY | 9.98 | 21.95 | 14.80 | 4.49 | 376 | 114 | 26 | 1040 | 800 | |
| 3212321364 | NORMAL NMY | 15x4 1/2-8 | 3.25I-8 | TR | YELLOW | 10.0 | 22.04 | 14.80 | 4.49 | 376 | 114 | 26 | 1040 | 800 | |
| 3212420785 | NORMAL | 16x6-8 | 4.33R-8 | TR | BLACK | 16.46 | 36.21 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212421025 | QUICK | 16x6-8 | 4.33R-8 | TR | BLACK | 16.66 | 36.65 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212321190 | NORMAL NMW | 16x6-8 | 4.33R-8 | TR | WHITE | 16.46 | 36.21 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212321430 | QUICK NMW | 16x6-8 | 4.33R-8 | TR | WHITE | 16.66 | 36.65 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212321164 | NORMAL NMG | 16x6-8 | 4.33R-8 | TR | GREY | 16.46 | 36.21 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212321284 | QUICK NMG | 16x6-8 | 4.33R-8 | TR | GREY | 16.66 | 36.65 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212321366 | NORMAL NMY | 16x6-8 | 4.33R-8 | TR | YELLOW | 16.53 | 36.36 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212321486 | QUICK NMY | 16x6-8 | 4.33R-8 | TR | YELLOW | 16.73 | 36.81 | 16.22 | 5.94 | 412 | 151 | 32 | 1495 | 1150 | |
| 3212420790 | NORMAL | 18x7-8 | 4.33R-8 | TR | BLACK | 21.45 | 47.18 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |

- NM - NON MARKING WHITE
- NMG - NON MARKING GRAY
- NMY - NON MARKING YELLOW
- AVAILABLE SHORTLY





FERENTINO HIGHRIDE

HIGHRIDE

| CODE | PRODUCT NAME (FERENTINO HIGHRIDE) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY COUNTERBALANCE | | |
|------------|--------------------------------------|-----------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|---------------------------------|------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | UP TO 25KM/H | LOAD WHEEL | STEERING WHEEL |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | | |
| | | | | | | | | | | | | | | | |
| 3212421030 | QUICK | 18x7-8 | 4.33R-8 | TR | BLACK | 21.65 | 47.62 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |
| 3212321195 | NORMAL NMW | 18x7-8 | 4.33R-8 | TR | WHITE | 21.45 | 47.18 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |
| 3212321435 | QUICK NMW | 18x7-8 | 4.33R-8 | TR | WHITE | 21.65 | 47.62 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |
| 3212321166 | NORMAL NMG | 18x7-8 | 4.33R-8 | TR | GREY | 21.45 | 47.18 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |
| 3212321286 | QUICK NMG | 18x7-8 | 4.33R-8 | TR | GREY | 21.65 | 47.62 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |
| 3212321368 | NORMAL NMY | 18x7-8 | 4.33R-8 | TR | YELLOW | 21.54 | 47.38 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |
| 3212321488 | QUICK NMY | 18x7-8 | 4.33R-8 | TR | YELLOW | 21.74 | 47.83 | 17.80 | 5.98 | 452 | 152 | 46 | 2145 | 1650 | |
| 3212420795 | NORMAL | 18x9-8 | 7.00E-08 | TR | BLACK | 30.92 | 68.03 | 17.87 | 8.35 | 454 | 212 | 46 | 2535 | 1950 | |
| 3212321200 | NORMAL NMW | 18x9-8 | 7.00E-08 | TR | WHITE | 30.92 | 68.03 | 17.87 | 8.35 | 454 | 212 | 46 | 2535 | 1950 | |
| 3212321168 | NORMAL NMG | 18x9-8 | 7.00E-08 | TR | GREY | 30.92 | 68.03 | 17.87 | 8.35 | 454 | 212 | 46 | 2535 | 1950 | |
| 3212321372 | NORMAL NMY | 18x9-8 | 7.00E-08 | TR | YELLOW | 31.06 | 68.32 | 17.87 | 8.35 | 454 | 212 | 46 | 2535 | 1950 | |
| 3212421035 | QUICK | 140/55-9 | 4.00E-09 | TR | BLACK | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212321440 | QUICK NMW | 140/55-9 | 7.00E-08 | TR | WHITE | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212321288 | QUICK NMG | 140/55-9 | 7.00E-08 | TR | GREY | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212321492 | QUICK NMY | 140/55-9 | 7.00E-08 | TR | YELLOW | 10.22 | 22.48 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212420800 | NORMAL | 6.00-9 | 4.00E-09 | TR | BLACK | 25.84 | 56.84 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212421040 | QUICK | 6.00-9 | 4.00E-09 | TR | BLACK | 26.13 | 57.50 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212321205 | NORMAL NMW | 6.00-9 | 4.00E-09 | TR | WHITE | 25.84 | 56.84 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212321445 | QUICK NMW | 6.00-9 | 4.00E-09 | TR | WHITE | 26.13 | 57.50 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212321172 | NORMAL NMG | 6.00-9 | 4.00E-09 | TR | GREY | 25.84 | 56.84 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212321292 | QUICK NMG | 6.00-9 | 4.00E-09 | TR | GREY | 26.13 | 57.50 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212321374 | NORMAL NMY | 6.00-9 | 4.00E-09 | TR | YELLOW | 25.95 | 57.08 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212321494 | QUICK NMY | 6.00-9 | 4.00E-09 | TR | YELLOW | 26.25 | 57.74 | 20.67 | 5.28 | 525 | 134 | 52 | 1885 | 1450 | |
| 3212420805 | NORMAL | 21x8-9 | 6.00E-09 | TR | BLACK | 34.91 | 76.81 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212421045 | QUICK | 21x8-9 | 6.00E-09 | TR | BLACK | 35.31 | 77.69 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212321210 | NORMAL NMW | 21x8-9 | 6.00E-09 | TR | WHITE | 34.91 | 76.81 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212321450 | QUICK NMW | 21x8-9 | 6.00E-09 | TR | WHITE | 35.31 | 77.69 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212321174 | NORMAL NMG | 21x8-9 | 6.00E-09 | TR | GREY | 34.91 | 76.81 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212321294 | QUICK NMG | 21x8-9 | 6.00E-09 | TR | GREY | 35.31 | 77.69 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212321376 | NORMAL NMY | 21x8-9 | 6.00E-09 | TR | YELLOW | 35.06 | 77.14 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212321496 | QUICK NMY | 21x8-9 | 6.00E-09 | TR | YELLOW | 35.46 | 78.02 | 20.43 | 7.20 | 519 | 183 | 48 | 2755 | 2120 | |
| 3212420810 | NORMAL | 200/50-10 | 6.50F-10 | TR | BLACK | 25.34 | 55.74 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212421050 | QUICK | 200/50-10 | 6.50F-10 | TR | BLACK | 25.84 | 56.84 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212321215 | NORMAL NMW | 200/50-10 | 6.50F-10 | TR | WHITE | 25.34 | 55.74 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212321455 | QUICK NMW | 200/50-10 | 6.50F-10 | TR | WHITE | 25.84 | 56.84 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212321176 | NORMAL NMG | 200/50-10 | 6.50F-10 | TR | GREY | 25.34 | 55.74 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212321296 | QUICK NMG | 200/50-10 | 6.50F-10 | TR | GREY | 25.84 | 56.84 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212321378 | NORMAL NMY | 200/50-10 | 6.50F-10 | TR | YELLOW | 25.45 | 55.98 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212321498 | QUICK NMY | 200/50-10 | 6.50F-10 | TR | YELLOW | 25.95 | 57.08 | 17.95 | 7.60 | 456 | 193 | 31 | 2470 | 1900 | |
| 3212420815 | NORMAL | 6.50-10 | 5.00F-10 | TR | BLACK | 34.81 | 76.59 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212421055 | NM NORMAL | 6.50-10 | 5.00F-10 | TR | BLACK | 35.91 | 79.00 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212321220 | NORMAL NMW | 6.50-10 | 5.00F-10 | TR | WHITE | 34.81 | 76.59 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212321460 | QUICK NMW | 6.50-10 | 5.00F-10 | TR | WHITE | 35.91 | 79.00 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212321178 | NORMAL NMG | 6.50-10 | 5.00F-10 | TR | GREY | 34.81 | 76.59 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212321298 | QUICK NMG | 6.50-10 | 5.00F-10 | TR | GREY | 35.91 | 79.00 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212321382 | NORMAL NMY | 6.50-10 | 5.00F-10 | TR | YELLOW | 34.96 | 76.92 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212321502 | QUICK NMY | 6.50-10 | 5.00F-10 | TR | YELLOW | 36.06 | 79.34 | 22.28 | 6.18 | 566 | 157 | 55 | 2340 | 1800 | |
| 3212420820 | NORMAL | 6.50-10 | 5.50F-10 | TR | BLACK | 35.11 | 77.25 | 22.28 | 6.22 | 566 | 158 | 55 | 2340 | 1800 | |
| 3212321225 | NORMAL NMW | 6.50-10 | 5.50F-10 | TR | WHITE | 35.11 | 77.25 | 22.28 | 6.22 | 566 | 158 | 55 | 2340 | 1800 | |
| 3212321182 | NORMAL NMG | 6.50-10 | 5.50F-10 | TR | GREY | 35.11 | 77.25 | 22.28 | 6.22 | 566 | 158 | 55 | 2340 | 1800 | |
| 3212321384 | NORMAL NMY | 6.50-10 | 5.50F-10 | TR | YELLOW | 35.26 | 77.58 | 22.28 | 6.22 | 566 | 158 | 55 | 2340 | 1800 | |
| 3212420825 | NORMAL | 23x9-10 | 6.50F-10 | TR | BLACK | 48.78 | 107.31 | 22.99 | 7.87 | 584 | 200 | 52 | 3445 | 2650 | |
| 3212421060 | QUICK | 23x9-10 | 6.50F-10 | TR | BLACK | 49.28 | 108.41 | 22.99 | 7.87 | 584 | 200 | 52 | 3445 | 2650 | |
| 3212321230 | NORMAL NMW | 23x9-10 | 6.50F-10 | TR | WHITE | 48.78 | 107.31 | 22.99 | 7.87 | 584 | 200 | 52 | 3445 | 2650 | |
| 3212321465 | QUICK NMW | 23x9-10 | 6.50F-10 | TR | WHITE | 49.28 | 108.41 | 22.99 | 7.87 | 584 | 200 | 52 | 3445 | 2650 | |
| 3212321184 | NORMAL NMG | 23x9-10 | 6.50F-10 | TR | GREY | 48.78 | 107.31 | 22.99 | 7.87 | 584 | 200 | 52 | 3445 | 2650 | |
| 3212321302 | QUICK NMG | 23x9-10 | 6.50F-10 | TR | GREY | 49.28 | 108.41 | 22.99 | 7.87 | 584 | 200 | 52 | 3445 | 2650 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO HIGHRIDE

| | | | | | | | | | | | | HIGHRIDE | | |
|------------|--------------------------------------|-----------|-------------|---------|--------|-------------|---------|------------------|---------------|------------------|---------------|-----------------|------------------------------|----------------|
| CODE | PRODUCT NAME (FERENTINO HIGHRIDE) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY COUNTERBALANCE | |
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | LOAD WHEEL | STEERING WHEEL |
| | | | | | | | | | | | | | Kg | Kg |
| 3212321370 | NORMAL NMW | 10.00-20 | 7.00-20 | TR | WHITE | 175.07 | 385.16 | 40.75 | 10.04 | 1035 | 255 | 82 | 6000 | 5000 |
| 3212321254 | NORMAL NMG | 10.00-20 | 7.00-20 | TR | GREY | 175.07 | 385.16 | 40.75 | 10.04 | 1035 | 255 | 82 | 6000 | 5000 |
| 3212321456 | NORMAL NMY | 10.00-20 | 7.00-20 | TR | YELLOW | 175.82 | 386.81 | 40.75 | 10.04 | 1035 | 255 | 82 | 6000 | 5000 |
| 3212420970 | NORMAL | 10.00-20 | 7.50-20 | TR | BLACK | 176.56 | 388.42 | 40.75 | 10.04 | 1035 | 255 | 82 | 6000 | 5000 |
| 3212321375 | NORMAL NMW | 10.00-20 | 7.50-20 | TR | WHITE | 176.56 | 388.42 | 40.75 | 10.04 | 1035 | 255 | 82 | 6000 | 5000 |
| 3212321256 | NORMAL NMG | 10.00-20 | 7.50-20 | TR | GREY | 176.56 | 388.42 | 40.75 | 10.04 | 1035 | 255 | 82 | 6000 | 5000 |
| 3212321458 | NORMAL NMY | 10.00-20 | 7.50-20 | TR | YELLOW | 177.31 | 390.09 | 40.75 | 10.04 | 1035 | 255 | 82 | 6000 | 5000 |
| 3212420975 | NORMAL | 10.00-20 | 8.00-20 | TR | BLACK | 178.04 | 391.69 | 40.75 | 9.92 | 1035 | 252 | 82 | 6000 | 5000 |
| 3212321380 | NORMAL NMW | 10.00-20 | 8.00-20 | TR | WHITE | 178.04 | 391.69 | 40.75 | 9.92 | 1035 | 252 | 82 | 6000 | 5000 |
| 3212321258 | NORMAL NMG | 10.00-20 | 8.00-20 | TR | GREY | 178.04 | 391.69 | 40.75 | 9.92 | 1035 | 252 | 82 | 6000 | 5000 |
| 3212321462 | NORMAL NMY | 10.00-20 | 8.00-20 | TR | YELLOW | 178.80 | 393.37 | 40.75 | 9.92 | 1035 | 252 | 82 | 6000 | 5000 |
| 3212420980 | NORMAL | 11.00-20 | 7.50-20 | TR | BLACK | 191.10 | 420.41 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212321385 | NORMAL NMW | 11.00-20 | 7.50-20 | TR | WHITE | 191.10 | 420.41 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212321262 | NORMAL NMG | 11.00-20 | 7.50-20 | TR | GREY | 191.10 | 420.41 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212321464 | NORMAL NMY | 11.00-20 | 7.50-20 | TR | YELLOW | 191.92 | 422.22 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212420985 | NORMAL | 11.00-20 | 8.00-20 | TR | BLACK | 192.88 | 424.33 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212321390 | NORMAL NMW | 11.00-20 | 8.00-20 | TR | WHITE | 192.88 | 424.33 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212321264 | NORMAL NMG | 11.00-20 | 8.00-20 | TR | GREY | 192.88 | 424.33 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212321466 | NORMAL NMY | 11.00-20 | 8.00-20 | TR | YELLOW | 193.70 | 426.15 | 41.73 | 10.08 | 1060 | 256 | 96 | 6540 | 5450 |
| 3212420990 | NORMAL | 12.00-20 | 8.00-20 | TR | BLACK | 226.51 | 498.31 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212321395 | NORMAL NMW | 12.00-20 | 8.00-20 | TR | WHITE | 226.51 | 498.31 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212321266 | NORMAL NMG | 12.00-20 | 8.00-20 | TR | GREY | 226.51 | 498.31 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212321468 | NORMAL NMY | 12.00-20 | 8.00-20 | TR | YELLOW | 227.48 | 500.45 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212420995 | NORMAL | 12.00-20 | 8.50-20 | TR | BLACK | 227.50 | 500.49 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212321400 | NORMAL NMW | 12.00-20 | 8.50-20 | TR | WHITE | 227.50 | 500.49 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212321268 | NORMAL NMG | 12.00-20 | 8.50-20 | TR | GREY | 227.50 | 500.49 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212321472 | NORMAL NMY | 12.00-20 | 8.50-20 | TR | YELLOW | 228.47 | 502.64 | 42.91 | 11.14 | 1090 | 283 | 88 | 7560 | 6300 |
| 3212421000 | NORMAL | 14.00-24 | 10.00-24IRA | TR | BLACK | 391.69 | 861.71 | 51.97 | 13.11 | 1320 | 333 | 108 | 11100 | 9250 |
| 3212321405 | NORMAL NMW | 14.00-24 | 10.00-24IRA | TR | WHITE | 391.69 | 861.71 | 51.97 | 13.11 | 1320 | 333 | 108 | 11100 | 9250 |
| 3212321272 | NORMAL NMG | 14.00-24 | 10.00-24IRA | TR | GREY | 391.69 | 861.71 | 51.97 | 13.11 | 1320 | 333 | 108 | 11100 | 9250 |
| 3212321474 | NORMAL NMY | 14.00-24 | 10.00-24IRA | TR | YELLOW | 393.37 | 865.41 | 51.97 | 13.11 | 1320 | 333 | 108 | 11100 | 9250 |
| 3212421005 | NORMAL | 16.00-25 | 11.25-25 | TR | BLACK | 581.60 | 1279.51 | 56.89 | 16.38 | 1445 | 416 | 125 | 15000 | 12500 |
| 3212321410 | NORMAL NMW | 16.00-25 | 11.25-25 | TR | WHITE | 581.60 | 1279.51 | 56.89 | 16.38 | 1445 | 416 | 125 | 15000 | 12500 |
| 3212321274 | NORMAL NMG | 16.00-25 | 11.25-25 | TR | GREY | 581.60 | 1279.51 | 56.89 | 16.38 | 1445 | 416 | 125 | 15000 | 12500 |
| 3212321476 | NORMAL NMY | 16.00-25 | 11.25-25 | TR | YELLOW | 584.09 | 1285.00 | 56.89 | 16.38 | 1445 | 416 | 125 | 15000 | 12500 |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO - GSP(RIB)

GSP

FERENTINO GSP(RIB)



FERENTINO GSP(RIB) NON MARKING



AS
antistatic



NM
non marking

Circumferential ribs

- High cornering capability and low vibration

Low rolling resistance

- Increases battery life and reduces fuel consumption

Excellent tread rubber compound

- For long lifespan



FERENTINO GSP(RIB)

| CODE | PRODUCT NAME (FERENTINO GSP (RIB)) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|---------------------------------------|----------------|----------|---------|--------|-------------|-------|------------------|---------------|------------------|---------------|-----------------|----------------|--------------|----|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | Kg | Kg |
| | | | | | | | | | | | | | | | |
| 3212413075 | RIB NORMAL | 140/55-6 RIB | 4.50E-06 | TR | BLACK | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212313076 | RIB NORMAL NMW | 140/55-6 RIB | 4.50E-06 | TR | WHITE | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212313106 | RIB NORMAL NMG | 140/55-6 RIB | 4.50E-06 | TR | GREY | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212313136 | RIB NORMAL NMY | 140/55-6 RIB | 4.50E-06 | TR | YELLOW | 10.03 | 22.07 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212413080 | RIB NORMAL | 4.00-8 RIB | 2.50C-8 | TR | BLACK | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212413085 | RIB NORMAL | 4.00-8 RIB | 3.00D-8 | TR | BLACK | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212413090 | RIB NORMAL | 4.00-8 RIB | 3.75-8 | TR | BLACK | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212313078 | RIB NORMAL NMW | 4.00-8 RIB | 2.50C-8 | TR | WHITE | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212313082 | RIB NORMAL NMW | 4.00-8 RIB | 3.00D-8 | TR | WHITE | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212313084 | RIB NORMAL NMW | 4.00-8 RIB | 3.75-8 | TR | WHITE | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212313108 | RIB NORMAL NMG | 4.00-8 RIB | 2.50C-8 | TR | GREY | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212313112 | RIB NORMAL NMG | 4.00-8 RIB | 3.00D-8 | TR | GREY | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212313114 | RIB NORMAL NMG | 4.00-8 RIB | 3.75-8 | TR | GREY | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212313138 | RIB NORMAL NMY | 4.00-8 RIB | 2.50C-8 | TR | YELLOW | 9.42 | 20.72 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212313242 | RIB NORMAL NMY | 4.00-8 RIB | 3.00D-8 | TR | YELLOW | 10.02 | 22.04 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212313244 | RIB NORMAL NMY | 4.00-8 RIB | 3.75-8 | TR | YELLOW | 12.12 | 26.67 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212413095 | RIB NORMAL | 5.00-8 RIB | 3.75-8 | TR | BLACK | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212313086 | RIB NORMAL NMW | 5.00-8 RIB | 3.75-8 | TR | WHITE | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212313116 | RIB NORMAL NMG | 5.00-8 RIB | 3.75-8 | TR | GREY | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212313246 | RIB NORMAL NMY | 5.00-8 RIB | 3.75-8 | TR | YELLOW | 17.83 | 39.23 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212413100 | RIB NORMAL | 15x4 1/2-8 RIB | 3.00D-8 | TR | BLACK | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212413115 | RIB QUICK | 15x4 1/2-8 RIB | 3.00D-8 | TR | BLACK | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212313088 | RIB NORMAL NMW | 15x4 1/2-8 RIB | 3.00D-8 | TR | WHITE | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212313096 | RIB QUICK NMW | 15x4 1/2-8 RIB | 3.00D-8 | TR | WHITE | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212313118 | RIB NORMAL NMG | 15x4 1/2-8 RIB | 3.00D-8 | TR | GREY | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212313126 | RIB QUICK NMG | 15x4 1/2-8 RIB | 3.00D-8 | TR | GREY | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212313248 | RIB NORMAL NMY | 15x4 1/2-8 RIB | 3.00D-8 | TR | YELLOW | 10.32 | 22.70 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212313256 | RIB QUICK NMY | 15x4 1/2-8 RIB | 3.00D-8 | TR | YELLOW | 10.52 | 23.14 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212413120 | RIB QUICK | 140/55-9 RIB | 4.00E-09 | TR | BLACK | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212313098 | RIB QUICK NMW | 140/55-9 RIB | 4.00E-09 | TR | WHITE | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212313128 | RIB QUICK NMG | 140/55-9 RIB | 4.00E-09 | TR | GREY | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212313258 | RIB QUICK NMY | 140/55-9 RIB | 4.00E-09 | TR | YELLOW | 10.22 | 22.48 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212413105 | RIB NORMAL | 16x5-9 RIB | 3.50D-9 | TR | BLACK | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212313092 | RIB NORMAL NMW | 16x5-9 RIB | 3.50D-9 | TR | WHITE | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212313122 | RIB NORMAL NMG | 16x5-9 RIB | 3.50D-9 | TR | GREY | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212313252 | RIB NORMAL NMY | 16x5-9 RIB | 3.50D-9 | TR | YELLOW | 12.62 | 27.77 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212413110 | RIB NORMAL | 6.00-9 RIB | 4.00E-09 | TR | BLACK | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212313094 | RIB NORMAL NMW | 6.00-9 RIB | 4.00E-09 | TR | WHITE | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212313124 | RIB NORMAL NMG | 6.00-9 RIB | 4.00E-09 | TR | GREY | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212313254 | RIB NORMAL NMY | 6.00-9 RIB | 4.00E-09 | TR | YELLOW | 25.04 | 55.10 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212413125 | RIB QUICK | 180/60-10 RIB | 5.00F-10 | TR | BLACK | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212313102 | RIB QUICK NMW | 180/60-10 RIB | 5.00F-10 | TR | WHITE | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212313132 | RIB QUICK NMG | 180/60-10 RIB | 5.00F-10 | TR | GREY | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212313262 | RIB QUICK NMY | 180/60-10 RIB | 5.00F-10 | TR | YELLOW | 20.64 | 45.40 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



ECO PLUS



ECO PLUS NON MARKING



NM
non marking

Well-balanced rubber compound

- Operates in low intensity applications and offers the lowest operating cost.

Deep tread design

- Provides great traction and stability.
- Increases tire lifetime

Exceptional tread rubber compound properties

- Makes this tire the longest lasting tire in the industry for low intensity applications
- Excellent quality to price ratio

Steel bead reinforced heel

- Prevents rim slip

Middle layer cushion

- Middle layer provides an excellent cushioning effect

Wear indicator

- Ensures maximum tire utilization



FERENTINO ECO PLUS

ECO PLUS

| CODE | PRODUCT NAME (FERENTINO ECO PLUS) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY COUNTERBALANCE | |
|------------|---|-----------|----------|---------|--------|-------------|--------|---------------------|------------------|---------------------|------------------|--------------------|---------------------------------|-------------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | UP TO 25KM/H | STEERING WHEEL |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | |
| | | | | | | | | | | | | | | |
| 3212331972 | QUICK NMG | 8.25-15 | 6.50-15 | TR | GREY | 90.47 | 199.04 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 |
| 3212332076 | NORMAL NMY | 8.25-15 | 6.50-15 | TR | YELLOW | 89.86 | 197.70 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 |
| 3212332174 | QUICK NMY | 8.25-15 | 6.50-15 | TR | YELLOW | 90.86 | 199.89 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 |
| 3212431655 | NORMAL | 10.00-20 | 7.50-20 | TR | BLACK | 168.15 | 369.93 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |
| 3212332000 | NORMAL NMW | 10.00-20 | 7.50-20 | TR | WHITE | 168.15 | 369.93 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |
| 3212331886 | NORMAL NMG | 10.00-20 | 7.50-20 | TR | GREY | 168.15 | 369.93 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |
| 3212332088 | NORMAL NMY | 10.00-20 | 7.50-20 | TR | YELLOW | 168.87 | 371.51 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |
| 3212431660 | NORMAL | 10.00-20 | 8.00-20 | TR | BLACK | 169.14 | 372.10 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |
| 3212332005 | NORMAL NMW | 10.00-20 | 8.00-20 | TR | WHITE | 169.14 | 372.10 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |
| 3212331888 | NORMAL NMG | 10.00-20 | 8.00-20 | TR | GREY | 169.14 | 372.10 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |
| 3212332092 | NORMAL NMY | 10.00-20 | 8.00-20 | TR | YELLOW | 169.86 | 373.70 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 |

- NMW - NON MARKING WHITE
- NMG - NON MARKING GRAY
- NMY - NON MARKING YELLOW
- AVAILABLE SHORTLY



H30

PREMIUM



FERENTINO
S.p.A. - 00144 ROMA

FERENTINO ECOPLUS RIB

ECOPLUS RIB

ECOPLUS RIB

ECOPLUS RIB NON MARKING



S
special

Unique lug pattern
• Increased traction and lifetime

High performance compound
• Low rolling resistance
• Excellent quality to price ratio
• Reduces chunking and cutting

Perfect bonding
• High quality bonding technology is used to keep the layers intact while working with heavy loads.



FERENTINO ECOPLUS RIB

ECOPLUS RIB

| CODE | PRODUCT NAME (FERENTINO ECOPLUS RIB) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|--|----------------|----------|---------|--------|-------------|-------|---------------------|------------------|---------------------|------------------|--------------------|----------------|--------------|----|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | Kg | Kg |
| | | | | | | | | | | | | | | | |
| 3212433195 | RIB NORMAL | 140/55-6 RIB | 4.50E-06 | TR | BLACK | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212333196 | RIB NORMAL NMW | 140/55-6 RIB | 4.50E-06 | TR | WHITE | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212333226 | RIB NORMAL NMG | 140/55-6 RIB | 4.50E-06 | TR | GREY | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212333256 | RIB NORMAL NMY | 140/55-6 RIB | 4.50E-06 | TR | YELLOW | 10.03 | 22.07 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212433200 | RIB NORMAL | 4.00-8 RIB | 2.50C-8 | TR | BLACK | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212433205 | RIB NORMAL | 4.00-8 RIB | 3.00D-8 | TR | BLACK | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212433210 | RIB NORMAL | 4.00-8 RIB | 3.75-8 | TR | BLACK | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212333198 | RIB NORMAL NMW | 4.00-8 RIB | 2.50C-8 | TR | WHITE | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212333202 | RIB NORMAL NMW | 4.00-8 RIB | 3.00D-8 | TR | WHITE | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212333204 | RIB NORMAL NMW | 4.00-8 RIB | 3.75-8 | TR | WHITE | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212333228 | RIB NORMAL NMG | 4.00-8 RIB | 2.50C-8 | TR | GREY | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212333232 | RIB NORMAL NMG | 4.00-8 RIB | 3.00D-8 | TR | GREY | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212333234 | RIB NORMAL NMG | 4.00-8 RIB | 3.75-8 | TR | GREY | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212333258 | RIB NORMAL NMY | 4.00-8 RIB | 2.50C-8 | TR | YELLOW | 9.42 | 20.72 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212333262 | RIB NORMAL NMY | 4.00-8 RIB | 3.00D-8 | TR | YELLOW | 10.02 | 22.04 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212333264 | RIB NORMAL NMY | 4.00-8 RIB | 3.75-8 | TR | YELLOW | 12.12 | 26.67 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212433215 | RIB NORMAL | 5.00-8 RIB | 3.75-8 | TR | BLACK | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212333206 | RIB NORMAL NMW | 5.00-8 RIB | 3.75-8 | TR | WHITE | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212333236 | RIB NORMAL NMG | 5.00-8 RIB | 3.75-8 | TR | GREY | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212333266 | RIB NORMAL NMY | 5.00-8 RIB | 3.75-8 | TR | YELLOW | 17.83 | 39.23 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212433220 | RIB NORMAL | 15x4 1/2-8 RIB | 3.00D-8 | TR | BLACK | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212433235 | RIB QUICK | 15x4 1/2-8 RIB | 3.00D-8 | TR | BLACK | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212333208 | RIB NORMAL NMW | 15x4 1/2-8 RIB | 3.00D-8 | TR | WHITE | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212333216 | RIB QUICK NMW | 15x4 1/2-8 RIB | 3.00D-8 | TR | WHITE | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212333238 | RIB NORMAL NMG | 15x4 1/2-8 RIB | 3.00D-8 | TR | GREY | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212333246 | RIB QUICK NMG | 15x4 1/2-8 RIB | 3.00D-8 | TR | GREY | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212333268 | RIB NORMAL NMY | 15x4 1/2-8 RIB | 3.00D-8 | TR | YELLOW | 10.32 | 22.70 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212333276 | RIB QUICK NMY | 15x4 1/2-8 RIB | 3.00D-8 | TR | YELLOW | 10.52 | 23.14 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212433240 | RIB QUICK | 140/55-9 RIB | 4.00E-09 | TR | BLACK | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212333218 | RIB QUICK NMW | 140/55-9 RIB | 4.00E-09 | TR | WHITE | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212333248 | RIB QUICK NMG | 140/55-9 RIB | 4.00E-09 | TR | GREY | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212333278 | RIB QUICK NMY | 140/55-9 RIB | 4.00E-09 | TR | YELLOW | 10.22 | 22.48 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212433225 | RIB NORMAL | 16x5-9 RIB | 3.50D-9 | TR | BLACK | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212333212 | RIB NORMAL NMW | 16x5-9 RIB | 3.50D-9 | TR | WHITE | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212333242 | RIB NORMAL NMG | 16x5-9 RIB | 3.50D-9 | TR | GREY | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212333272 | RIB NORMAL NMY | 16x5-9 RIB | 3.50D-9 | TR | YELLOW | 12.62 | 27.77 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212433230 | RIB NORMAL | 6.00-9 RIB | 4.00E-09 | TR | BLACK | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212333214 | RIB NORMAL NMW | 6.00-9 RIB | 4.00E-09 | TR | WHITE | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212333244 | RIB NORMAL NMG | 6.00-9 RIB | 4.00E-09 | TR | GREY | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212333274 | RIB NORMAL NMY | 6.00-9 RIB | 4.00E-09 | TR | YELLOW | 25.04 | 55.10 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212433245 | RIB QUICK | 180/60-10 RIB | 5.00F-10 | TR | BLACK | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212333222 | RIB QUICK NMW | 180/60-10 RIB | 5.00F-10 | TR | WHITE | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212333252 | RIB QUICK NMG | 180/60-10 RIB | 5.00F-10 | TR | GREY | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212333282 | RIB QUICK NMY | 180/60-10 RIB | 5.00F-10 | TR | YELLOW | 20.64 | 45.40 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO HIGHRIDE POB

HIGHRIDE

FERENTINO HIGHRIDE POB

FERENTINO HIGHRIDE POB NON MARKING



Unique lug pattern

- Increased traction and lifetime

High performance compound

- Low rolling resistance
- Excellent quality to price ratio
- Reduces chunking and cutting

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.



FERENTINO HIGHRISE RIB

HIGHRISE RIB

| CODE | PRODUCT NAME (FERENTINO HIGHRISE RIB) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|--|----------------|----------|---------|--------|-------------|-------|------------------|---------------|------------------|---------------|-----------------|----------------|--------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | LOAD WHEEL | STEERING WHEEL |
| | | | | | | | | | | | | | Kg | Kg | |
| 3212423135 | RIB NORMAL | 140/55-6 RIB | 4.50E-06 | TR | BLACK | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212323136 | RIB NORMAL NMW | 140/55-6 RIB | 4.50E-06 | TR | WHITE | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212323166 | RIB NORMAL NMG | 140/55-6 RIB | 4.50E-06 | TR | GREY | 9.99 | 21.98 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212323296 | RIB NORMAL NMY | 140/55-6 RIB | 4.50E-06 | TR | YELLOW | 10.03 | 22.07 | 12.20 | 5.51 | 310 | 140 | 25 | 1075 | 825 | |
| 3212423140 | RIB NORMAL | 4.00-8 RIB | 2.50C-8 | TR | BLACK | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212423145 | RIB NORMAL | 4.00-8 RIB | 3.00D-8 | TR | BLACK | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212423150 | RIB NORMAL | 4.00-8 RIB | 3.75-8 | TR | BLACK | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212323138 | RIB NORMAL NMW | 4.00-8 RIB | 2.50C-8 | TR | WHITE | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212323142 | RIB NORMAL NMW | 4.00-8 RIB | 3.00D-8 | TR | WHITE | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212323144 | RIB NORMAL NMW | 4.00-8 RIB | 3.75-8 | TR | WHITE | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212323168 | RIB NORMAL NMG | 4.00-8 RIB | 2.50C-8 | TR | GREY | 9.38 | 20.63 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212323272 | NORMAL NMG | 4.00-8 RIB | 3.00D-8 | TR | GREY | 9.98 | 21.95 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212323274 | NORMAL NMG | 4.00-8 RIB | 3.75-8 | TR | GREY | 12.07 | 26.55 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212323298 | NORMAL NMY | 4.00-8 RIB | 2.50C-8 | TR | YELLOW | 9.42 | 20.72 | 15.98 | 3.98 | 406 | 101 | 25 | 950 | 730 | |
| 3212323202 | RIB NORMAL NMY | 4.00-8 RIB | 3.00D-8 | TR | YELLOW | 10.02 | 22.04 | 15.98 | 4.02 | 406 | 102 | 25 | 950 | 730 | |
| 3212323204 | RIB NORMAL NMY | 4.00-8 RIB | 3.75-8 | TR | YELLOW | 12.12 | 26.67 | 16.02 | 4.76 | 407 | 121 | 37 | 1010 | 775 | |
| 3212423155 | RIB NORMAL | 5.00-8 RIB | 3.75-8 | TR | BLACK | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212323146 | RIB NORMAL NMW | 5.00-8 RIB | 3.75-8 | TR | WHITE | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212323276 | RIB NORMAL NMG | 5.00-8 RIB | 3.75-8 | TR | GREY | 17.76 | 39.06 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212323206 | RIB NORMAL NMY | 5.00-8 RIB | 3.75-8 | TR | YELLOW | 17.83 | 39.23 | 17.76 | 5.31 | 451 | 135 | 41 | 1500 | 1155 | |
| 3212423160 | RIB NORMAL | 15x4 1/2-8 RIB | 3.00D-8 | TR | BLACK | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212423175 | RIB QUICK | 15x4 1/2-8 RIB | 3.00D-8 | TR | BLACK | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212323148 | RIB NORMAL NMW | 15x4 1/2-8 RIB | 3.00D-8 | TR | WHITE | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212323156 | RIB QUICK NMW | 15x4 1/2-8 RIB | 3.00D-8 | TR | WHITE | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212323278 | RIB NORMAL NMG | 15x4 1/2-8 RIB | 3.00D-8 | TR | GREY | 10.27 | 22.60 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212323286 | RIB QUICK NMG | 15x4 1/2-8 RIB | 3.00D-8 | TR | GREY | 10.47 | 23.04 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212323208 | RIB NORMAL NMY | 15x4 1/2-8 RIB | 3.00D-8 | TR | YELLOW | 10.32 | 22.70 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212323216 | RIB QUICK NMY | 15x4 1/2-8 RIB | 3.00D-8 | TR | YELLOW | 10.52 | 23.14 | 14.84 | 4.57 | 377 | 116 | 29 | 1040 | 800 | |
| 3212423180 | RIB QUICK | 140/55-9 RIB | 4.00E-09 | TR | BLACK | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212323158 | RIB QUICK NMW | 140/55-9 RIB | 4.00E-09 | TR | WHITE | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212323288 | RIB QUICK NMG | 140/55-9 RIB | 4.00E-09 | TR | GREY | 10.17 | 22.38 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212323218 | RIB QUICK NMY | 140/55-9 RIB | 4.00E-09 | TR | YELLOW | 10.22 | 22.48 | 14.92 | 5.12 | 379 | 130 | 28 | 1170 | 900 | |
| 3212423165 | RIB NORMAL | 16x5-9 RIB | 3.50D-9 | TR | BLACK | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212323152 | RIB NORMAL NMW | 16x5-9 RIB | 3.50D-9 | TR | WHITE | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212323282 | RIB NORMAL NMG | 16x5-9 RIB | 3.50D-9 | TR | GREY | 12.57 | 27.65 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212323212 | RIB NORMAL NMY | 16x5-9 RIB | 3.50D-9 | TR | YELLOW | 12.62 | 27.77 | 16.14 | 4.96 | 410 | 126 | 23 | 1050 | 810 | |
| 3212423170 | RIB NORMAL | 6.00-9 RIB | 4.00E-09 | TR | BLACK | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212323154 | RIB NORMAL NMW | 6.00-9 RIB | 4.00E-09 | TR | WHITE | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212323284 | RIB NORMAL NMG | 6.00-9 RIB | 4.00E-09 | TR | GREY | 24.94 | 54.86 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212323214 | RIB NORMAL NMY | 6.00-9 RIB | 4.00E-09 | TR | YELLOW | 25.04 | 55.10 | 20.35 | 5.28 | 517 | 134 | 48 | 1885 | 1450 | |
| 3212423185 | RIB QUICK | 180/60-10 RIB | 5.00F-10 | TR | BLACK | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212323162 | RIB QUICK NMW | 180/60-10 RIB | 5.00F-10 | TR | WHITE | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212323292 | RIB QUICK NMG | 180/60-10 RIB | 5.00F-10 | TR | GREY | 20.55 | 45.21 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |
| 3212323222 | RIB QUICK NMY | 180/60-10 RIB | 5.00F-10 | TR | YELLOW | 20.64 | 45.40 | 17.87 | 6.30 | 454 | 160 | 33 | 2410 | 1850 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



ATHLETIK



ATHLETIK NON MARKING



S
special

Deep tread design

- Improves traction and stability

Alternative for pneumatic tires

- Reduces downtime by eliminating punctures

Budget compound

- Excellent quality to price ratio



FERENTINO ATHLETIK

ATHLETIK

| CODE | PRODUCT NAME (FERENTINO ATHLETIK) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|--------------------------------------|-----------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|----------------|--------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | Kg | Steering Wheel |
| | | | | | | | | | | | | | | | |
| 3212332214 | NORMAL NMW | 250-15 | 7.00-15 | TR | WHITE | 66.61 | 146.55 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332274 | QUICK NMW | 250-15 | 7.00-15 | TR | WHITE | 67.61 | 148.73 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332324 | NORMAL NMG | 250-15 | 7.00-15 | TR | GREY | 66.61 | 146.55 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332384 | QUICK NMG | 250-15 | 7.00-15 | TR | GREY | 67.61 | 148.73 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332434 | NORMAL NMY | 250-15 | 7.00-15 | TR | YELLOW | 66.90 | 147.17 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332494 | QUICK NMY | 250-15 | 7.00-15 | TR | YELLOW | 67.90 | 149.37 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212432370 | QUICK | 250-15 | 7.50-15 | TR | BLACK | 66.51 | 146.33 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332216 | NORMAL NMW | 250-15 | 7.50-15 | TR | WHITE | 66.51 | 146.33 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332326 | NORMAL NMG | 250-15 | 7.50-15 | TR | GREY | 66.51 | 146.33 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212332436 | NORMAL NMY | 250-15 | 7.50-15 | TR | YELLOW | 66.80 | 146.96 | 27.83 | 8.35 | 707 | 212 | 53 | 4745 | 3650 | |
| 3212432260 | NORMAL | 300-15 | 8.00-15 | TR | BLACK | 107.87 | 237.32 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212432375 | QUICK | 300-15 | 8.00-15 | TR | BLACK | 108.87 | 239.50 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212332218 | NORMAL NMW | 300-15 | 8.00-15 | TR | WHITE | 107.87 | 237.32 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212332276 | QUICK NMW | 300-15 | 8.00-15 | TR | WHITE | 108.87 | 239.50 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212332328 | NORMAL NMG | 300-15 | 8.00-15 | TR | GREY | 107.87 | 237.32 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212332386 | QUICK NMG | 300-15 | 8.00-15 | TR | GREY | 108.87 | 239.50 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212332438 | NORMAL NMY | 300-15 | 8.00-15 | TR | YELLOW | 108.33 | 238.34 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212332496 | QUICK NMY | 300-15 | 8.00-15 | TR | YELLOW | 109.33 | 240.53 | 31.81 | 9.84 | 808 | 250 | 70 | 5850 | 4500 | |
| 3212432265 | NORMAL | 7.00-15 | 5.50-15 | TR | BLACK | 57.47 | 126.42 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212432380 | QUICK | 7.00-15 | 5.50-15 | TR | BLACK | 58.46 | 128.61 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212332222 | NORMAL NMW | 7.00-15 | 5.50-15 | TR | WHITE | 57.47 | 126.42 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212332278 | QUICK NMW | 7.00-15 | 5.50-15 | TR | WHITE | 58.46 | 128.61 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212332332 | NORMAL NMG | 7.00-15 | 5.50-15 | TR | GREY | 57.47 | 126.42 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212332388 | QUICK NMG | 7.00-15 | 5.50-15 | TR | GREY | 58.46 | 128.61 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212332442 | NORMAL NMY | 7.00-15 | 5.50-15 | TR | YELLOW | 57.71 | 126.97 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212332498 | QUICK NMY | 7.00-15 | 5.50-15 | TR | YELLOW | 58.71 | 129.16 | 28.39 | 7.28 | 721 | 185 | 55 | 3545 | 2725 | |
| 3212432270 | NORMAL | 7.50-15 | 6.50-15 | TR | BLACK | 71.58 | 157.48 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212432385 | QUICK | 7.50-15 | 6.50-15 | TR | BLACK | 72.68 | 159.89 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212332224 | NORMAL NMW | 7.50-15 | 6.50-15 | TR | WHITE | 71.58 | 157.48 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212332282 | QUICK NMW | 7.50-15 | 6.50-15 | TR | WHITE | 72.68 | 159.89 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212332334 | NORMAL NMG | 7.50-15 | 6.50-15 | TR | GREY | 71.58 | 157.48 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212332392 | QUICK NMG | 7.50-15 | 6.50-15 | TR | GREY | 72.68 | 159.89 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212332444 | NORMAL NMY | 7.50-15 | 6.50-15 | TR | YELLOW | 71.89 | 158.16 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212332502 | QUICK NMY | 7.50-15 | 6.50-15 | TR | YELLOW | 72.99 | 160.57 | 29.25 | 7.99 | 743 | 203 | 59 | 3900 | 3000 | |
| 3212432275 | NORMAL | 8.25-15 | 6.50-15 | TR | BLACK | 89.48 | 196.85 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212432390 | QUICK | 8.25-15 | 6.50-15 | TR | BLACK | 90.47 | 199.04 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212332226 | NORMAL NMW | 8.25-15 | 6.50-15 | TR | WHITE | 89.48 | 196.85 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212332284 | QUICK NMW | 8.25-15 | 6.50-15 | TR | WHITE | 90.47 | 199.04 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212332336 | NORMAL NMG | 8.25-15 | 6.50-15 | TR | GREY | 89.48 | 196.85 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212332394 | QUICK NMG | 8.25-15 | 6.50-15 | TR | GREY | 90.47 | 199.04 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212332446 | NORMAL NMY | 8.25-15 | 6.50-15 | TR | YELLOW | 89.86 | 197.70 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212332504 | QUICK NMY | 8.25-15 | 6.50-15 | TR | YELLOW | 90.86 | 199.89 | 31.65 | 7.99 | 804 | 203 | 69 | 4750 | 3650 | |
| 3212432280 | NORMAL | 10.00-20 | 7.50-20 | TR | BLACK | 168.15 | 369.93 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |
| 3212432285 | NORMAL | 10.00-20 | 8.00-20 | TR | BLACK | 169.14 | 372.10 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |
| 3212332228 | NORMAL NMW | 10.00-20 | 7.50-20 | TR | WHITE | 168.15 | 369.93 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |
| 3212332232 | NORMAL NMW | 10.00-20 | 8.00-20 | TR | WHITE | 169.14 | 372.10 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |
| 3212332338 | NORMAL NMG | 10.00-20 | 7.50-20 | TR | GREY | 168.15 | 369.93 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |
| 3212332342 | NORMAL NMG | 10.00-20 | 8.00-20 | TR | GREY | 169.14 | 372.10 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |
| 3212332448 | NORMAL NMY | 10.00-20 | 7.50-20 | TR | YELLOW | 168.87 | 371.51 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |
| 3212332452 | NORMAL NMY | 10.00-20 | 8.00-20 | TR | YELLOW | 169.86 | 373.70 | 39.76 | 10.00 | 1010 | 254 | 82 | 6000 | 5000 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



SKS

SKS

SKS NON MARKING

SKS SMOOTH



**SKS SMOOTH
NON MARKING
WHITE & GRAY
AVAILABLE**



**S
special**

Stepped tread design

- Provides excellent tread cleanout for improved off-road traction
- Longest wear

Reusable wheel

- Enables tire only replacement and lowers overall cost of ownership

Optimized conical aperture design

- Improves ride conformability and reduces aperture cracking

Smooth, full-width footprint

- Provides outstanding tread life and excellent stability

Quick Fit design

- Eliminates lock & side rings for quicker installation



FERENTINO SKS SOLID

SKS SOLID

| CODE | PRODUCT NAME (FERENTINO SKS SOLID) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | |
|------------|---------------------------------------|-----------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|---------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | UP TO 25KM/H | STEERING WHEEL |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | |
| | | | | | | | | Mm | Mm | Kg | Kg | | | |
| 3212432515 | NEW NORMAL | 6.50-16 | 5.50 | TR | BLACK | 49.46 | 108.80 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332535 | NEW NORMAL NMW | 6.50-16 | 5.50 | TR | WHITE | 49.46 | 108.80 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332555 | NEW NORMAL NMG | 6.50-16 | 5.50 | TR | GREY | 49.46 | 108.80 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332575 | NEW NORMAL NMY | 6.50-16 | 5.50 | TR | YELLOW | 49.67 | 109.27 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212432595 | NEW QUICK-L | 6.50-16 | 5.50 | TR | BLACK | 50.35 | 110.78 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212432655 | NEW QUICK-R | 6.50-16 | 5.50 | TR | BLACK | 50.35 | 110.78 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332715 | NEW QUICK-L NMW | 6.50-16 | 5.50 | TR | WHITE | 50.35 | 110.78 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332775 | NEW QUICK-R NMW | 6.50-16 | 5.50 | TR | WHITE | 50.35 | 110.78 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332835 | NEW QUICK-L NMG | 6.50-16 | 5.50 | TR | GREY | 50.35 | 110.78 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332895 | NEW QUICK-R NMG | 6.50-16 | 5.50 | TR | GREY | 50.35 | 110.78 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212332955 | NEW QUICK-L NMY | 6.50-16 | 5.50 | TR | YELLOW | 50.57 | 111.26 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212333015 | NEW QUICK-R NMY | 6.50-16 | 5.50 | TR | YELLOW | 50.57 | 111.26 | 29.3 | 6.5 | 743 | 156 | | 5750 | 4400 |
| 3212432520 | NEW NORMAL | 7.50-16 | 5.50 | TR | BLACK | 67.44 | 148.37 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332540 | NEW NORMAL NMW | 7.50-16 | 5.50 | TR | WHITE | 67.44 | 148.37 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332560 | NEW NORMAL NMG | 7.50-16 | 5.50 | TR | GREY | 67.44 | 148.37 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332580 | NEW NORMAL NMY | 7.50-16 | 5.50 | TR | YELLOW | 67.73 | 149.00 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212432600 | NEW QUICK-L | 7.50-16 | 5.50 | TR | BLACK | 68.34 | 150.34 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212432660 | NEW QUICK-R | 7.50-16 | 5.50 | TR | BLACK | 68.34 | 150.34 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332720 | NEW QUICK-L NMW | 7.50-16 | 5.50 | TR | WHITE | 68.34 | 150.34 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332780 | NEW QUICK-R NMW | 7.50-16 | 5.50 | TR | WHITE | 68.34 | 150.34 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332840 | NEW QUICK-L NMG | 7.50-16 | 5.50 | TR | GREY | 68.34 | 150.34 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332900 | NEW QUICK-R NMG | 7.50-16 | 5.50 | TR | GREY | 68.34 | 150.34 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212332960 | NEW QUICK-L NMY | 7.50-16 | 5.50 | TR | YELLOW | 68.63 | 150.99 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212333020 | NEW QUICK-R NMY | 7.50-16 | 5.50 | TR | YELLOW | 68.63 | 150.99 | 31.2 | 8.1 | 793 | 207 | | 8750 | 6750 |
| 3212432525 | NEW NORMAL | 8.00-16 | 5.50 | TR | BLACK | 73.73 | 162.21 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212432530 | NEW NORMAL | 8.00-16 | 5.50 | TR | BLACK | 73.73 | 162.21 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332545 | NEW NORMAL NMW | 8.00-16 | 6.00 | TR | WHITE | 73.73 | 162.21 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332550 | NEW NORMAL NMG | 8.00-16 | 6.00 | TR | WHITE | 73.73 | 162.21 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332565 | NEW NORMAL NMY | 8.00-16 | 6.00 | TR | GREY | 73.73 | 162.21 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332570 | NEW NORMAL NMG | 8.00-16 | 6.00 | TR | GREY | 73.73 | 162.21 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332585 | NEW NORMAL NMY | 8.00-16 | 5.50 | TR | YELLOW | 74.05 | 162.91 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332590 | NEW NORMAL NMY | 8.00-16 | 6.00 | TR | YELLOW | 74.05 | 162.91 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212432605 | NEW QUICK-L | 8.00-16 | 5.50 | TR | BLACK | 74.63 | 164.19 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212432665 | NEW QUICK-R | 8.00-16 | 5.50 | TR | BLACK | 74.63 | 164.19 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332725 | NEW QUICK-L NMW | 8.00-16 | 5.50 | TR | WHITE | 74.63 | 164.19 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332785 | NEW QUICK-R NMW | 8.00-16 | 5.50 | TR | WHITE | 74.63 | 164.19 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332845 | NEW QUICK-L NMG | 8.00-16 | 5.50 | TR | GREY | 74.63 | 164.19 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332905 | NEW QUICK-R NMG | 8.00-16 | 5.50 | TR | GREY | 74.63 | 164.19 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212332965 | NEW QUICK-L NMY | 8.00-16 | 5.50 | TR | YELLOW | 74.95 | 164.90 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212333025 | NEW QUICK-R NMY | 8.00-16 | 5.50 | TR | YELLOW | 74.95 | 164.90 | 32.2 | 8.2 | 818 | 208 | | 9200 | 7050 |
| 3212432395 | AIR QUICK-L | 31X10-20 | 7.50 | TR | BLACK | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212432410 | AIR QUICK-R | 31X10-20 | 7.50 | TR | BLACK | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332425 | AIR QUICK-L NMG | 31X10-20 | 7.50 | TR | GREY | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332440 | AIR QUICK-R NMG | 31X10-20 | 7.50 | TR | GREY | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332455 | AIR QUICK-L NMW | 31X10-20 | 7.50 | TR | WHITE | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332480 | AIR QUICK-R NMW | 31X10-20 | 7.50 | TR | WHITE | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332485 | AIR QUICK-L NMY | 31X10-20 | 7.50 | TR | YELLOW | 60.50 | 133.11 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332500 | AIR QUICK-R NMY | 31X10-20 | 7.50 | TR | YELLOW | 60.50 | 133.11 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212432610 | NEW QUICK-L | 31X10-20 | 7.50 | TR | BLACK | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212432670 | NEW QUICK-R | 31X10-20 | 7.50 | TR | BLACK | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332730 | NEW QUICK-L NMW | 31X10-20 | 7.50 | TR | WHITE | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332790 | NEW QUICK-R NMW | 31X10-20 | 7.50 | TR | WHITE | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332850 | NEW QUICK-L NMG | 31X10-20 | 7.50 | TR | GREY | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332910 | NEW QUICK-R NMG | 31X10-20 | 7.50 | TR | GREY | 60.25 | 132.54 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212332970 | NEW QUICK-L NMY | 31X10-20 | 7.50 | TR | YELLOW | 60.50 | 133.11 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212333030 | NEW QUICK-R NMY | 31X10-20 | 7.50 | TR | YELLOW | 60.50 | 133.11 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 |
| 3212432400 | AIR QUICK-L | 33X12-20 | 7.50 | TR | BLACK | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY





FERENTINO SKS SOLID

SKS SOLID

| CODE | PRODUCT NAME (FERENTINO SKS SOLID) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | | |
|------------|---------------------------------------|-----------------------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|----------------|--------------|----------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | LOAD WHEEL | STEERING WHEEL |
| | | | | | | | | | | | | | | Mm | Kg |
| 3212432415 | QUICK-R | 33X12-20 | 7.50 | TR | BLACK | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332430 | QUICK-L NMG | 33X12-20 | 7.50 | TR | GREY | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332445 | QUICK-R NMG | 33X12-20 | 7.50 | TR | GREY | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332460 | QUICK-L NMW | 33X12-20 | 7.50 | TR | WHITE | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332470 | QUICK-R NMW | 33X12-20 | 7.50 | TR | WHITE | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332490 | QUICK-L NMY | 33X12-20 | 7.50 | TR | YELLOW | 85.79 | 188.74 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332505 | QUICK-R NMY | 33X12-20 | 7.50 | TR | YELLOW | 85.79 | 188.74 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212432615 | QUICK-L | 33X12-20 | 7.50 | TR | BLACK | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212432675 | QUICK-R | 33X12-20 | 7.50 | TR | BLACK | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332735 | QUICK-L NMW | 33X12-20 | 7.50 | TR | WHITE | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332795 | QUICK-R NMW | 33X12-20 | 7.50 | TR | WHITE | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332855 | QUICK-L NMG | 33X12-20 | 7.50 | TR | GREY | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332915 | QUICK-R NMG | 33X12-20 | 7.50 | TR | GREY | 85.42 | 187.93 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332975 | QUICK-L NMY | 33X12-20 | 7.50 | TR | YELLOW | 85.79 | 188.74 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212333035 | QUICK-R NMY | 33X12-20 | 7.50 | TR | YELLOW | 85.79 | 188.74 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212432405 | QUICK-L | 36X14-20 | 7.50 | TR | BLACK | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212432420 | QUICK-R | 36X14-20 | 7.50 | TR | BLACK | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332435 | QUICK-L NMG | 36X14-20 | 7.50 | TR | GREY | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332450 | QUICK-R NMG | 36X14-20 | 7.50 | TR | GREY | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332465 | QUICK-L NMW | 36X14-20 | 7.50 | TR | WHITE | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332475 | QUICK-R NMW | 36X14-20 | 7.50 | TR | WHITE | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332495 | QUICK-L NMY | 36X14-20 | 7.50 | TR | YELLOW | 121.46 | 267.21 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332510 | QUICK-R NMY | 36X14-20 | 7.50 | TR | YELLOW | 121.46 | 267.21 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212432620 | QUICK-L | 36X14-20 | 7.50 | TR | BLACK | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212432680 | QUICK-R | 36X14-20 | 7.50 | TR | BLACK | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332740 | QUICK-L NMW | 36X14-20 | 7.50 | TR | WHITE | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332800 | QUICK-R NMW | 36X14-20 | 7.50 | TR | WHITE | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332860 | QUICK-L NMG | 36X14-20 | 7.50 | TR | GREY | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332920 | QUICK-R NMG | 36X14-20 | 7.50 | TR | GREY | 120.94 | 266.07 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212332980 | QUICK-L NMY | 36X14-20 | 7.50 | TR | YELLOW | 121.46 | 267.21 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212333040 | QUICK-R NMY | 36X14-20 | 7.50 | TR | YELLOW | 121.46 | 267.21 | 35.80 | 12.60 | 910 | 320 | | 13650 | 10500 | |
| 3212432625 | QUICK-L | 31X10-20 SM | 7.50 | TR | BLACK | 65.19 | 143.42 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212432685 | QUICK-R | 31X10-20 SM | 7.50 | TR | BLACK | 65.19 | 143.42 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212332745 | QUICK-L NMW | 31X10-20 SM | 7.50 | TR | WHITE | 65.19 | 143.42 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212332805 | QUICK-R NMW | 31X10-20 SM | 7.50 | TR | WHITE | 65.19 | 143.42 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212332865 | QUICK-L NMG | 31X10-20 SM | 7.50 | TR | GREY | 65.19 | 143.42 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212332925 | QUICK-R NMG | 31X10-20 SM | 7.50 | TR | GREY | 65.19 | 143.42 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212332985 | QUICK-L NMY | 31X10-20 SM | 7.50 | TR | YELLOW | 65.47 | 144.04 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212333045 | QUICK-R NMY | 31X10-20 SM | 7.50 | TR | YELLOW | 65.47 | 144.04 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212432630 | QUICK-L | 33X12-20 SM | 7.50 | TR | BLACK | 92.62 | 203.76 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212432690 | QUICK-R | 33X12-20 SM | 7.50 | TR | BLACK | 92.62 | 203.76 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332750 | QUICK-L NMW | 33X12-20 SM | 7.50 | TR | WHITE | 92.62 | 203.76 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332810 | QUICK-R NMW | 33X12-20 SM | 7.50 | TR | WHITE | 92.62 | 203.76 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332870 | QUICK-L NMG | 33X12-20 SM | 7.50 | TR | GREY | 92.62 | 203.76 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332930 | QUICK-R NMG | 33X12-20 SM | 7.50 | TR | GREY | 92.62 | 203.76 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212332990 | QUICK-L NMY | 33X12-20 SM | 7.50 | TR | YELLOW | 93.01 | 204.63 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212333050 | QUICK-R NMY | 33X12-20 SM | 7.50 | TR | YELLOW | 93.01 | 204.63 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | |
| 3212432635 | QUICK-L | 36X14-20 SM | 7.50 | TR | BLACK | 133.08 | 292.78 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212432695 | QUICK-R | 36X14-20 SM | 7.50 | TR | BLACK | 133.08 | 292.78 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212332755 | QUICK-L NMW | 36X14-20 SM | 7.50 | TR | WHITE | 133.08 | 292.78 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212332815 | QUICK-R NMW | 36X14-20 SM | 7.50 | TR | WHITE | 133.08 | 292.78 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212332875 | QUICK-L NMG | 36X14-20 SM | 7.50 | TR | GREY | 133.08 | 292.78 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212332935 | QUICK-R NMG | 36X14-20 SM | 7.50 | TR | GREY | 133.08 | 292.78 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212332995 | QUICK-L NMY | 36X14-20 SM | 7.50 | TR | YELLOW | 133.65 | 294.03 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212333055 | QUICK-R NMY | 36X14-20 SM | 7.50 | TR | YELLOW | 133.65 | 294.03 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | |
| 3212432640 | QUICK-L | 31X10-20 SM Air solid | 7.50 | TR | BLACK | 57.55 | 126.61 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |
| 3212432700 | QUICK-R | 31X10-20 SM Air solid | 7.50 | TR | BLACK | 57.55 | 126.61 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO SKS SOLID

SKS SOLID

| CODE | PRODUCT NAME (FERENTINO SKS SOLID) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY COUNTERBALANCE | | | | | | | | | | |
|------------|---------------------------------------|-----------------------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|------------------------------|-------|--------------|----|-------|------|------|----|----|------------|----------------|
| | | | | | | NORMAL | POUND | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | Mm | Kg | UP TO 25KM/H | | | | | | | | |
| | | | | | | | | | | | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | LOAD WHEEL | STEERING WHEEL |
| | | | | | | | | | | | | | | | | | | | | | | | |
| 3212332760 | QUICK-L NMW | 31X10-20 SM Air solid | 7.50 | TR | WHITE | 57.55 | 126.61 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | | | | | | | | | |
| 3212332820 | QUICK-R NMW | 31X10-20 SM Air solid | 7.50 | TR | WHITE | 57.55 | 126.61 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | | | | | | | | | |
| 3212332880 | QUICK-L NMG | 31X10-20 SM Air solid | 7.50 | TR | GREY | 57.55 | 126.61 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | | | | | | | | | |
| 3212332940 | QUICK-R NMG | 31X10-20 SM Air solid | 7.50 | TR | GREY | 57.55 | 126.61 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | | | | | | | | | |
| 3212333000 | QUICK-L NMY | 31X10-20 SM Air solid | 7.50 | TR | YELLOW | 57.80 | 127.15 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | | | | | | | | | |
| 3212333060 | QUICK-R NMY | 31X10-20 SM Air solid | 7.50 | TR | YELLOW | 57.80 | 127.15 | 30.70 | 9.30 | 781 | 237 | | 8885 | 6835 | | | | | | | | | |
| 3212432645 | QUICK-L | 33X12-20 SM Air solid | 7.50 | TR | BLACK | 82.73 | 182.00 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212432705 | QUICK-R | 33X12-20 SM Air solid | 7.50 | TR | BLACK | 82.73 | 182.00 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212332765 | QUICK-L NMW | 33X12-20 SM Air solid | 7.50 | TR | WHITE | 82.73 | 182.00 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212332825 | QUICK-R NMW | 33X12-20 SM Air solid | 7.50 | TR | WHITE | 82.73 | 182.00 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212332885 | QUICK-L NMG | 33X12-20 SM Air solid | 7.50 | TR | GREY | 82.73 | 182.00 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212332945 | QUICK-R NMG | 33X12-20 SM Air solid | 7.50 | TR | GREY | 82.73 | 182.00 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212333005 | QUICK-L NMY | 33X12-20 SM Air solid | 7.50 | TR | YELLOW | 83.08 | 182.78 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212333065 | QUICK-R NMY | 33X12-20 SM Air solid | 7.50 | TR | YELLOW | 83.08 | 182.78 | 32.70 | 11.30 | 831 | 287 | | 11465 | 8820 | | | | | | | | | |
| 3212432650 | QUICK-L | 36X14-20 SM Air Solid | 7.50 | TR | BLACK | 116.89 | 257.17 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |
| 3212432710 | QUICK-R | 36X14-20 SM Air Solid | 7.50 | TR | BLACK | 116.89 | 257.17 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |
| 3212332770 | QUICK-L NMW | 36X14-20 SM Air Solid | 7.50 | TR | WHITE | 116.89 | 257.17 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |
| 3212332830 | QUICK-R NMW | 36X14-20 SM Air Solid | 7.50 | TR | WHITE | 116.89 | 257.17 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |
| 3212332890 | QUICK-L NMG | 36X14-20 SM Air Solid | 7.50 | TR | GREY | 116.89 | 257.17 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |
| 3212332950 | QUICK-R NMG | 36X14-20 SM Air Solid | 7.50 | TR | GREY | 116.89 | 257.17 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |
| 3212333010 | QUICK-L NMY | 36X14-20 SM Air Solid | 7.50 | TR | YELLOW | 117.40 | 258.27 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |
| 3212333070 | QUICK-R NMY | 36X14-20 SM Air Solid | 7.50 | TR | YELLOW | 117.40 | 258.27 | 35.80 | 12.80 | 909 | 326 | | 13650 | 10500 | | | | | | | | | |

- NMW - NON MARKING WHITE
- NMG - NON MARKING GRAY
- NMY - NON MARKING YELLOW
- - AVAILABLE SHORTLY



FERENTINO SOLID TLH

STANDARD

SOLID TLH



SOLID TLH NON MARKING



S
special

Massive directional tread depth

- Maximizes off-road traction and durability
- Provides flat-free operation and ultimate durability

Stepped tread design

- Enhances cleanout for improved off-road traction

Triangular aperture design

- Optimizes stability, strength and comfort



FERENTINO TLH SOLID AIR

TLH SOLID AIR

| CODE | PRODUCT NAME (FERENTINO TLH SOLID AIR) | TIRE SIZE | RIM SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | WEARABLE HEIGHT | LOAD CAPACITY | |
|------------|---|-----------|----------|---------|--------|-------------|--------|------------------|---------------|------------------|---------------|-----------------|----------------|----------------------|
| | | | | | | NORMAL | | OVERALL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | | COUNTERBALANCE | UP TO 25 KM/H, 16mph |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | | | |
| 3212418220 | NORMAL | 13.00-24 | 8.50 | TR | BLACK | 257.17 | 565.77 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212418230 | QUICK - L | 13.00-24 | 8.50 | TR | BLACK | 258.52 | 568.74 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212418240 | QUICK - R | 13.00-24 | 8.50 | TR | BLACK | 258.52 | 568.74 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212318250 | QUICK - L NMG | 13.00-24 | 8.50 | TR | GREY | 258.52 | 568.74 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212318260 | QUICK - R NMG | 13.00-24 | 8.50 | TR | GREY | 258.52 | 568.74 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212318270 | QUICK - L NMY | 13.00-24 | 8.50 | TR | YELLOW | 259.63 | 571.18 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212318280 | QUICK - R NMY | 13.00-24 | 8.50 | TR | YELLOW | 259.63 | 571.18 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212318290 | QUICK - L NMW | 13.00-24 | 8.50 | TR | WHITE | 258.52 | 568.74 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212318300 | QUICK - R NMW | 13.00-24 | 8.50 | TR | WHITE | 258.52 | 568.74 | 50.80 | 13.00 | 1290 | 330 | | 14050 | |
| 3212418225 | NORMAL | 14.00-24 | 8.50 | TR | BLACK | 294.04 | 646.88 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212418235 | QUICK - L | 14.00-24 | 8.50 | TR | BLACK | 294.93 | 648.86 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212418245 | QUICK - R | 14.00-24 | 8.50 | TR | BLACK | 294.93 | 648.86 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212318255 | QUICK - L NMG | 14.00-24 | 8.50 | TR | GREY | 294.93 | 648.86 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212318265 | QUICK - R NMG | 14.00-24 | 8.50 | TR | GREY | 294.93 | 648.86 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212318275 | QUICK - L NMY | 14.00-24 | 8.50 | TR | YELLOW | 296.20 | 651.64 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212318285 | QUICK - R NMY | 14.00-24 | 8.50 | TR | YELLOW | 296.20 | 651.64 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212318295 | QUICK - L NMW | 14.00-24 | 8.50 | TR | WHITE | 294.93 | 648.86 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |
| 3212318305 | QUICK - R NMW | 14.00-24 | 8.50 | TR | WHITE | 294.93 | 648.86 | 52.40 | 13.80 | 1330 | 350 | | 15550 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO PREMIUM POB

PREMIUM

FERENTINO PREMIUM POB

FERENTINO PREMIUM POB NON MARKING



NM
non marking

Optimal crowned profile

- Excellent cushioning for improved comfort

High-performance natural rubber compound

- Reduces chunking and cutting Suitable for both IC and electric trucks

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.

NMW - NON MARKING WHITE
NMG - NON MARKING GRAY
NMY - NON MARKING YELLOW
■ - AVAILABLE SHORTLY



FERENTINO PREMIUM POB

PREMIUM POB

Table with columns: CODE, PRODUCT NAME (FERENTINO PREMIUM POB), TIRE SIZE (Inch), TIRE SIZE (Mm), PROFILE, COLOR, TIRE WEIGHT (NORMAL, Kg, Pound), ACTUAL TIRE (OVERALL DIAMETER, OVERALL WIDTH, OVERALL HEIGHT, REAR Axle LOAD, FRONT Axle LOAD, FRONT Axle CLEARANCE), ACTUAL TIRE (OVERALL DIAMETER, OVERALL WIDTH, OVERALL HEIGHT, REAR Axle LOAD, FRONT Axle LOAD, FRONT Axle CLEARANCE), and LOAD CAPACITY (COUNTERBALANCED LIFT TRUCKS) with sub-columns for UP TO 10KM/H, UP TO 16KM/H, and UP TO 25KM/H, each with sub-columns for LOAD WHEEL and STEERING WHEEL.

- NMW - NON MARKING WHITE
- NMG - NON MARKING GRAY
- NMY - NON MARKING YELLOW
- AVAILABLE SHORTLY





FERENTINO PREMIUM POB

PREMIUM POB

| CODE | PRODUCT NAME (FERENTINO PREMIUM POB) | TIRE SIZE Inch | TIRE SIZE Mm | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | | ACTUAL TIRE | | | LOAD CAPACITY | | | | | | | | | |
|------------|---|-------------------|-----------------|---------|--------|-------------|--------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|-----------------------------|------|------|------|------|------|--------------|----------------|--------------|--|
| | | | | | | NORMAL | | RELOADING THRESHOLD | RELOADING THRESHOLD | RELOADING THRESHOLD | RELOADING THRESHOLD | RELOADING THRESHOLD | RELOADING THRESHOLD | COUNTERBALANCED LIFT TRUCKS | | | | | | | | | |
| | | | | | | Kg | Pound | | | | | | | Inch | Inch | Inch | Mm | Mm | Mm | UP TO 10KM/H | | UP TO 16KM/H | |
| | | | | | | | | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | | | | | | | LOAD WHEEL | STEERING WHEEL | | |
| 3512314920 | SM NMW | | 300 / 75 - 240 | SM | WHITE | 4.70 | 10.34 | 11.85 | 2.95 | 11.22 | 301 | 75 | 285 | 625 | 515 | 560 | 470 | | | | | | |
| 3512415290 | SM | | 300 / 75 - 240 | SM | BLACK | 4.70 | 10.34 | 11.85 | 2.95 | 11.22 | 301 | 75 | 285 | 625 | 515 | 560 | 470 | | | | | | |
| 3512313880 | SM NMG | | 360 / 85 - 270 | SM | GREY | 7.30 | 16.06 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | | | | |
| 3512314405 | SM NMY | | 360 / 85 - 270 | SM | YELLOW | 7.33 | 16.13 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | | | | |
| 3512314930 | SM NMW | | 360 / 85 - 270 | SM | WHITE | 7.30 | 16.06 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | | | | |
| 3512415300 | SM | | 360 / 85 - 270 | SM | BLACK | 7.30 | 16.06 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | | | | |
| 3512313890 | SM NMG | | 415 / 75 - 305 | SM | GREY | 7.60 | 16.72 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | | | | |
| 3512314415 | SM NMY | | 415 / 75 - 305 | SM | YELLOW | 7.63 | 16.79 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | | | | |
| 3512314940 | SM NMW | | 415 / 75 - 305 | SM | WHITE | 7.60 | 16.72 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | | | | |
| 3512415310 | SM | | 415 / 75 - 305 | SM | BLACK | 7.60 | 16.72 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | | | | |
| 3512313895 | SM NMG | | 415 / 90 - 305 | SM | GREY | 10.20 | 22.44 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | | | | |
| 3512314420 | SM NMY | | 415 / 90 - 305 | SM | YELLOW | 10.24 | 22.54 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | | | | |
| 3512314945 | SM NMW | | 415 / 90 - 305 | SM | WHITE | 10.20 | 22.44 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | | | | |
| 3512415315 | SM | | 415 / 90 - 305 | SM | BLACK | 10.20 | 22.44 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | | | | |
| 3512313900 | SM NMG | | 415 / 100 - 305 | SM | GREY | 10.60 | 23.32 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | | | | |
| 3512314425 | SM NMY | | 415 / 100 - 305 | SM | YELLOW | 10.65 | 23.42 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | | | | |
| 3512314950 | SM NMW | | 415 / 100 - 305 | SM | WHITE | 10.60 | 23.32 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | | | | |
| 3512415320 | SM | | 415 / 100 - 305 | SM | BLACK | 10.60 | 23.32 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | | | | |
| 3512313910 | SM NMG | | 550 / 150 - 370 | SM | GREY | 28.30 | 62.26 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | | | | |
| 3512314435 | SM NMY | | 550 / 150 - 370 | SM | YELLOW | 28.42 | 62.53 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | | | | |
| 3512314960 | SM NMW | | 550 / 150 - 370 | SM | WHITE | 28.30 | 62.26 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | | | | |
| 3512415330 | SM | | 550 / 150 - 370 | SM | BLACK | 28.30 | 62.26 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | | | | |
| 3512313920 | SM NMG | | 660 / 250 - 480 | SM | GREY | 63.20 | 139.04 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | | | | |
| 3512314445 | SM NMY | | 660 / 250 - 480 | SM | YELLOW | 63.47 | 139.64 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | | | | |
| 3512314970 | SM NMW | | 660 / 250 - 480 | SM | WHITE | 63.20 | 139.04 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | | | | |
| 3512415340 | SM | | 660 / 250 - 480 | SM | BLACK | 63.20 | 139.04 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | | | | |
| 3512313925 | SM NMG | | 660 / 280 - 480 | SM | GREY | 71.30 | 156.86 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | | | | |
| 3512314450 | SM NMY | | 660 / 280 - 480 | SM | YELLOW | 71.61 | 157.53 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | | | | |
| 3512314975 | SM NMW | | 660 / 280 - 480 | SM | WHITE | 71.30 | 156.86 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | | | | |
| 3512415345 | SM | | 660 / 280 - 480 | SM | BLACK | 71.30 | 156.86 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | | | | |
| 3512313930 | SM NMG | | 840 / 350 - 559 | SM | GREY | 157.00 | 345.40 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | | | | |
| 3512314455 | SM NMY | | 840 / 350 - 559 | SM | YELLOW | 157.67 | 346.88 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | | | | |
| 3512314980 | SM NMW | | 840 / 350 - 559 | SM | WHITE | 157.00 | 345.40 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | | | | |
| 3512415350 | SM | | 840 / 350 - 559 | SM | BLACK | 157.00 | 345.40 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | | | | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



ECOPLUS POB

ECOPLUS POB NON MARKING



S
special

Unique lug pattern
• Increased traction and lifetime

High performance compound
• Low rolling resistance
• Excellent quality to price ratio
• Reduces chunking and cutting

Perfect bonding
• High quality bonding technology is used to keep the layers intact while working with heavy loads.

FERENTINO ECOPLUS POB

ECOPLUS POB



| CODE | PRODUCT NAME (FERENTINO ECOPLUS POB) | TIRE SIZE | TIRE SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | LOAD CAPACITY | | | | | |
|------------|---|---------------------|---------------|---------|--------|-------------|-------|------------------|----------------|------------------|----------------|-----------------------------|--------|--------|--------|--------------|----------------|
| | | | | | | NORMAL | | OVERALL DRAINAGE | OVERALL TREAD | OVERALL DRAINAGE | OVERALL TREAD | COUNTERBALANCED LIFT TRUCKS | | | | | |
| | | | | | | Kg | Pound | | | | | Inch | Inch | Mm | Mm | UP TO 10KM/H | |
| | | | | | | | | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | | | | | LOAD WHEEL | STEERING WHEEL |
| 3412437520 | HT | 14 x 4 1/2 x 8 | 356x114x203.2 | TR | BLACK | 10.10 | 22.22 | 13.90 | 4.5 | 353.1 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3412337640 | HT NMG | 14 x 4 1/2 x 8 | 356x114x203.2 | TR | GREY | 10.10 | 22.22 | 13.90 | 4.5 | 353.1 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3412337760 | HT NMY | 14 x 4 1/2 x 8 | 356x114x203.2 | TR | YELLOW | 10.14 | 22.32 | 13.90 | 4.5 | 353.1 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3512337890 | HT NMW | 14 x 4 1/2 x 8 | 356x114x203.2 | TR | WHITE | 10.10 | 22.22 | 13.90 | 4.5 | 353.1 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3412437525 | HT | 16 x 5 x 10 1/2 | 406x127x266.7 | TR | BLACK | 13.00 | 28.60 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3412337645 | HT NMG | 16 x 5 x 10 1/2 | 406x127x266.7 | TR | GREY | 13.00 | 28.60 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3412337765 | HT NMY | 16 x 5 x 10 1/2 | 406x127x266.7 | TR | YELLOW | 13.06 | 28.72 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3512337895 | HT NMW | 16 x 5 x 10 1/2 | 406x127x266.7 | TR | WHITE | 13.00 | 28.60 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3412437530 | HT | 16 x 6 x 10 1/2 | 406x152x266.7 | TR | BLACK | 16.80 | 36.96 | 15.90 | 6 | 403.9 | 152.4 | 1905.1 | 1564.9 | 1700.1 | 1430.2 | 1385 | 1135 |
| 3412337650 | HT NMG | 16 x 6 x 10 1/2 | 406x152x266.7 | TR | GREY | 16.80 | 36.96 | 15.90 | 6 | 403.9 | 152.4 | 1905.1 | 1564.9 | 1700.1 | 1430.2 | 1385 | 1135 |
| 3412337770 | HT NMY | 16 x 6 x 10 1/2 | 406x152x266.7 | TR | YELLOW | 16.87 | 37.12 | 15.90 | 6 | 403.9 | 152.4 | 1905.1 | 1564.9 | 1700.1 | 1430.2 | 1385 | 1135 |
| 3512337899 | HT NMW | 16 x 6 x 10 1/2 | 406x152x266.7 | TR | WHITE | 16.80 | 36.96 | 15.90 | 6 | 403.9 | 152.4 | 1905.1 | 1564.9 | 1700.1 | 1430.2 | 1385 | 1135 |
| 3412437535 | HT | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | TR | BLACK | 13.90 | 30.58 | 16.10 | 5 | 408.9 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 |
| 3412337655 | HT NMG | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | TR | GREY | 13.90 | 30.58 | 16.10 | 5 | 408.9 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 |
| 3412337775 | HT NMY | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | TR | YELLOW | 13.96 | 30.71 | 16.10 | 5 | 408.9 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 |
| 3512337899 | HT NMW | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | TR | WHITE | 13.90 | 30.58 | 16.10 | 5 | 408.9 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 |
| 3412437540 | HT | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | TR | BLACK | 15.80 | 34.76 | 16.10 | 6 | 408.9 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 |
| 3412337660 | HT NMG | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | TR | GREY | 15.80 | 34.76 | 16.10 | 6 | 408.9 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 |
| 3412337780 | HT NMY | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | TR | YELLOW | 15.87 | 34.91 | 16.10 | 6 | 408.9 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 |
| 3512337900 | HT NMW | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | TR | WHITE | 15.80 | 34.76 | 16.10 | 6 | 408.9 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 |
| 3412437545 | HT | 18 x 6 x 12 1/8 | 457x152x308 | TR | BLACK | 19.00 | 41.80 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 |
| 3412337665 | HT NMG | 18 x 6 x 12 1/8 | 457x152x308 | TR | GREY | 19.00 | 41.80 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 |
| 3412337785 | HT NMY | 18 x 6 x 12 1/8 | 457x152x308 | TR | YELLOW | 19.08 | 41.98 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 |
| 3512337905 | HT NMW | 18 x 6 x 12 1/8 | 457x152x308 | TR | WHITE | 19.00 | 41.80 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 |
| 3412437550 | HT | 18 x 7 x 12 1/8 | 457x178x308 | TR | BLACK | 23.90 | 52.58 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 |
| 3412337670 | HT NMG | 18 x 7 x 12 1/8 | 457x178x308 | TR | GREY | 23.90 | 52.58 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 |
| 3412337790 | HT NMY | 18 x 7 x 12 1/8 | 457x178x308 | TR | YELLOW | 24.00 | 52.81 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 |
| 3512337910 | HT NMW | 18 x 7 x 12 1/8 | 457x178x308 | TR | WHITE | 23.90 | 52.58 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 |
| 3412437555 | HT | 18 x 8 x 12 1/8 | 457x203x308 | TR | BLACK | 27.00 | 59.40 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 |
| 3412337675 | HT NMG | 18 x 8 x 12 1/8 | 457x203x308 | TR | GREY | 27.00 | 59.40 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 |
| 3412337795 | HT NMY | 18 x 8 x 12 1/8 | 457x203x308 | TR | YELLOW | 27.12 | 59.65 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 |
| 3512337915 | HT NMW | 18 x 8 x 12 1/8 | 457x203x308 | TR | WHITE | 27.00 | 59.40 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 |
| 3412437560 | HT | 21 x 7 x 15 | 533x178x381 | TR | BLACK | 29.10 | 64.02 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 |
| 3412337680 | HT NMG | 21 x 7 x 15 | 533x178x381 | TR | GREY | 29.10 | 64.02 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 |
| 3412337800 | HT NMY | 21 x 7 x 15 | 533x178x381 | TR | YELLOW | 29.22 | 64.29 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 |
| 3512337920 | HT NMW | 21 x 7 x 15 | 533x178x381 | TR | WHITE | 29.10 | 64.02 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 |
| 3412437565 | HT | 21 x 8 x 15 | 533x203x381 | TR | BLACK | 33.50 | 73.70 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 |
| 3412337685 | HT NMG | 21 x 8 x 15 | 533x203x381 | TR | GREY | 33.50 | 73.70 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 |
| 3412337805 | HT NMY | 21 x 8 x 15 | 533x203x381 | TR | YELLOW | 33.64 | 74.02 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 |
| 3512337925 | HT NMW | 21 x 8 x 15 | 533x203x381 | TR | WHITE | 33.50 | 73.70 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 |
| 3412437570 | HT | 22 x 9 x 16 | 559x229x406.4 | TR | BLACK | 39.20 | 86.24 | 21.90 | 9 | 556.3 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 |
| 3412337690 | HT NMG | 22 x 9 x 16 | 559x229x406.4 | TR | GREY | 39.20 | 86.24 | 21.90 | 9 | 556.3 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 |
| 3412337810 | HT NMY | 22 x 9 x 16 | 559x229x406.4 | TR | YELLOW | 39.37 | 86.61 | 21.90 | 9 | 556.3 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 |
| 3512337930 | HT NMW | 22 x 9 x 16 | 559x229x406.4 | TR | WHITE | 39.20 | 86.24 | 21.90 | 9 | 556.3 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 |
| 3512437455 | SMOOTH | 10 x 5 x 6 1/2 | 254x127x165.1 | SM | BLACK | 7.20 | 15.84 | 10.00 | 5 | 254 | 127 | 1015.1 | 835.1 | 904.9 | 759.8 | 735 | 605 |
| 3512337575 | SMOOTH NMG | 10 x 5 x 6 1/2 | 254x127x165.1 | SM | GREY | 7.20 | 15.84 | 10.00 | 5 | 254 | 127 | 1015.1 | 835.1 | 904.9 | 759.8 | 735 | 605 |
| 3512337695 | SMOOTH NMY | 10 x 5 x 6 1/2 | 254x127x165.1 | SM | YELLOW | 7.23 | 15.91 | 10.00 | 5 | 254 | 127 | 1015.1 | 835.1 | 904.9 | 759.8 | 735 | 605 |
| 3512337815 | SMOOTH NMW | 10 x 5 x 6 1/2 | 254x127x165.1 | SM | WHITE | 7.20 | 15.84 | 10.00 | 5 | 254 | 127 | 1015.1 | 835.1 | 904.9 | 759.8 | 735 | 605 |
| 3512437460 | SMOOTH | 14 x 4 1/2 x 8 | 356x114x203.2 | SM | BLACK | 11.10 | 24.42 | 14.00 | 4.5 | 355.6 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3512337580 | SMOOTH NMG | 14 x 4 1/2 x 8 | 356x114x203.2 | SM | GREY | 11.10 | 24.42 | 14.00 | 4.5 | 355.6 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3512337700 | SMOOTH NMY | 14 x 4 1/2 x 8 | 356x114x203.2 | SM | YELLOW | 11.15 | 24.52 | 14.00 | 4.5 | 355.6 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3512337820 | SMOOTH NMW | 14 x 4 1/2 x 8 | 356x114x203.2 | SM | WHITE | 11.10 | 24.42 | 14.00 | 4.5 | 355.6 | 114.3 | 1164.8 | 954.8 | 1040.1 | 875 | 845 | 695 |
| 3512437465 | SMOOTH | 16 x 5 x 10 1/2 | 406x127x266.7 | SM | BLACK | 14.20 | 31.24 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3512337585 | SMOOTH NMG | 16 x 5 x 10 1/2 | 406x127x266.7 | SM | GREY | 14.20 | 31.24 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3512337705 | SMOOTH NMY | 16 x 5 x 10 1/2 | 406x127x266.7 | SM | YELLOW | 14.26 | 31.37 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3512337825 | SMOOTH NMW | 16 x 5 x 10 1/2 | 406x127x266.7 | SM | WHITE | 14.20 | 31.24 | 15.90 | 5 | 403.9 | 127 | 1505 | 1240.1 | 1344.9 | 1129.9 | 1095 | 895 |
| 3512437470 | SMOOTH | 16 x 6 x 10 1/2</ | | | | | | | | | | | | | | | |



FERENTINO ECOPLUS POB SMOOTH

ECOPLUS POB

| CODE | PRODUCT NAME (FERENTINO ECOPLUS POB) | TIRE SIZE | TIRE SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | ACTUAL TIRE | | LOAD CAPACITY | | | | | | |
|------------|--|---------------------|---------------|---------|--------|-------------|-------|--------------------|------------------|---------------------|------------------|-----------------------------|-------------------|---------------|-------------------|---------------|-------------------|--|
| | | | | | | NORMAL | | NORMAL DIAMETER | OVERALL WIDTH | OVERALL DIAMETER | OVERALL WIDTH | COUNTERBALANCED LIFT TRUCKS | | | | | | |
| | | | | | | | | | | | | UP TO 10KM/H | | UP TO 16KM/H | | UP TO 25KM/H | | |
| | | | | | | Kg | Pound | Inch | Inch | Mm | Mm | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | |
| | | Inch | Mm | | | | | | | | | | | | | | | |
| 3512337590 | SMOOTH NMG | 16 x 6 x 10 1/2 | 406x152x266.7 | SM | GREY | 18.00 | 39.60 | 15.90 | 6 | 403.9 | 152.4 | 1905.1 | 1564.9 | 1700.1 | 1430.2 | 1385 | 1135 | |
| 3512337710 | SMOOTH NMY | 16 x 6 x 10 1/2 | 406x152x266.7 | SM | YELLOW | 18.08 | 39.77 | 15.90 | 6 | 403.9 | 152.4 | 1905.1 | 1564.9 | 1700.1 | 1430.2 | 1385 | 1135 | |
| 3512337830 | SMOOTH NMW | 16 x 6 x 10 1/2 | 406x152x266.7 | SM | WHITE | 18.00 | 39.60 | 15.90 | 6 | 403.9 | 152.4 | 1905.1 | 1564.9 | 1700.1 | 1430.2 | 1385 | 1135 | |
| 3512437475 | SMOOTH | 15 x 5 x 11 1/4 | 381x127x285.8 | SM | BLACK | 12.10 | 26.62 | 14.90 | 5 | 378.5 | 127 | 1389.8 | 1144.9 | 1240.1 | 1045.1 | 1010 | 830 | |
| 3512337595 | SMOOTH NMG | 15 x 5 x 11 1/4 | 381x127x285.8 | SM | GREY | 12.10 | 26.62 | 14.90 | 5 | 378.5 | 127 | 1389.8 | 1144.9 | 1240.1 | 1045.1 | 1010 | 830 | |
| 3512337715 | SMOOTH NMY | 15 x 5 x 11 1/4 | 381x127x285.8 | SM | YELLOW | 12.15 | 26.73 | 14.90 | 5 | 378.5 | 127 | 1389.8 | 1144.9 | 1240.1 | 1045.1 | 1010 | 830 | |
| 3512337835 | SMOOTH NMW | 15 x 5 x 11 1/4 | 381x127x285.8 | SM | WHITE | 12.10 | 26.62 | 14.90 | 5 | 378.5 | 127 | 1389.8 | 1144.9 | 1240.1 | 1045.1 | 1010 | 830 | |
| 3512437480 | SMOOTH | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | SM | BLACK | 14.50 | 31.90 | 16.20 | 5 | 411.5 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 | |
| 3512337600 | SMOOTH NMG | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | SM | GREY | 14.50 | 31.90 | 16.20 | 5 | 411.5 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 | |
| 3512337720 | SMOOTH NMY | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | SM | YELLOW | 14.56 | 32.04 | 16.20 | 5 | 411.5 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 | |
| 3512337840 | SMOOTH NMW | 16 1/4 x 5 x 11 1/4 | 413x127x285.8 | SM | WHITE | 14.50 | 31.90 | 16.20 | 5 | 411.5 | 127 | 1525 | 1250.1 | 1359.9 | 1144.9 | 1105 | 905 | |
| 3512437485 | SMOOTH | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | SM | BLACK | 16.35 | 35.97 | 16.20 | 6 | 411.5 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 | |
| 3512337605 | SMOOTH NMG | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | SM | GREY | 16.35 | 35.97 | 16.20 | 6 | 411.5 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 | |
| 3512337725 | SMOOTH NMY | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | SM | YELLOW | 16.42 | 36.12 | 16.20 | 6 | 411.5 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 | |
| 3512337845 | SMOOTH NMW | 16 1/4 x 6 x 11 1/4 | 413x152x285.8 | SM | WHITE | 16.35 | 35.97 | 16.20 | 6 | 411.5 | 152.4 | 1915.1 | 1569.9 | 1710 | 1435.2 | 1390 | 1140 | |
| 3512437490 | SMOOTH | 18 x 6 x 12 1/8 | 457x152x308 | SM | BLACK | 20.25 | 44.55 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 | |
| 3512337610 | SMOOTH NMG | 18 x 6 x 12 1/8 | 457x152x308 | SM | GREY | 20.25 | 44.55 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 | |
| 3512337730 | SMOOTH NMY | 18 x 6 x 12 1/8 | 457x152x308 | SM | YELLOW | 20.34 | 44.74 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 | |
| 3512337850 | SMOOTH NMW | 18 x 6 x 12 1/8 | 457x152x308 | SM | WHITE | 20.25 | 44.55 | 17.90 | 6 | 454.7 | 152.4 | 2090.2 | 1715 | 1865.2 | 1564.9 | 1515 | 1245 | |
| 3512437495 | SMOOTH | 18 x 7 x 12 1/8 | 457x178x308 | SM | BLACK | 24.50 | 53.90 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 | |
| 3512337615 | SMOOTH NMG | 18 x 7 x 12 1/8 | 457x178x308 | SM | GREY | 24.50 | 53.90 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 | |
| 3512337735 | SMOOTH NMY | 18 x 7 x 12 1/8 | 457x178x308 | SM | YELLOW | 24.61 | 54.13 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 | |
| 3512337855 | SMOOTH NMW | 18 x 7 x 12 1/8 | 457x178x308 | SM | WHITE | 24.50 | 53.90 | 17.90 | 7 | 454.7 | 177.8 | 2555.1 | 2100.1 | 2279.8 | 1915.1 | 1855 | 1520 | |
| 3512437500 | SMOOTH | 18 x 8 x 12 1/8 | 457x203x308 | SM | BLACK | 26.90 | 59.18 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 | |
| 3512337620 | SMOOTH NMG | 18 x 8 x 12 1/8 | 457x203x308 | SM | GREY | 26.90 | 59.18 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 | |
| 3512337740 | SMOOTH NMY | 18 x 8 x 12 1/8 | 457x203x308 | SM | YELLOW | 27.02 | 59.43 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 | |
| 3512337860 | SMOOTH NMW | 18 x 8 x 12 1/8 | 457x203x308 | SM | WHITE | 26.90 | 59.18 | 17.90 | 8 | 454.7 | 203.2 | 3000.1 | 2464.8 | 2679.8 | 2249.8 | 2180 | 1785 | |
| 3512437505 | SMOOTH | 21 x 7 x 15 | 533x178x381 | SM | BLACK | 30.00 | 66.00 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 | |
| 3512337625 | SMOOTH NMG | 21 x 7 x 15 | 533x178x381 | SM | GREY | 30.00 | 66.00 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 | |
| 3512337745 | SMOOTH NMY | 21 x 7 x 15 | 533x178x381 | SM | YELLOW | 30.13 | 66.28 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 | |
| 3512337865 | SMOOTH NMW | 21 x 7 x 15 | 533x178x381 | SM | WHITE | 30.00 | 66.00 | 20.90 | 7 | 530.9 | 177.8 | 2869.9 | 2360 | 2565.1 | 2155 | 2085 | 1710 | |
| 3512437510 | SMOOTH | 21 x 8 x 15 | 533x203x381 | SM | BLACK | 32.90 | 72.38 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 | |
| 3512337630 | SMOOTH NMG | 21 x 8 x 15 | 533x203x381 | SM | GREY | 32.90 | 72.38 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 | |
| 3512337750 | SMOOTH NMY | 21 x 8 x 15 | 533x203x381 | SM | YELLOW | 33.04 | 72.69 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 | |
| 3512337870 | SMOOTH NMW | 21 x 8 x 15 | 533x203x381 | SM | WHITE | 32.90 | 72.38 | 20.90 | 8 | 530.9 | 203.2 | 3375.2 | 2775.1 | 3015 | 2530.1 | 2450 | 2010 | |
| 3512437515 | SMOOTH | 22 x 9 x 16 | 559x229x406.4 | SM | BLACK | 44.00 | 96.80 | 21.80 | 9 | 553.7 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 | |
| 3512337635 | SMOOTH NMG | 22 x 9 x 16 | 559x229x406.4 | SM | GREY | 44.00 | 96.80 | 21.80 | 9 | 553.7 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 | |
| 3512337755 | SMOOTH NMY | 22 x 9 x 16 | 559x229x406.4 | SM | YELLOW | 44.19 | 97.22 | 21.80 | 9 | 553.7 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 | |
| 3512337875 | SMOOTH NMW | 22 x 9 x 16 | 559x229x406.4 | SM | WHITE | 44.00 | 96.80 | 21.80 | 9 | 553.7 | 228.6 | 4045.1 | 3324.8 | 3615.1 | 3035 | 2940 | 2140 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO HIGHRIDE POB

HIGHRIDE

FERENTINO HIGHRIDE POB

FERENTINO HIGHRIDE POB NON MARKING



NM
non marking

Unique lug pattern

- Increased traction and lifetime

High performance compound

- Low rolling resistance
- Excellent quality to price ratio
- Reduces chunking and cutting

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.



FERENTINO HIGHRIDE POB

HIGHRIDE POB

| CODE | PRODUCT NAME (FERENTINO HIGHRIDE POB) | TIRE SIZE | TIRE SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | | | ACTUAL TIRE | | | | LOAD CAPACITY | | | | | |
|------------|--|---------------------|---------------|---------|--------|-------------|-------|----------------|----------------|----------------|-------------------|----------------|-------------------|----------------|-------------------|-----------------------------|------|--------------|------|--------------|--|
| | | | | | | NORMAL | | ØTOTAL ØMM | ØSERIAL ØMM | ØSERIAL ØMM | ØSERIAL ØMM | ØSERIAL ØMM | ØSERIAL ØMM | ØSERIAL ØMM | ØSERIAL ØMM | COUNTERBALANCED LIFT TRUCKS | | | | | |
| | | | | | | Kg | Pound | | | | | | | | | UP TO 10KM/H | | UP TO 16KM/H | | UP TO 25KM/H | |
| | | | | | | | | ØSERIAL ØMM | ØSERIAL ØMM | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | | | | | | |
| 3412425355 | HT | 10 X 5 X 6 1/2 | 254x127x165.1 | TR | BLACK | 7.15 | 15.73 | 9.92 | 5.00 | 8.94 | 252 | 127 | 227 | 1010 | 830 | 905 | 760 | 735 | 605 | | |
| 3412325880 | HT NMG | 10 X 5 X 6 1/2 | 254x127x165.1 | TR | GREY | 7.15 | 15.73 | 9.92 | 5.00 | 8.94 | 252 | 127 | 227 | 1010 | 830 | 905 | 760 | 735 | 605 | | |
| 3412326405 | HT NMW | 10 X 5 X 6 1/2 | 254x127x165.1 | TR | YELLOW | 7.18 | 15.80 | 9.92 | 5.00 | 8.94 | 252 | 127 | 227 | 1010 | 830 | 905 | 760 | 735 | 605 | | |
| 3412326930 | HT NMW | 10 X 5 X 6 1/2 | 254x127x165.1 | TR | WHITE | 7.15 | 15.73 | 9.92 | 5.00 | 8.94 | 252 | 127 | 227 | 1010 | 830 | 905 | 760 | 735 | 605 | | |
| 3412425360 | HT | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | TR | BLACK | 12.10 | 26.62 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412325885 | HT NMG | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | TR | GREY | 12.10 | 26.62 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412326410 | HT NMW | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | TR | YELLOW | 12.15 | 26.73 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412326935 | HT NMW | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | TR | WHITE | 12.10 | 26.62 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412425365 | HT | 14 X 4 1/2 X 8 | 356x114x203.2 | TR | BLACK | 10.45 | 22.99 | 14.02 | 4.49 | 12.28 | 356 | 114 | 312 | 1170 | 960 | 1045 | 875 | 850 | 695 | | |
| 3412325890 | HT NMG | 14 X 4 1/2 X 8 | 356x114x203.2 | TR | GREY | 10.45 | 22.99 | 14.02 | 4.49 | 12.28 | 356 | 114 | 312 | 1170 | 960 | 1045 | 875 | 850 | 695 | | |
| 3412326415 | HT NMW | 14 X 4 1/2 X 8 | 356x114x203.2 | TR | YELLOW | 10.49 | 23.09 | 14.02 | 4.49 | 12.28 | 356 | 114 | 312 | 1170 | 960 | 1045 | 875 | 850 | 695 | | |
| 3412326940 | HT NMW | 14 X 4 1/2 X 8 | 356x114x203.2 | TR | WHITE | 10.45 | 22.99 | 14.02 | 4.49 | 12.28 | 356 | 114 | 312 | 1170 | 960 | 1045 | 875 | 850 | 695 | | |
| 3412425370 | HT | 14 X 5 X 10 | 356x127x254 | TR | BLACK | 10.75 | 23.65 | 14.02 | 5.00 | 12.91 | 356 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 | | |
| 3412325895 | HT NMG | 14 X 5 X 10 | 356x127x254 | TR | GREY | 10.75 | 23.65 | 14.02 | 5.00 | 12.91 | 356 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 | | |
| 3412326420 | HT NMW | 14 X 5 X 10 | 356x127x254 | TR | YELLOW | 10.80 | 23.75 | 14.02 | 5.00 | 12.91 | 356 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 | | |
| 3412326945 | HT NMW | 14 X 5 X 10 | 356x127x254 | TR | WHITE | 10.75 | 23.65 | 14.02 | 5.00 | 12.91 | 356 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 | | |
| 3412425375 | HT | 15 1/2 X 5 X 10 | 393x127x254 | TR | BLACK | 13.50 | 29.70 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1470 | 1210 | 1315 | 1100 | 1070 | 875 | | |
| 3412325900 | HT NMG | 15 1/2 X 5 X 10 | 393x127x254 | TR | GREY | 13.50 | 29.70 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1470 | 1210 | 1315 | 1100 | 1070 | 875 | | |
| 3412326425 | HT NMW | 15 1/2 X 5 X 10 | 393x127x254 | TR | YELLOW | 13.56 | 29.83 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1470 | 1210 | 1315 | 1100 | 1070 | 875 | | |
| 3412326950 | HT NMW | 15 1/2 X 5 X 10 | 393x127x254 | TR | WHITE | 13.50 | 29.70 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1470 | 1210 | 1315 | 1100 | 1070 | 875 | | |
| 3412425380 | HT | 16 X 5 X 10 1/2 | 406x127x266.7 | TR | BLACK | 13.50 | 29.70 | 15.98 | 5.00 | 14.45 | 406 | 127 | 367 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412325905 | HT NMG | 16 X 5 X 10 1/2 | 406x127x266.7 | TR | GREY | 13.50 | 29.70 | 15.98 | 5.00 | 14.45 | 406 | 127 | 367 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412326430 | HT NMW | 16 X 5 X 10 1/2 | 406x127x266.7 | TR | YELLOW | 13.56 | 29.83 | 15.98 | 5.00 | 14.45 | 406 | 127 | 367 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412326955 | HT NMW | 16 X 5 X 10 1/2 | 406x127x266.7 | TR | WHITE | 13.50 | 29.70 | 15.98 | 5.00 | 14.45 | 406 | 127 | 367 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 | | |
| 3412425385 | HT | 16 X 6 X 10 1/2 | 406x152x266.7 | TR | BLACK | 17.70 | 38.94 | 15.98 | 5.98 | 14.45 | 406 | 152 | 367 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 | | |
| 3412325910 | HT NMG | 16 X 6 X 10 1/2 | 406x152x266.7 | TR | GREY | 17.70 | 38.94 | 15.98 | 5.98 | 14.45 | 406 | 152 | 367 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 | | |
| 3412326435 | HT NMW | 16 X 6 X 10 1/2 | 406x152x266.7 | TR | YELLOW | 17.78 | 39.11 | 15.98 | 5.98 | 14.45 | 406 | 152 | 367 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 | | |
| 3412326960 | HT NMW | 16 X 6 X 10 1/2 | 406x152x266.7 | TR | WHITE | 17.70 | 38.94 | 15.98 | 5.98 | 14.45 | 406 | 152 | 367 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 | | |
| 3412425390 | HT | 16 X 7 X 10 1/2 | 406x178x266.7 | TR | BLACK | 20.50 | 45.10 | 16.18 | 7.01 | 14.49 | 411 | 178 | 368 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 | | |
| 3412325915 | HT NMG | 16 X 7 X 10 1/2 | 406x178x266.7 | TR | GREY | 20.50 | 45.10 | 16.18 | 7.01 | 14.49 | 411 | 178 | 368 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 | | |
| 3412326440 | HT NMW | 16 X 7 X 10 1/2 | 406x178x266.7 | TR | YELLOW | 20.59 | 45.29 | 16.18 | 7.01 | 14.49 | 411 | 178 | 368 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 | | |
| 3412326965 | HT NMW | 16 X 7 X 10 1/2 | 406x178x266.7 | TR | WHITE | 20.50 | 45.10 | 16.18 | 7.01 | 14.49 | 411 | 178 | 368 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 | | |
| 3412425395 | HT | 15 X 5 X 11 1/4 | 381x127x285.8 | TR | BLACK | 11.80 | 25.96 | 14.96 | 5.04 | 13.98 | 380 | 128 | 355 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 | | |
| 3412325920 | HT NMG | 15 X 5 X 11 1/4 | 381x127x285.8 | TR | GREY | 11.80 | 25.96 | 14.96 | 5.04 | 13.98 | 380 | 128 | 355 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 | | |
| 3412326445 | HT NMW | 15 X 5 X 11 1/4 | 381x127x285.8 | TR | YELLOW | 11.85 | 26.07 | 14.96 | 5.04 | 13.98 | 380 | 128 | 355 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 | | |
| 3412326970 | HT NMW | 15 X 5 X 11 1/4 | 381x127x285.8 | TR | WHITE | 11.80 | 25.96 | 14.96 | 5.04 | 13.98 | 380 | 128 | 355 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 | | |
| 3412425400 | HT | 16 1/4 X 5 X 11 1/4 | 413x127x285.8 | TR | BLACK | 14.10 | 31.02 | 16.30 | 5.04 | 14.80 | 414 | 128 | 376 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 | | |
| 3412325925 | HT NMG | 16 1/4 X 5 X 11 1/4 | 413x127x285.8 | TR | GREY | 14.10 | 31.02 | 16.30 | 5.04 | 14.80 | 414 | 128 | 376 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 | | |
| 3412326450 | HT NMW | 16 1/4 X 5 X 11 1/4 | 413x127x285.8 | TR | YELLOW | 14.16 | 31.15 | 16.30 | 5.04 | 14.80 | 414 | 128 | 376 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 | | |
| 3412326975 | HT NMW | 16 1/4 X 5 X 11 1/4 | 413x127x285.8 | TR | WHITE | 14.10 | 31.02 | 16.30 | 5.04 | 14.80 | 414 | 128 | 376 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 | | |
| 3412425405 | HT | 16 1/4 X 6 X 11 1/4 | 413x152x285.8 | TR | BLACK | 16.50 | 36.30 | 16.22 | 5.98 | 14.69 | 412 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 | | |
| 3412325930 | HT NMG | 16 1/4 X 6 X 11 1/4 | 413x152x285.8 | TR | GREY | 16.50 | 36.30 | 16.22 | 5.98 | 14.69 | 412 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 | | |
| 3412326455 | HT NMW | 16 1/4 X 6 X 11 1/4 | 413x152x285.8 | TR | YELLOW | 16.57 | 36.46 | 16.22 | 5.98 | 14.69 | 412 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 | | |
| 3412326980 | HT NMW | 16 1/4 X 6 X 11 1/4 | 413x152x285.8 | TR | WHITE | 16.50 | 36.30 | 16.22 | 5.98 | 14.69 | 412 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 | | |
| 3412425410 | HT | 16 1/4 X 7 X 11 1/4 | 413x178x285.8 | TR | BLACK | 19.50 | 42.90 | 16.34 | 7.01 | 14.80 | 415 | 178 | 376 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 | | |
| 3412325935 | HT NMG | 16 1/4 X 7 X 11 1/4 | 413x178x285.8 | TR | GREY | 19.50 | 42.90 | 16.34 | 7.01 | 14.80 | 415 | 178 | 376 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 | | |
| 3412326460 | HT NMW | 16 1/4 X 7 X 11 1/4 | 413x178x285.8 | TR | YELLOW | 19.58 | 43.08 | 16.34 | 7.01 | 14.80 | 415 | 178 | 376 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 | | |
| 3412326985 | HT NMW | 16 1/4 X 7 X 11 1/4 | 413x178x285.8 | TR | WHITE | 19.50 | 42.90 | 16.34 | 7.01 | 14.80 | 415 | 178 | 376 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 | | |
| 3412425415 | HT | 17 X 6 X 12 1/8 | 432x152x308 | TR | BLACK | 17.20 | 37.84 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1980 | 1630 | 1770 | 1485 | 1435 | 1180 | | |
| 3412325940 | HT NMG | 17 X 6 X 12 1/8 | 432x152x308 | TR | GREY | 17.20 | 37.84 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1980 | 1630 | 1770 | 1485 | 1435 | 1180 | | |
| 3412326465 | HT NMW | 17 X 6 X 12 1/8 | 432x152x308 | TR | YELLOW | 17.27 | 38.00 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1980 | 1630 | 1770 | 1485 | 1435 | 1180 | | |
| 3412326990 | HT NMW | 17 X 6 X 12 1/8 | 432x152x308 | TR | WHITE | 17.20 | 37.84 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1980 | 1630 | 1770 | 1485 | 1435 | 1180 | | |
| 3412425420 | HT | 18 X 5 X 12 1/8 | 457x127x308 | TR | BLACK | 17.00 | 37.40 | 18.19 | 5.00 | 16.34 | 462 | 127 | 415 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 | | |
| 3412325945 | HT NMG | 18 X 5 X 12 1/8 | 457x127x308 | TR | GREY | 17.00 | 37.40 | 18.19 | 5.00 | 16.34 | 462 | 127 | 415 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 | | |
| 3412326470 | HT NMW | 18 X 5 X 12 1/8 | 457x127x308 | TR | YELLOW | 17.07 | 37.56 | 18.19 | 5.00 | 16.34 | 462 | 127 | 415 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 | | |
| 3412326995 | HT NMW | 18 X 5 X 12 1/8 | 457x127x308 | TR | WHITE | 17.00 | 37.40 | 18.19 | 5.00 | 16.34 | 462 | 127 | 415 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 | | |
| 3412425425 | HT | 18 X 6 X 12 1/8 | 457x152x308 | TR | BLACK | 19.17 | 42.17 | 17.22 | 5.98 | 16.34 | 457 | 152 | 415 | 2100 | 1720 | 1870 | 1575 | 1525 | 1250 | | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY





FERENTINO HIGHRIDE POB

HIGHRIDE POB

| CODE | PRODUCT NAME (FERENTINO HIGHRIDE POB) | TIRE SIZE | TIRE SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | | ACTUAL TIRE | | | LOAD CAPACITY | | | | | |
|------------|--|--------------------|---------------|---------|--------|-------------|--------|---------------------|-------------------|------------------------------------|---------------------|------------------|------------------------------------|-----------------------------|------|------|------|------|------|
| | | | | | | NORMAL | | OVERALL Diameter | OVERALL Width | REPLACEMENT OVERALL Diameter | OVERALL Diameter | OVERALL Width | REPLACEMENT OVERALL Diameter | COUNTERBALANCED LIFT TRUCKS | | | | | |
| | | | | | | Kg | Pound | | | | | | | Inch | Inch | Inch | Mm | Mm | Mm |
| | | | | | | | | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | | | | | | |
| 3412326545 | HT NMY | 22 X 12 X 16 | 559x305x406.4 | TR | YELLOW | 53.73 | 118.21 | 22.01 | 11.97 | 20.31 | 559 | 304 | 516 | 5625 | 4625 | 5030 | 4225 | 4090 | 3350 |
| 3412327070 | HT NMW | 22 X 12 X 16 | 559x305x406.4 | TR | WHITE | 53.50 | 117.70 | 22.01 | 11.97 | 20.31 | 554 | 304 | 516 | 5625 | 4625 | 5030 | 4225 | 4090 | 3350 |
| 3412425500 | HT | 28 X 10 X 22 | 711x254x559 | TR | BLACK | 62.00 | 136.40 | 28.03 | 10.00 | 26.34 | 712 | 254 | 669 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 |
| 3412326025 | HT NMG | 28 X 10 X 22 | 711x254x559 | TR | GREY | 62.00 | 136.40 | 28.03 | 10.00 | 26.34 | 712 | 254 | 669 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 |
| 3412326550 | HT NMY | 28 X 10 X 22 | 711x254x559 | TR | YELLOW | 62.27 | 136.99 | 28.03 | 10.00 | 26.34 | 712 | 254 | 669 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 |
| 3412327075 | HT NMW | 28 X 10 X 22 | 711x254x559 | TR | WHITE | 62.00 | 136.40 | 28.03 | 10.00 | 26.34 | 712 | 254 | 669 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 |
| 3412425505 | HT | 28 X 12 X 22 | 711x305x559 | TR | BLACK | 79.40 | 174.68 | 28.07 | 12.01 | 26.34 | 713 | 305 | 669 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 |
| 3412326030 | HT NMG | 28 X 12 X 22 | 711x305x559 | TR | GREY | 79.40 | 174.68 | 28.07 | 12.01 | 26.34 | 713 | 305 | 669 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 |
| 3412326555 | HT NMY | 28 X 12 X 22 | 711x305x559 | TR | YELLOW | 79.74 | 175.43 | 28.07 | 12.01 | 26.34 | 713 | 305 | 669 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 |
| 3412327080 | HT NMW | 28 X 12 X 22 | 711x305x559 | TR | WHITE | 79.40 | 174.68 | 28.07 | 12.01 | 26.34 | 713 | 305 | 669 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 |
| 3512425510 | SM | 9 X 5 X 5 | 228x127x127 | SM | BLACK | 6.00 | 13.20 | 9.02 | 5.00 | 7.87 | 229 | 127 | 200 | 960 | 790 | 855 | 715 | 695 | 570 |
| 3512326035 | SM NMG | 9 X 5 X 5 | 228x127x127 | SM | GREY | 6.00 | 13.20 | 9.02 | 5.00 | 7.87 | 229 | 127 | 200 | 960 | 790 | 855 | 715 | 695 | 570 |
| 3512326560 | SM NMY | 9 X 5 X 5 | 228x127x127 | SM | YELLOW | 6.03 | 13.26 | 9.02 | 5.00 | 7.87 | 229 | 127 | 200 | 960 | 790 | 855 | 715 | 695 | 570 |
| 3512327085 | SM NMW | 9 X 5 X 5 | 228x127x127 | SM | WHITE | 6.00 | 13.20 | 9.02 | 5.00 | 7.87 | 229 | 127 | 200 | 960 | 790 | 855 | 715 | 695 | 570 |
| 3512425515 | SM | 10 X 4 X 6 1/4 | 254x102x158.7 | SM | BLACK | 5.80 | 12.76 | 9.92 | 4.02 | 8.86 | 252 | 102 | 225 | 780 | 640 | 700 | 590 | 565 | 465 |
| 3512326040 | SM NMG | 10 X 4 X 6 1/4 | 254x102x158.7 | SM | GREY | 5.80 | 12.76 | 9.92 | 4.02 | 8.86 | 252 | 102 | 225 | 780 | 640 | 700 | 590 | 565 | 465 |
| 3512326565 | SM NMY | 10 X 4 X 6 1/4 | 254x102x158.7 | SM | YELLOW | 5.82 | 12.80 | 9.92 | 4.02 | 8.86 | 252 | 102 | 225 | 780 | 640 | 700 | 590 | 565 | 465 |
| 3512327090 | SM NMW | 10 X 4 X 6 1/4 | 254x102x158.7 | SM | WHITE | 5.80 | 12.76 | 9.92 | 4.02 | 8.86 | 252 | 102 | 225 | 780 | 640 | 700 | 590 | 565 | 465 |
| 3512425520 | SM | 10 X 5 X 6 1/4 | 254x127x158.7 | SM | BLACK | 6.40 | 14.08 | 10.00 | 5.00 | 8.94 | 254 | 127 | 227 | 1030 | 840 | 915 | 770 | 745 | 610 |
| 3512326045 | SM NMG | 10 X 5 X 6 1/4 | 254x127x158.7 | SM | GREY | 6.40 | 14.08 | 10.00 | 5.00 | 8.94 | 254 | 127 | 227 | 1030 | 840 | 915 | 770 | 745 | 610 |
| 3512326570 | SM NMY | 10 X 5 X 6 1/4 | 254x127x158.7 | SM | YELLOW | 6.43 | 14.15 | 10.00 | 5.00 | 8.94 | 254 | 127 | 227 | 1030 | 840 | 915 | 770 | 745 | 610 |
| 3512327095 | SM NMW | 10 X 5 X 6 1/4 | 254x127x158.7 | SM | WHITE | 6.40 | 14.08 | 10.00 | 5.00 | 8.94 | 254 | 127 | 227 | 1030 | 840 | 915 | 770 | 745 | 610 |
| 3512425525 | SM | 10 X 4 X 6 1/2 | 254x102x165.1 | SM | BLACK | 5.70 | 12.54 | 9.92 | 4.02 | 8.94 | 252 | 102 | 227 | 780 | 640 | 695 | 585 | 565 | 465 |
| 3512326050 | SM NMG | 10 X 4 X 6 1/2 | 254x102x165.1 | SM | GREY | 5.70 | 12.54 | 9.92 | 4.02 | 8.94 | 252 | 102 | 227 | 780 | 640 | 695 | 585 | 565 | 465 |
| 3512326575 | SM NMY | 10 X 4 X 6 1/2 | 254x102x165.1 | SM | YELLOW | 5.72 | 12.58 | 9.92 | 4.02 | 8.94 | 252 | 102 | 227 | 780 | 640 | 695 | 585 | 565 | 465 |
| 3512327100 | SM NMW | 10 X 4 X 6 1/2 | 254x102x165.1 | SM | WHITE | 5.70 | 12.54 | 9.92 | 4.02 | 8.94 | 252 | 102 | 227 | 780 | 640 | 695 | 585 | 565 | 465 |
| 3512425530 | SM | 10 X 4 3/4 X 6 1/2 | 254x120x165.1 | SM | BLACK | 6.40 | 14.08 | 10.00 | 4.76 | 9.02 | 254 | 121 | 229 | 950 | 780 | 845 | 710 | 690 | 565 |
| 3512326055 | SM NMG | 10 X 4 3/4 X 6 1/2 | 254x120x165.1 | SM | GREY | 6.40 | 14.08 | 10.00 | 4.76 | 9.02 | 254 | 121 | 229 | 950 | 780 | 845 | 710 | 690 | 565 |
| 3512326580 | SM NMY | 10 X 4 3/4 X 6 1/2 | 254x120x165.1 | SM | YELLOW | 6.43 | 14.15 | 10.00 | 4.76 | 9.02 | 254 | 121 | 229 | 950 | 780 | 845 | 710 | 690 | 565 |
| 3512327105 | SM NMW | 10 X 4 3/4 X 6 1/2 | 254x120x165.1 | SM | WHITE | 6.40 | 14.08 | 10.00 | 4.76 | 9.02 | 254 | 121 | 229 | 950 | 780 | 845 | 710 | 690 | 565 |
| 3512425535 | SM | 10 X 5 X 6 1/2 | 254x127x165.1 | SM | BLACK | 6.60 | 14.52 | 9.92 | 5.00 | 8.94 | 252 | 127 | 1010 | 830 | 905 | 760 | 735 | 605 | |
| 3512326060 | SM NMG | 10 X 5 X 6 1/2 | 254x127x165.1 | SM | GREY | 6.60 | 14.52 | 9.92 | 5.00 | 8.94 | 252 | 127 | 1010 | 830 | 905 | 760 | 735 | 605 | |
| 3512326585 | SM NMY | 10 X 5 X 6 1/2 | 254x127x165.1 | SM | YELLOW | 6.63 | 14.59 | 9.92 | 5.00 | 8.94 | 252 | 127 | 1010 | 830 | 905 | 760 | 735 | 605 | |
| 3512327110 | SM NMW | 10 X 5 X 6 1/2 | 254x127x165.1 | SM | WHITE | 6.60 | 14.52 | 9.92 | 5.00 | 8.94 | 252 | 127 | 1010 | 830 | 905 | 760 | 735 | 605 | |
| 3512425540 | SM | 10 1/2 X 5 X 6 1/2 | 267x127x165.1 | SM | BLACK | 7.00 | 15.40 | 10.51 | 5.00 | 9.33 | 267 | 127 | 237 | 1070 | 880 | 960 | 810 | 780 | 640 |
| 3512326065 | SM NMG | 10 1/2 X 5 X 6 1/2 | 267x127x165.1 | SM | GREY | 7.00 | 15.40 | 10.51 | 5.00 | 9.33 | 267 | 127 | 237 | 1070 | 880 | 960 | 810 | 780 | 640 |
| 3512326590 | SM NMY | 10 1/2 X 5 X 6 1/2 | 267x127x165.1 | SM | YELLOW | 7.03 | 15.47 | 10.51 | 5.00 | 9.33 | 267 | 127 | 237 | 1070 | 880 | 960 | 810 | 780 | 640 |
| 3512327115 | SM NMW | 10 1/2 X 5 X 6 1/2 | 267x127x165.1 | SM | WHITE | 7.00 | 15.40 | 10.51 | 5.00 | 9.33 | 267 | 127 | 237 | 1070 | 880 | 960 | 810 | 780 | 640 |
| 3512425545 | SM | 10 1/2 X 6 X 6 1/2 | 267x152x165.1 | SM | BLACK | 8.30 | 18.26 | 10.51 | 5.98 | 9.33 | 267 | 152 | 237 | 1340 | 1100 | 1190 | 1000 | 970 | 795 |
| 3512326070 | SM NMG | 10 1/2 X 6 X 6 1/2 | 267x152x165.1 | SM | GREY | 8.30 | 18.26 | 10.51 | 5.98 | 9.33 | 267 | 152 | 237 | 1340 | 1100 | 1190 | 1000 | 970 | 795 |
| 3512326595 | SM NMY | 10 1/2 X 6 X 6 1/2 | 267x152x165.1 | SM | YELLOW | 8.34 | 18.34 | 10.51 | 5.98 | 9.33 | 267 | 152 | 237 | 1340 | 1100 | 1190 | 1000 | 970 | 795 |
| 3512327120 | SM NMW | 10 1/2 X 6 X 6 1/2 | 267x152x165.1 | SM | WHITE | 8.30 | 18.26 | 10.51 | 5.98 | 9.33 | 267 | 152 | 237 | 1340 | 1100 | 1190 | 1000 | 970 | 795 |
| 3512425550 | SM | 12 X 4 X 8 | 305x102x203.2 | SM | BLACK | 7.00 | 15.40 | 12.01 | 4.02 | 10.83 | 305 | 102 | 275 | 905 | 745 | 810 | 680 | 660 | 540 |
| 3512326075 | SM NMG | 12 X 4 X 8 | 305x102x203.2 | SM | GREY | 7.00 | 15.40 | 12.01 | 4.02 | 10.83 | 305 | 102 | 275 | 905 | 745 | 810 | 680 | 660 | 540 |
| 3512326600 | SM NMY | 12 X 4 X 8 | 305x102x203.2 | SM | YELLOW | 7.03 | 15.47 | 12.01 | 4.02 | 10.83 | 305 | 102 | 275 | 905 | 745 | 810 | 680 | 660 | 540 |
| 3512327125 | SM NMW | 12 X 4 X 8 | 305x102x203.2 | SM | WHITE | 7.00 | 15.40 | 12.01 | 4.02 | 10.83 | 305 | 102 | 275 | 905 | 745 | 810 | 680 | 660 | 540 |
| 3512425555 | SM | 12 X 4 1/2 X 8 | 305x114x203.2 | SM | BLACK | 8.10 | 17.82 | 12.01 | 4.49 | 10.83 | 305 | 114 | 275 | 1040 | 855 | 930 | 780 | 755 | 620 |
| 3512326080 | SM NMG | 12 X 4 1/2 X 8 | 305x114x203.2 | SM | GREY | 8.10 | 17.82 | 12.01 | 4.49 | 10.83 | 305 | 114 | 275 | 1040 | 855 | 930 | 780 | 755 | 620 |
| 3512326605 | SM NMY | 12 X 4 1/2 X 8 | 305x114x203.2 | SM | YELLOW | 8.13 | 17.89 | 12.01 | 4.49 | 10.83 | 305 | 114 | 275 | 1040 | 855 | 930 | 780 | 755 | 620 |
| 3512327130 | SM NMW | 12 X 4 1/2 X 8 | 305x114x203.2 | SM | WHITE | 8.10 | 17.82 | 12.01 | 4.49 | 10.83 | 305 | 114 | 275 | 1040 | 855 | 930 | 780 | 755 | 620 |
| 3512425560 | SM | 12 X 5 X 8 | 305x127x203.2 | SM | BLACK | 8.90 | 19.58 | 12.01 | 5.00 | 10.83 | 305 | 127 | 275 | 1190 | 980 | 1065 | 890 | 865 | 710 |
| 3512326085 | SM NMG | 12 X 5 X 8 | 305x127x203.2 | SM | GREY | 8.90 | 19.58 | 12.01 | 5.00 | 10.83 | 305 | 127 | 275 | 1190 | 980 | 1065 | 890 | 865 | 710 |
| 3512326610 | SM NMY | 12 X 5 X 8 | 305x127x203.2 | SM | YELLOW | 8.94 | 19.67 | 12.01 | 5.00 | 10.83 | 305 | 127 | 275 | 1190 | 980 | 1065 | 890 | 865 | 710 |
| 3512327135 | SM NMW | 12 X 5 X 8 | 305x127x203.2 | SM | WHITE | 8.90 | 19.58 | 12.01 | 5.00 | 10.83 | 305 | 127 | 275 | 1190 | 980 | 1065 | 890 | 865 | 710 |
| 35124 | | | | | | | | | | | | | | | | | | | |



FERENTINO HIGHRIE POB

HIGHRIE POB

| CODE | PRODUCT NAME (FERENTINO HIGHRIE POB) | TIRE SIZE Inch | TIRE SIZE Mm | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | | ACTUAL TIRE | | | LOAD CAPACITY | | | | | |
|------------|---|---------------------|-----------------|---------|--------|-------------|-------|---------------------------|-----------------------------|---------------------------|-----------------------------|--------------------------------|----------------------------------|-----------------------------|----------------|--------------|----------------|--------------|----------------|
| | | | | | | NORMAL | | ORIGINAL RIM DIA MM | ORIGINAL RIM DIA INCH | ORIGINAL RIM DIA MM | ORIGINAL RIM DIA INCH | RE-ENGINEERED RIM DIA MM | RE-ENGINEERED RIM DIA INCH | COUNTERBALANCED LIFT TRUCKS | | | | | |
| | | | | | | | | | | | | | | UP TO 10KM/H | | UP TO 16KM/H | | UP TO 25KM/H | |
| | | | | | | Kg | Pound | Inch | Inch | mm | mm | mm | mm | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL |
| 3512327140 | SM NMW | 12 X 5 1/2 X 8 | 305X140X203.2 | SM | WHITE | 9.70 | 21.34 | 12.01 | 5.51 | 10.83 | 305 | 140 | 275 | 1340 | 1100 | 1195 | 1005 | 970 | 795 |
| 3512425570 | SM | 13 X 4 1/2 X 8 | 330X114X203.2 | SM | BLACK | 9.05 | 19.91 | 12.99 | 4.49 | 11.50 | 330 | 114 | 292 | 1120 | 920 | 1000 | 840 | 815 | 670 |
| 3512326095 | SM NMG | 13 X 4 1/2 X 8 | 330X114X203.2 | SM | GREY | 9.05 | 19.91 | 12.99 | 4.49 | 11.50 | 330 | 114 | 292 | 1120 | 920 | 1000 | 840 | 815 | 670 |
| 3512326620 | SM NMW | 13 X 4 1/2 X 8 | 330X114X203.2 | SM | YELLOW | 9.09 | 20.00 | 12.99 | 4.49 | 11.50 | 330 | 114 | 292 | 1120 | 920 | 1000 | 840 | 815 | 670 |
| 3512327145 | SM NMY | 13 X 4 1/2 X 8 | 330X114X203.2 | SM | WHITE | 9.05 | 19.91 | 12.99 | 4.49 | 11.50 | 330 | 114 | 292 | 1120 | 920 | 1000 | 840 | 815 | 670 |
| 3512425575 | SM | 13 1/2 X 4 1/2 X 8 | 343X114X203.2 | SM | BLACK | 10.60 | 23.32 | 13.50 | 4.49 | 11.85 | 343 | 114 | 301 | 1150 | 940 | 1025 | 860 | 835 | 685 |
| 3512326105 | SM NMG | 13 1/2 X 4 1/2 X 8 | 343X114X203.2 | SM | GREY | 10.60 | 23.32 | 13.50 | 4.49 | 11.85 | 343 | 114 | 301 | 1150 | 940 | 1025 | 860 | 835 | 685 |
| 3512326625 | SM NMY | 13 1/2 X 4 1/2 X 8 | 343X114X203.2 | SM | YELLOW | 10.65 | 23.43 | 13.50 | 4.49 | 11.85 | 343 | 114 | 301 | 1150 | 940 | 1025 | 860 | 835 | 685 |
| 3512327150 | SM NMW | 13 1/2 X 4 1/2 X 8 | 343X114X203.2 | SM | WHITE | 10.60 | 23.32 | 13.50 | 4.49 | 11.85 | 343 | 114 | 301 | 1150 | 940 | 1025 | 860 | 835 | 685 |
| 3512425580 | SM | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | SM | BLACK | 13.00 | 28.60 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512326105 | SM NMG | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | SM | GREY | 13.00 | 28.60 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512326630 | SM NMY | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | SM | YELLOW | 13.06 | 28.73 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512327155 | SM NMW | 13 1/2 X 5 1/2 X 8 | 343X139X203.2 | SM | WHITE | 13.00 | 28.60 | 13.50 | 5.51 | 11.85 | 343 | 140 | 301 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512425585 | SM | 14 X 4 1/2 X 8 | 356X114X203.2 | SM | BLACK | 11.00 | 24.20 | 13.86 | 4.49 | 12.17 | 352 | 114 | 309 | 1170 | 960 | 1045 | 875 | 850 | 695 |
| 3512326110 | SM NMG | 14 X 4 1/2 X 8 | 356X114X203.2 | SM | GREY | 11.00 | 24.20 | 13.86 | 4.49 | 12.17 | 352 | 114 | 309 | 1170 | 960 | 1045 | 875 | 850 | 695 |
| 3512326635 | SM NMY | 14 X 4 1/2 X 8 | 356X114X203.2 | SM | YELLOW | 11.05 | 24.31 | 13.86 | 4.49 | 12.17 | 352 | 114 | 309 | 1170 | 960 | 1045 | 875 | 850 | 695 |
| 3512327160 | SM NMW | 14 X 4 1/2 X 8 | 356X114X203.2 | SM | WHITE | 11.00 | 24.20 | 13.86 | 4.49 | 12.17 | 352 | 114 | 309 | 1170 | 960 | 1045 | 875 | 850 | 695 |
| 3512425590 | SM | 14 X 5 X 10 | 356X127X254 | SM | BLACK | 10.90 | 23.98 | 13.94 | 5.00 | 12.91 | 354 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 |
| 3512326115 | SM NMG | 14 X 5 X 10 | 356X127X254 | SM | GREY | 10.90 | 23.98 | 13.94 | 5.00 | 12.91 | 354 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 |
| 3512326640 | SM NMY | 14 X 5 X 10 | 356X127X254 | SM | YELLOW | 10.95 | 24.09 | 13.94 | 5.00 | 12.91 | 354 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 |
| 3512327165 | SM NMW | 14 X 5 X 10 | 356X127X254 | SM | WHITE | 10.90 | 23.98 | 13.94 | 5.00 | 12.91 | 354 | 127 | 328 | 1335 | 1095 | 1195 | 1000 | 970 | 795 |
| 3512425595 | SM | 15 1/2 X 6 X 10 | 393X152X254 | SM | BLACK | 16.30 | 35.86 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1870 | 1530 | 1665 | 1400 | 1355 | 1110 |
| 3512326120 | SM NMG | 15 1/2 X 6 X 10 | 393X152X254 | SM | GREY | 16.30 | 35.86 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1870 | 1530 | 1665 | 1400 | 1355 | 1110 |
| 3512326645 | SM NMY | 15 1/2 X 6 X 10 | 393X152X254 | SM | YELLOW | 16.37 | 36.01 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1870 | 1530 | 1665 | 1400 | 1355 | 1110 |
| 3512327170 | SM NMW | 15 1/2 X 6 X 10 | 393X152X254 | SM | WHITE | 16.30 | 35.86 | 15.59 | 5.00 | 13.90 | 396 | 127 | 353 | 1870 | 1530 | 1665 | 1400 | 1355 | 1110 |
| 3512426000 | SM | 16 X 5 X 10 1/2 | 406X127X266.7 | SM | BLACK | 13.60 | 29.92 | 15.87 | 5.00 | 14.25 | 403 | 127 | 362 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512326125 | SM NMG | 16 X 5 X 10 1/2 | 406X127X266.7 | SM | GREY | 13.60 | 29.92 | 15.87 | 5.00 | 14.25 | 403 | 127 | 362 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512326650 | SM NMY | 16 X 5 X 10 1/2 | 406X127X266.7 | SM | YELLOW | 13.66 | 30.05 | 15.87 | 5.00 | 14.25 | 403 | 127 | 362 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512327175 | SM NMW | 16 X 5 X 10 1/2 | 406X127X266.7 | SM | WHITE | 13.60 | 29.92 | 15.87 | 5.00 | 14.25 | 403 | 127 | 362 | 1510 | 1240 | 1345 | 1130 | 1095 | 895 |
| 3512426005 | SM | 16 X 6 X 10 1/2 | 406X152X266.7 | SM | BLACK | 16.60 | 36.52 | 15.87 | 5.98 | 14.25 | 403 | 152 | 362 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 |
| 3512326130 | SM NMG | 16 X 6 X 10 1/2 | 406X152X266.7 | SM | GREY | 16.60 | 36.52 | 15.87 | 5.98 | 14.25 | 403 | 152 | 362 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 |
| 3512326655 | SM NMY | 16 X 6 X 10 1/2 | 406X152X266.7 | SM | YELLOW | 16.67 | 36.67 | 15.87 | 5.98 | 14.25 | 403 | 152 | 362 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 |
| 3512327180 | SM NMW | 16 X 6 X 10 1/2 | 406X152X266.7 | SM | WHITE | 16.60 | 36.52 | 15.87 | 5.98 | 14.25 | 403 | 152 | 362 | 1910 | 1570 | 1710 | 1435 | 1390 | 1140 |
| 3512426010 | SM | 16 X 7 X 10 1/2 | 406X178X266.7 | SM | BLACK | 19.25 | 42.35 | 15.98 | 7.01 | 14.37 | 406 | 178 | 365 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 |
| 3512326135 | SM NMG | 16 X 7 X 10 1/2 | 406X178X266.7 | SM | GREY | 19.25 | 42.35 | 15.98 | 7.01 | 14.37 | 406 | 178 | 365 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 |
| 3512326660 | SM NMY | 16 X 7 X 10 1/2 | 406X178X266.7 | SM | YELLOW | 19.33 | 42.53 | 15.98 | 7.01 | 14.37 | 406 | 178 | 365 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 |
| 3512327185 | SM NMW | 16 X 7 X 10 1/2 | 406X178X266.7 | SM | WHITE | 19.25 | 42.35 | 15.98 | 7.01 | 14.37 | 406 | 178 | 365 | 2325 | 1910 | 2070 | 1740 | 1685 | 1380 |
| 3512426015 | SM | 15 X 4 X 11 1/4 | 381X101X285.8 | SM | BLACK | 10.00 | 22.00 | 15.04 | 4.02 | 13.94 | 382 | 102 | 354 | 1065 | 875 | 950 | 800 | 775 | 635 |
| 3512326140 | SM NMG | 15 X 4 X 11 1/4 | 381X101X285.8 | SM | GREY | 10.00 | 22.00 | 15.04 | 4.02 | 13.94 | 382 | 102 | 354 | 1065 | 875 | 950 | 800 | 775 | 635 |
| 3512326665 | SM NMY | 15 X 4 X 11 1/4 | 381X101X285.8 | SM | YELLOW | 10.04 | 22.09 | 15.04 | 4.02 | 13.94 | 382 | 102 | 354 | 1065 | 875 | 950 | 800 | 775 | 635 |
| 3512327190 | SM NMW | 15 X 4 X 11 1/4 | 381X101X285.8 | SM | WHITE | 10.00 | 22.00 | 15.04 | 4.02 | 13.94 | 382 | 102 | 354 | 1065 | 875 | 950 | 800 | 775 | 635 |
| 3512426020 | SM | 15 X 5 X 11 1/4 | 381X127X285.8 | SM | BLACK | 13.00 | 28.60 | 14.92 | 5.00 | 13.94 | 379 | 127 | 354 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 |
| 3512326145 | SM NMG | 15 X 5 X 11 1/4 | 381X127X285.8 | SM | GREY | 13.00 | 28.60 | 14.92 | 5.00 | 13.94 | 379 | 127 | 354 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 |
| 3512326670 | SM NMY | 15 X 5 X 11 1/4 | 381X127X285.8 | SM | YELLOW | 13.06 | 28.73 | 14.92 | 5.00 | 13.94 | 379 | 127 | 354 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 |
| 3512327195 | SM NMW | 15 X 5 X 11 1/4 | 381X127X285.8 | SM | WHITE | 13.00 | 28.60 | 14.92 | 5.00 | 13.94 | 379 | 127 | 354 | 1390 | 1140 | 1240 | 1040 | 1010 | 830 |
| 3512426025 | SM | 15 X 6 X 11 1/4 | 381X152X285.8 | SM | BLACK | 13.70 | 30.14 | 15.00 | 5.98 | 13.94 | 381 | 152 | 354 | 1715 | 1410 | 1530 | 1285 | 1245 | 1020 |
| 3512326150 | SM NMG | 15 X 6 X 11 1/4 | 381X152X285.8 | SM | GREY | 13.70 | 30.14 | 15.00 | 5.98 | 13.94 | 381 | 152 | 354 | 1715 | 1410 | 1530 | 1285 | 1245 | 1020 |
| 3512326675 | SM NMY | 15 X 6 X 11 1/4 | 381X152X285.8 | SM | YELLOW | 13.76 | 30.27 | 15.00 | 5.98 | 13.94 | 381 | 152 | 354 | 1715 | 1410 | 1530 | 1285 | 1245 | 1020 |
| 3512327200 | SM NMW | 15 X 6 X 11 1/4 | 381X152X285.8 | SM | WHITE | 13.70 | 30.14 | 15.00 | 5.98 | 13.94 | 381 | 152 | 354 | 1715 | 1410 | 1530 | 1285 | 1245 | 1020 |
| 3512426030 | SM | 16 1/4 X 5 X 11 1/4 | 1441X131X278.5 | SM | BLACK | 14.60 | 32.12 | 16.14 | 5.00 | 14.72 | 410 | 127 | 374 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 |
| 3512326155 | SM NMG | 16 1/4 X 5 X 11 1/4 | 1441X131X278.5 | SM | GREY | 14.60 | 32.12 | 16.14 | 5.00 | 14.72 | 410 | 127 | 374 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 |
| 3512326680 | SM NMY | 16 1/4 X 5 X 11 1/4 | 1441X131X278.5 | SM | YELLOW | 14.66 | 32.25 | 16.14 | 5.00 | 14.72 | 410 | 127 | 374 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 |
| 3512327205 | SM NMW | 16 1/4 X 5 X 11 1/4 | 1441X131X278.5 | SM | WHITE | 14.60 | 32.12 | 16.14 | 5.00 | 14.72 | 410 | 127 | 374 | 1530 | 1250 | 1360 | 1145 | 1105 | 905 |
| 3512426035 | SM | 16 1/4 X 6 X 11 1/4 | 1441X131X285.8 | SM | BLACK | 16.80 | 36.96 | 16.14 | 5.98 | 14.69 | 410 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 |
| 3512326160 | SM NMG | 16 1/4 X 6 X 11 1/4 | 1441X131X285.8 | SM | GREY | 16.80 | 36.96 | 16.14 | 5.98 | 14.69 | 410 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 |
| 3512326685 | SM NMY | 16 1/4 X 6 X 11 1/4 | 1441X131X285.8 | SM | YELLOW | 16.87 | 37.11 | 16.14 | 5.98 | 14.69 | 410 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 |
| 3512327210 | SM NMW | 16 1/4 X 6 X 11 1/4 | 1441X131X285.8 | SM | WHITE | 16.80 | 36.96 | 16.14 | 5.98 | 14.69 | 410 | 152 | 373 | 1920 | 1580 | 1715 | 1440 | 1395 | 1140 |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO HIGHRIIDE POB

HIGHRIIDE POB

| CODE | PRODUCT NAME (FERENTINO HIGHRIIDE POB) | TIRE SIZE Inch | TIRE SIZE Mm | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | | ACTUAL TIRE | | | LOAD CAPACITY | | | | | |
|------------|---|--------------------|-----------------|---------|--------|-------------|-------|----------------|------------------|-------------------------------|----------------|------------------|-------------------------------|-----------------------------|------|------|------|------|------|
| | | | | | | NORMAL | | OVERALL DIA | OVERALL WIDTH | REPLACEMENT OVERALL DIA | OVERALL DIA | OVERALL WIDTH | REPLACEMENT OVERALL DIA | COUNTERBALANCED LIFT TRUCKS | | | | | |
| | | | | | | Kg | Pound | | | | | | | Inch | Inch | Inch | Mm | Mm | Mm |
| | | | | | | | | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | | | | | | |
| 3512425640 | SM | 16 1/4 X 7 X 1 1/4 | 413x178x285.8 | SM | BLACK | 20.30 | 44.66 | 16.26 | 7.01 | 14.76 | 413 | 178 | 375 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 |
| 3512326165 | SM NMG | 16 1/4 X 7 X 1 1/4 | 413x178x285.8 | SM | GREY | 20.30 | 44.66 | 16.26 | 7.01 | 14.76 | 413 | 178 | 375 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 |
| 3512326690 | SM NMY | 16 1/4 X 7 X 1 1/4 | 413x178x285.8 | SM | YELLOW | 20.39 | 44.86 | 16.26 | 7.01 | 14.76 | 413 | 178 | 375 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 |
| 3512327215 | SM NMW | 16 1/4 X 7 X 1 1/4 | 413x178x285.8 | SM | WHITE | 20.30 | 44.66 | 16.26 | 7.01 | 14.76 | 413 | 178 | 375 | 2325 | 1900 | 2060 | 1735 | 1680 | 1380 |
| 3512425645 | SM | 16 1/4 X 8 X 1 1/4 | 413x203x285.8 | SM | BLACK | 22.00 | 48.40 | 16.26 | 7.99 | 14.76 | 413 | 203 | 375 | 2715 | 2225 | 2420 | 2030 | 1965 | 1615 |
| 3512326170 | SM NMG | 16 1/4 X 8 X 1 1/4 | 413x203x285.8 | SM | GREY | 22.00 | 48.40 | 16.26 | 7.99 | 14.76 | 413 | 203 | 375 | 2715 | 2225 | 2420 | 2030 | 1965 | 1615 |
| 3512326695 | SM NMY | 16 1/4 X 8 X 1 1/4 | 413x203x285.8 | SM | YELLOW | 22.09 | 48.60 | 16.26 | 7.99 | 14.76 | 413 | 203 | 375 | 2715 | 2225 | 2420 | 2030 | 1965 | 1615 |
| 3512327220 | SM NMW | 16 1/4 X 8 X 1 1/4 | 413x203x285.8 | SM | WHITE | 22.00 | 48.40 | 16.26 | 7.99 | 14.76 | 413 | 203 | 375 | 2715 | 2225 | 2420 | 2030 | 1965 | 1615 |
| 3512425650 | SM | 17 X 5 X 12 1/8 | 432x127x308 | SM | BLACK | 15.10 | 33.22 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1570 | 1290 | 1400 | 1180 | 1145 | 935 |
| 3512326175 | SM NMG | 17 X 5 X 12 1/8 | 432x127x308 | SM | GREY | 15.10 | 33.22 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1570 | 1290 | 1400 | 1180 | 1145 | 935 |
| 3512326670 | SM NMY | 17 X 5 X 12 1/8 | 432x127x308 | SM | YELLOW | 15.16 | 33.35 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1570 | 1290 | 1400 | 1180 | 1145 | 935 |
| 3512327225 | SM NMW | 17 X 5 X 12 1/8 | 432x127x308 | SM | WHITE | 15.10 | 33.22 | 17.01 | 5.00 | 15.55 | 432 | 127 | 395 | 1570 | 1290 | 1400 | 1180 | 1145 | 935 |
| 3512425655 | SM | 18 X 5 X 12 1/8 | 457x127x308 | SM | BLACK | 17.10 | 37.62 | 17.99 | 5.00 | 16.22 | 457 | 127 | 412 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 |
| 3512326180 | SM NMG | 18 X 5 X 12 1/8 | 457x127x308 | SM | GREY | 17.10 | 37.62 | 17.99 | 5.00 | 16.22 | 457 | 127 | 412 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 |
| 3512326705 | SM NMY | 18 X 5 X 12 1/8 | 457x127x308 | SM | YELLOW | 17.17 | 37.77 | 17.99 | 5.00 | 16.22 | 457 | 127 | 412 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 |
| 3512327230 | SM NMW | 18 X 5 X 12 1/8 | 457x127x308 | SM | WHITE | 17.10 | 37.62 | 17.99 | 5.00 | 16.22 | 457 | 127 | 412 | 1640 | 1350 | 1470 | 1230 | 1195 | 980 |
| 3512425660 | SM | 18 X 6 X 12 1/8 | 457x152x308 | SM | BLACK | 20.00 | 44.00 | 17.83 | 5.98 | 16.22 | 453 | 152 | 412 | 2100 | 1720 | 1870 | 1575 | 1525 | 1250 |
| 3512326185 | SM NMG | 18 X 6 X 12 1/8 | 457x152x308 | SM | GREY | 20.00 | 44.00 | 17.83 | 5.98 | 16.22 | 453 | 152 | 412 | 2100 | 1720 | 1870 | 1575 | 1525 | 1250 |
| 3512326710 | SM NMY | 18 X 6 X 12 1/8 | 457x152x308 | SM | YELLOW | 20.09 | 44.20 | 17.83 | 5.98 | 16.22 | 453 | 152 | 412 | 2100 | 1720 | 1870 | 1575 | 1525 | 1250 |
| 3512327235 | SM NMW | 18 X 6 X 12 1/8 | 457x152x308 | SM | WHITE | 20.00 | 44.00 | 17.83 | 5.98 | 16.22 | 453 | 152 | 412 | 2100 | 1720 | 1870 | 1575 | 1525 | 1250 |
| 3512425665 | SM | 18 X 7 X 12 1/8 | 457x178x308 | SM | BLACK | 24.40 | 53.68 | 17.99 | 7.01 | 16.22 | 457 | 178 | 412 | 2550 | 2100 | 2280 | 1910 | 1855 | 1520 |
| 3512326190 | SM NMG | 18 X 7 X 12 1/8 | 457x178x308 | SM | GREY | 24.40 | 53.68 | 17.99 | 7.01 | 16.22 | 457 | 178 | 412 | 2550 | 2100 | 2280 | 1910 | 1855 | 1520 |
| 3512326715 | SM NMY | 18 X 7 X 12 1/8 | 457x178x308 | SM | YELLOW | 24.50 | 53.90 | 17.99 | 7.01 | 16.22 | 457 | 178 | 412 | 2550 | 2100 | 2280 | 1910 | 1855 | 1520 |
| 3512327240 | SM NMW | 18 X 7 X 12 1/8 | 457x178x308 | SM | WHITE | 24.40 | 53.68 | 17.99 | 7.01 | 16.22 | 457 | 178 | 412 | 2550 | 2100 | 2280 | 1910 | 1855 | 1520 |
| 3512425670 | SM | 18 X 8 X 12 1/8 | 457x203x308 | SM | BLACK | 26.70 | 58.74 | 17.83 | 7.99 | 16.22 | 453 | 203 | 412 | 3000 | 2475 | 2680 | 2250 | 2180 | 1790 |
| 3512326195 | SM NMG | 18 X 8 X 12 1/8 | 457x203x308 | SM | GREY | 26.70 | 58.74 | 17.83 | 7.99 | 16.22 | 453 | 203 | 412 | 3000 | 2475 | 2680 | 2250 | 2180 | 1790 |
| 3512326720 | SM NMY | 18 X 8 X 12 1/8 | 457x203x308 | SM | YELLOW | 26.81 | 58.98 | 17.83 | 7.99 | 16.22 | 453 | 203 | 412 | 3000 | 2475 | 2680 | 2250 | 2180 | 1790 |
| 3512327245 | SM NMW | 18 X 8 X 12 1/8 | 457x203x308 | SM | WHITE | 26.70 | 58.74 | 17.83 | 7.99 | 16.22 | 453 | 203 | 412 | 3000 | 2475 | 2680 | 2250 | 2180 | 1790 |
| 3512425675 | SM | 18 X 9 X 12 1/8 | 457x228x308 | SM | BLACK | 29.90 | 65.78 | 17.83 | 9.02 | 16.10 | 453 | 229 | 409 | 3450 | 2850 | 3090 | 2600 | 2510 | 2060 |
| 3512326200 | SM NMG | 18 X 9 X 12 1/8 | 457x228x308 | SM | GREY | 29.90 | 65.78 | 17.83 | 9.02 | 16.10 | 453 | 229 | 409 | 3450 | 2850 | 3090 | 2600 | 2510 | 2060 |
| 3512326725 | SM NMY | 18 X 9 X 12 1/8 | 457x228x308 | SM | YELLOW | 30.03 | 66.06 | 17.83 | 9.02 | 16.10 | 453 | 229 | 409 | 3450 | 2850 | 3090 | 2600 | 2510 | 2060 |
| 3512327250 | SM NMW | 18 X 9 X 12 1/8 | 457x228x308 | SM | WHITE | 29.90 | 65.78 | 17.83 | 9.02 | 16.10 | 453 | 229 | 409 | 3450 | 2850 | 3090 | 2600 | 2510 | 2060 |
| 3512425680 | SM | 21 X 7 X 15 | 533x178x381 | SM | BLACK | 28.80 | 63.36 | 20.83 | 7.01 | 19.29 | 529 | 178 | 490 | 2875 | 2350 | 2560 | 2150 | 2085 | 1710 |
| 3512326205 | SM NMG | 21 X 7 X 15 | 533x178x381 | SM | GREY | 28.80 | 63.36 | 20.83 | 7.01 | 19.29 | 529 | 178 | 490 | 2875 | 2350 | 2560 | 2150 | 2085 | 1710 |
| 3512326730 | SM NMY | 21 X 7 X 15 | 533x178x381 | SM | YELLOW | 28.92 | 63.62 | 20.83 | 7.01 | 19.29 | 529 | 178 | 490 | 2875 | 2350 | 2560 | 2150 | 2085 | 1710 |
| 3512327255 | SM NMW | 21 X 7 X 15 | 533x178x381 | SM | WHITE | 28.80 | 63.36 | 20.83 | 7.01 | 19.29 | 529 | 178 | 490 | 2875 | 2350 | 2560 | 2150 | 2085 | 1710 |
| 3512425685 | SM | 21 X 8 X 15 | 533x203x381 | SM | BLACK | 33.05 | 72.71 | 20.83 | 7.99 | 19.17 | 529 | 203 | 487 | 3375 | 2775 | 3025 | 2540 | 2455 | 2015 |
| 3512326210 | SM NMG | 21 X 8 X 15 | 533x203x381 | SM | GREY | 33.05 | 72.71 | 20.83 | 7.99 | 19.17 | 529 | 203 | 487 | 3375 | 2775 | 3025 | 2540 | 2455 | 2015 |
| 3512326735 | SM NMY | 21 X 8 X 15 | 533x203x381 | SM | YELLOW | 33.19 | 73.02 | 20.83 | 7.99 | 19.17 | 529 | 203 | 487 | 3375 | 2775 | 3025 | 2540 | 2455 | 2015 |
| 3512327260 | SM NMW | 21 X 8 X 15 | 533x203x381 | SM | WHITE | 33.05 | 72.71 | 20.83 | 7.99 | 19.17 | 529 | 203 | 487 | 3375 | 2775 | 3025 | 2540 | 2455 | 2015 |
| 3512425690 | SM | 21 X 9 X 15 | 533x228x381 | SM | BLACK | 36.20 | 79.64 | 20.91 | 9.06 | 19.17 | 531 | 230 | 487 | 3900 | 3200 | 3475 | 2920 | 2830 | 2320 |
| 3512326215 | SM NMG | 21 X 9 X 15 | 533x228x381 | SM | GREY | 36.20 | 79.64 | 20.91 | 9.06 | 19.17 | 531 | 230 | 487 | 3900 | 3200 | 3475 | 2920 | 2830 | 2320 |
| 3512326740 | SM NMY | 21 X 9 X 15 | 533x228x381 | SM | YELLOW | 36.36 | 79.98 | 20.91 | 9.06 | 19.17 | 531 | 230 | 487 | 3900 | 3200 | 3475 | 2920 | 2830 | 2320 |
| 3512327265 | SM NMW | 21 X 9 X 15 | 533x228x381 | SM | WHITE | 36.20 | 79.64 | 20.91 | 9.06 | 19.17 | 531 | 230 | 487 | 3900 | 3200 | 3475 | 2920 | 2830 | 2320 |
| 3512425695 | SM | 20 X 8 X 16 | 508x203x406.4 | SM | BLACK | 34.00 | 74.80 | 20.08 | 7.99 | 18.90 | 510 | 203 | 480 | 3010 | 2470 | 2685 | 2255 | 2185 | 1790 |
| 3512326220 | SM NMG | 20 X 8 X 16 | 508x203x406.4 | SM | GREY | 34.00 | 74.80 | 20.08 | 7.99 | 18.90 | 510 | 203 | 480 | 3010 | 2470 | 2685 | 2255 | 2185 | 1790 |
| 3512326745 | SM NMY | 20 X 8 X 16 | 508x203x406.4 | SM | YELLOW | 34.15 | 75.12 | 20.08 | 7.99 | 18.90 | 510 | 203 | 480 | 3010 | 2470 | 2685 | 2255 | 2185 | 1790 |
| 3512327270 | SM NMW | 20 X 8 X 16 | 508x203x406.4 | SM | WHITE | 34.00 | 74.80 | 20.08 | 7.99 | 18.90 | 510 | 203 | 480 | 3010 | 2470 | 2685 | 2255 | 2185 | 1790 |
| 3512425700 | SM | 20 X 9 X 16 | 508x228x406.4 | SM | BLACK | 31.60 | 69.52 | 20.00 | 9.02 | 18.90 | 508 | 229 | 480 | 3445 | 2830 | 3075 | 2580 | 2500 | 2050 |
| 3512326225 | SM NMG | 20 X 9 X 16 | 508x228x406.4 | SM | GREY | 31.60 | 69.52 | 20.00 | 9.02 | 18.90 | 508 | 229 | 480 | 3445 | 2830 | 3075 | 2580 | 2500 | 2050 |
| 3512326750 | SM NMY | 20 X 9 X 16 | 508x228x406.4 | SM | YELLOW | 31.74 | 69.82 | 20.00 | 9.02 | 18.90 | 508 | 229 | 480 | 3445 | 2830 | 3075 | 2580 | 2500 | 2050 |
| 3512327275 | SM NMW | 20 X 9 X 16 | 508x228x406.4 | SM | WHITE | 31.60 | 69.52 | 20.00 | 9.02 | 18.90 | 508 | 229 | 480 | 3445 | 2830 | 3075 | 2580 | 2500 | 2050 |
| 3512425705 | SM | 22 X 6 X 16 | 559x152x406.4 | SM | BLACK | 26.00 | 57.20 | 22.01 | 5.98 | 20.16 | 559 | 152 | 512 | 2450 | 2000 | 2180 | 1830 | 1770 | 1450 |
| 3512326230 | SM NMG | 22 X 6 X 16 | 559x152x406.4 | SM | GREY | 26.00 | 57.20 | 22.01 | 5.98 | 20.16 | 559 | 152 | 512 | 2450 | 2000 | 2180 | 1830 | 1770 | 1450 |
| 3512326755 | SM NMY | 22 X 6 X 16 | 559x152x406.4 | SM | YELLOW | 26.11 | 57.45 | 22.01 | 5.98 | 20.16 | 559 | 152 | 512 | 2450 | 2000 | 2180 | 1830 | 1770 | 1450 |
| 3512327280 | SM NMW | 22 X 6 X 16 | 559x152x406.4 | SM | WHITE | 26.00 | 57.20 | 22.01 | 5.98 | 20.16 | 559 | 152 | 512 | 2450 | 2000 | 2180 | 1830 | 1770 | 1450 |
| 3512425710 | SM | 22 X 7 X 16 | 559x178x406.4 | SM | BLACK | 30.50 | 67.10 | 21.89 | 7.05 | 20.24 | 556 | 179 | 514 | 2975 | 2450 | 2650 | 2230 | 2160 | 1770 |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY





FERENTINO HIGHRIIDE POB

HIGHRIIDE POB

| CODE | PRODUCT NAME (FERENTINO HIGHRIIDE POB) | TIRE SIZE | TIRE SIZE | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | | ACTUAL TIRE | | | LOAD CAPACITY | | | | | | | |
|------------|---|-----------------|---------------|---------|--------|-------------|----------------|-------------|----------------|------------|----------------|------------|----------------|---------------|---------|-----------------------------|-------|------|------|------|----|
| | | | | | | NORMAL | | OVERALL | OVERALL | OVERALL | RE-ALIGNMENT | DRAINAGE | OVERALL | OVERALL | OVERALL | COUNTERBALANCED LIFT TRUCKS | | | | | |
| | | | | | | | | | | | | | | | | Kg | Pound | Inch | Inch | Inch | Mm |
| | | | | | | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | | | | | | | | |
| 3512326235 | SM NMG | 22 X 7 X 16 | 559x178x406.4 | SM | GREY | 30.50 | 67.10 | 21.89 | 7.05 | 20.24 | 556 | 179 | 514 | 2975 | 2450 | 2650 | 2230 | 2160 | 1770 | | |
| 3512326760 | SM NMY | 22 X 7 X 16 | 559x178x406.4 | SM | YELLOW | 30.63 | 67.39 | 21.89 | 7.05 | 20.24 | 556 | 179 | 514 | 2975 | 2450 | 2650 | 2230 | 2160 | 1770 | | |
| 3512327285 | SM NMW | 22 X 7 X 16 | 559x178x406.4 | SM | WHITE | 30.50 | 67.10 | 21.89 | 7.05 | 20.24 | 556 | 179 | 514 | 2975 | 2450 | 2650 | 2230 | 2160 | 1770 | | |
| 3512425715 | SM | 22 X 8 X 16 | 559x203x406.4 | SM | BLACK | 38.00 | 83.60 | 21.89 | 7.99 | 20.24 | 556 | 203 | 514 | 3500 | 2875 | 3130 | 2625 | 2545 | 2085 | | |
| 3512326240 | SM NMG | 22 X 8 X 16 | 559x203x406.4 | SM | GREY | 38.00 | 83.60 | 21.89 | 7.99 | 20.24 | 556 | 203 | 514 | 3500 | 2875 | 3130 | 2625 | 2545 | 2085 | | |
| 3512326765 | SM NMY | 22 X 8 X 16 | 559x203x406.4 | SM | YELLOW | 38.06 | 83.73 | 21.89 | 7.99 | 20.24 | 556 | 203 | 514 | 3500 | 2875 | 3130 | 2625 | 2545 | 2085 | | |
| 3512327290 | SM NMW | 22 X 8 X 16 | 559x203x406.4 | SM | WHITE | 38.00 | 83.60 | 21.89 | 7.99 | 20.24 | 556 | 203 | 514 | 3500 | 2875 | 3130 | 2625 | 2545 | 2085 | | |
| 3512425720 | SM | 22 X 9 X 16 | 559x229x406.4 | SM | BLACK | 42.30 | 93.06 | 22.01 | 9.06 | 20.24 | 559 | 230 | 514 | 4050 | 3325 | 3600 | 3025 | 2930 | 2400 | | |
| 3512326245 | SM NMG | 22 X 9 X 16 | 559x229x406.4 | SM | GREY | 42.30 | 93.06 | 22.01 | 9.06 | 20.24 | 559 | 230 | 514 | 4050 | 3325 | 3600 | 3025 | 2930 | 2400 | | |
| 3512326770 | SM NMY | 22 X 9 X 16 | 559x229x406.4 | SM | YELLOW | 42.48 | 93.46 | 22.01 | 9.06 | 20.24 | 559 | 230 | 514 | 4050 | 3325 | 3600 | 3025 | 2930 | 2400 | | |
| 3512327295 | SM NMW | 22 X 9 X 16 | 559x229x406.4 | SM | WHITE | 42.30 | 93.06 | 22.01 | 9.06 | 20.24 | 559 | 230 | 514 | 4050 | 3325 | 3600 | 3025 | 2930 | 2400 | | |
| 3512425725 | SM | 22 X 10 X 16 | 559x254x406.4 | SM | BLACK | 35.50 | 78.10 | 21.89 | 10.00 | 20.24 | 556 | 254 | 514 | 4575 | 3750 | 4080 | 3425 | 3315 | 2720 | | |
| 3512326250 | SM NMG | 22 X 10 X 16 | 559x254x406.4 | SM | GREY | 35.50 | 78.10 | 21.89 | 10.00 | 20.24 | 556 | 254 | 514 | 4575 | 3750 | 4080 | 3425 | 3315 | 2720 | | |
| 3512326775 | SM NMY | 22 X 10 X 16 | 559x254x406.4 | SM | YELLOW | 35.65 | 78.44 | 21.89 | 10.00 | 20.24 | 556 | 254 | 514 | 4575 | 3750 | 4080 | 3425 | 3315 | 2720 | | |
| 3512327300 | SM NMW | 22 X 10 X 16 | 559x254x406.4 | SM | WHITE | 35.50 | 78.10 | 21.89 | 10.00 | 20.24 | 556 | 254 | 514 | 4575 | 3750 | 4080 | 3425 | 3315 | 2720 | | |
| 3512425730 | SM | 22 X 12 X 16 | 559x305x406.4 | SM | BLACK | 57.90 | 127.38 | 21.85 | 12.01 | 20.24 | 555 | 305 | 514 | 5625 | 4625 | 5030 | 4225 | 4090 | 3350 | | |
| 3512326255 | SM NMG | 22 X 12 X 16 | 559x305x406.4 | SM | GREY | 57.90 | 127.38 | 21.85 | 12.01 | 20.24 | 555 | 305 | 514 | 5625 | 4625 | 5030 | 4225 | 4090 | 3350 | | |
| 3512326780 | SM NMY | 22 X 12 X 16 | 559x305x406.4 | SM | YELLOW | 58.15 | 127.93 | 21.85 | 12.01 | 20.24 | 555 | 305 | 514 | 5625 | 4625 | 5030 | 4225 | 4090 | 3350 | | |
| 3512327305 | SM NMW | 22 X 12 X 16 | 559x305x406.4 | SM | WHITE | 57.90 | 127.38 | 21.85 | 12.01 | 20.24 | 555 | 305 | 514 | 5625 | 4625 | 5030 | 4225 | 4090 | 3350 | | |
| 3512425735 | SM | 22 X 14 X 16 | 559x355x406.4 | SM | BLACK | 70.10 | 154.22 | 21.89 | 14.02 | 20.24 | 556 | 356 | 514 | 6700 | 5505 | 5980 | 5025 | 4865 | 3990 | | |
| 3512326260 | SM NMG | 22 X 14 X 16 | 559x355x406.4 | SM | GREY | 70.10 | 154.22 | 21.89 | 14.02 | 20.24 | 556 | 356 | 514 | 6700 | 5505 | 5980 | 5025 | 4865 | 3990 | | |
| 3512326785 | SM NMY | 22 X 14 X 16 | 559x355x406.4 | SM | YELLOW | 70.40 | 154.88 | 21.89 | 14.02 | 20.24 | 556 | 356 | 514 | 6700 | 5505 | 5980 | 5025 | 4865 | 3990 | | |
| 3512327310 | SM NMW | 22 X 14 X 16 | 559x355x406.4 | SM | WHITE | 70.10 | 154.22 | 21.89 | 14.02 | 20.24 | 556 | 356 | 514 | 6700 | 5505 | 5980 | 5025 | 4865 | 3990 | | |
| 3512425740 | SM | 22 X 16 X 16 | 559x406x406.4 | SM | BLACK | 76.00 | 167.20 | 22.01 | 15.98 | 20.24 | 559 | 406 | 514 | 7745 | 6360 | 6915 | 5810 | 5625 | 4610 | | |
| 3512326265 | SM NMG | 22 X 16 X 16 | 559x406x406.4 | SM | GREY | 76.00 | 167.20 | 22.01 | 15.98 | 20.24 | 559 | 406 | 514 | 7745 | 6360 | 6915 | 5810 | 5625 | 4610 | | |
| 3512326790 | SM NMY | 22 X 16 X 16 | 559x406x406.4 | SM | YELLOW | 76.33 | 167.92 | 22.01 | 15.98 | 20.24 | 559 | 406 | 514 | 7745 | 6360 | 6915 | 5810 | 5625 | 4610 | | |
| 3512327315 | SM NMW | 22 X 16 X 16 | 559x406x406.4 | SM | WHITE | 76.00 | 167.20 | 22.01 | 15.98 | 20.24 | 559 | 406 | 514 | 7745 | 6360 | 6915 | 5810 | 5625 | 4610 | | |
| 3512425745 | SM | 26 X 6 X 20 | 660x152x508 | SM | BLACK | 35.40 | 77.88 | 26.10 | 5.98 | 24.29 | 663 | 152 | 617 | 2775 | 2275 | 2470 | 2075 | 2005 | 1645 | | |
| 3512326280 | SM NMG | 26 X 6 X 20 | 660x152x508 | SM | GREY | 35.40 | 77.88 | 26.10 | 5.98 | 24.29 | 663 | 152 | 617 | 2775 | 2275 | 2470 | 2075 | 2005 | 1645 | | |
| 3512326810 | SM NMY | 26 X 6 X 20 | 660x152x508 | SM | YELLOW | 35.55 | 78.21 | 26.10 | 5.98 | 24.29 | 663 | 152 | 617 | 2775 | 2275 | 2470 | 2075 | 2005 | 1645 | | |
| 3512327335 | SM NMW | 26 X 6 X 20 | 660x152x508 | SM | WHITE | 35.40 | 77.88 | 26.10 | 5.98 | 24.29 | 663 | 152 | 617 | 2775 | 2275 | 2470 | 2075 | 2005 | 1645 | | |
| 3512425765 | SM | 26 X 8 X 20 | 660x203x508 | SM | BLACK | 48.10 | 105.82 | 26.10 | 7.01 | 24.29 | 663 | 178 | 617 | 3975 | 3275 | 3550 | 2980 | 2885 | 2365 | | |
| 3512326290 | SM NMG | 26 X 8 X 20 | 660x203x508 | SM | GREY | 48.10 | 105.82 | 26.10 | 7.01 | 24.29 | 663 | 178 | 617 | 3975 | 3275 | 3550 | 2980 | 2885 | 2365 | | |
| 3512326815 | SM NMY | 26 X 8 X 20 | 660x203x508 | SM | YELLOW | 48.31 | 106.27 | 26.10 | 7.01 | 24.29 | 663 | 178 | 617 | 3975 | 3275 | 3550 | 2980 | 2885 | 2365 | | |
| 3512327340 | SM NMW | 26 X 8 X 20 | 660x203x508 | SM | WHITE | 48.10 | 105.82 | 26.10 | 7.01 | 24.29 | 663 | 178 | 617 | 3975 | 3275 | 3550 | 2980 | 2885 | 2365 | | |
| 3512425770 | SM | 28 X 10 X 22 | 711x254x559 | SM | BLACK | 62.00 | 136.40 | 27.91 | 10.00 | 26.22 | 709 | 254 | 666 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 | | |
| 3512326295 | SM NMG | 28 X 10 X 22 | 711x254x559 | SM | GREY | 62.00 | 136.40 | 27.91 | 10.00 | 26.22 | 709 | 254 | 666 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 | | |
| 3512326820 | SM NMY | 28 X 10 X 22 | 711x254x559 | SM | YELLOW | 62.27 | 136.99 | 27.91 | 10.00 | 26.22 | 709 | 254 | 666 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 | | |
| 3512327345 | SM NMW | 28 X 10 X 22 | 711x254x559 | SM | WHITE | 62.00 | 136.40 | 27.91 | 10.00 | 26.22 | 709 | 254 | 666 | 5470 | 4490 | 4880 | 4100 | 3970 | 3255 | | |
| 3512425775 | SM | 28 X 12 X 22 | 711x305x559 | SM | BLACK | 76.00 | 167.20 | 27.99 | 12.01 | 26.22 | 711 | 305 | 666 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 | | |
| 3512326300 | SM NMG | 28 X 12 X 22 | 711x305x559 | SM | GREY | 76.00 | 167.20 | 27.99 | 12.01 | 26.22 | 711 | 305 | 666 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 | | |
| 3512326825 | SM NMY | 28 X 12 X 22 | 711x305x559 | SM | YELLOW | 76.33 | 167.92 | 27.99 | 12.01 | 26.22 | 711 | 305 | 666 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 | | |
| 3512327350 | SM NMW | 28 X 12 X 22 | 711x305x559 | SM | WHITE | 76.00 | 167.20 | 27.99 | 12.01 | 26.22 | 711 | 305 | 666 | 6740 | 5540 | 6020 | 5060 | 4900 | 4015 | | |
| 3512425780 | SM | 28 X 14 X 22 | 711x355x559 | SM | BLACK | 86.50 | 190.30 | 27.83 | 14.02 | 26.34 | 707 | 356 | 669 | 8020 | 6590 | 7160 | 6020 | 5820 | 4780 | | |
| 3512326305 | SM NMG | 28 X 14 X 22 | 711x355x559 | SM | GREY | 86.50 | 190.30 | 27.83 | 14.02 | 26.34 | 707 | 356 | 669 | 8020 | 6590 | 7160 | 6020 | 5820 | 4780 | | |
| 3512326830 | SM NMY | 28 X 14 X 22 | 711x355x559 | SM | YELLOW | 86.87 | 191.12 | 27.83 | 14.02 | 26.34 | 707 | 356 | 669 | 8020 | 6590 | 7160 | 6020 | 5820 | 4780 | | |
| 3512327355 | SM NMW | 28 X 14 X 22 | 711x355x559 | SM | WHITE | 86.50 | 190.30 | 27.83 | 14.02 | 26.34 | 707 | 356 | 669 | 8020 | 6590 | 7160 | 6020 | 5820 | 4780 | | |
| 3512425785 | SM | 28 X 16 X 22 | 711x406x559 | SM | BLACK | 102.50 | 225.50 | 27.99 | 15.98 | 26.22 | 711 | 406 | 666 | 9270 | 7620 | 8280 | 6950 | 6730 | 5520 | | |
| 3512326310 | SM NMG | 28 X 16 X 22 | 711x406x559 | SM | GREY | 102.50 | 225.50 | 27.99 | 15.98 | 26.22 | 711 | 406 | 666 | 9270 | 7620 | 8280 | 6950 | 6730 | 5520 | | |
| 3512326835 | SM NMY | 28 X 16 X 22 | 711x406x559 | SM | YELLOW | 102.94 | 226.47 | 27.99 | 15.98 | 26.22 | 711 | 406 | 666 | 9270 | 7620 | 8280 | 6950 | 6730 | 5520 | | |
| 3512327360 | SM NMW | 28 X 16 X 22 | 711x406x559 | SM | WHITE | 102.50 | 225.50 | 27.99 | 15.98 | 26.22 | 711 | 406 | 666 | 9270 | 7620 | 8280 | 6950 | 6730 | 5520 | | |
| 3512425810 | SM | 365 / 160 - 220 | | SM | BLACK | 16.20 | 35.64 | 14.37 | 6.30 | 12.64 | 365 | 160 | 321 | 1880 | 1545 | 1680 | 1410 | 1365 | 1120 | | |
| 3512326335 | SM NMG | 365 / 160 - 220 | | SM | GREY | 16.20 | 35.64 | 14.37 | 6.30 | 12.64 | 365 | 160 | 321 | 1880 | 1545 | 1680 | 1410 | | | | |



FERENTINO HIGHRIIDE POB

HIGHRIIDE POB

| CODE | PRODUCT NAME (FERENTINO HIGHRIIDE POB) | TIRE SIZE Inch | TIRE SIZE Mm | PROFILE | COLOR | TIRE WEIGHT | | ACTUAL TIRE | | | ACTUAL TIRE | | | LOAD CAPACITY COUNTERBALANCED LIFT TRUCKS | | | | | | |
|------------|---|-------------------|-----------------|---------|--------|-------------|--------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|--|------------|----------------|------------|----------------|------------|----------------|
| | | | | | | NORMAL | | OVERALL DIA (mm) | OVERALL WIDTH (mm) | RELOADING DIA (mm) | OVERALL DIA (mm) | OVERALL WIDTH (mm) | RELOADING DIA (mm) | UP TO 10KM/H | | UP TO 16KM/H | | UP TO 25KM/H | | |
| | | | | | | Kg | Pound | | | | | | | Inch | Inch | Inch | mm | mm | mm | kg |
| | | | | | | | | | | | | | | | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL | LOAD WHEEL | STEERING WHEEL |
| 3512326865 | SM NMY | | 300 / 75 - 240 | SM | YELLOW | 4.72 | 10.38 | 11.85 | 2.95 | 11.22 | 301 | 75 | 285 | 625 | 515 | 560 | 470 | | | |
| 3512327390 | SM NMW | | 300 / 75 - 240 | SM | WHITE | 4.70 | 10.34 | 11.85 | 2.95 | 11.22 | 301 | 75 | 285 | 625 | 515 | 560 | 470 | | | |
| 3512425825 | SM | | 360 / 85 - 270 | SM | BLACK | 7.30 | 16.06 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | |
| 3512326350 | SM NMG | | 360 / 85 - 270 | SM | GREY | 7.30 | 16.06 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | |
| 3512326875 | SM NMY | | 360 / 85 - 270 | SM | YELLOW | 7.33 | 16.13 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | |
| 3512327400 | SM NMW | | 360 / 85 - 270 | SM | WHITE | 7.30 | 16.06 | 14.25 | 3.35 | 13.23 | 362 | 85 | 336 | 880 | 720 | 785 | 655 | | | |
| 3512425835 | SM | | 415 / 75 - 305 | SM | BLACK | 7.60 | 16.72 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | |
| 3512326360 | SM NMG | | 415 / 75 - 305 | SM | GREY | 7.60 | 16.72 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | |
| 3512326885 | SM NMY | | 415 / 75 - 305 | SM | YELLOW | 7.63 | 16.79 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | |
| 3512327410 | SM NMW | | 415 / 75 - 305 | SM | WHITE | 7.60 | 16.72 | 16.42 | 2.95 | 15.12 | 417 | 75 | 384 | 825 | 675 | 730 | 610 | | | |
| 3512425840 | SM | | 415 / 90 - 305 | SM | BLACK | 10.20 | 22.44 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | |
| 3512326365 | SM NMG | | 415 / 90 - 305 | SM | GREY | 10.20 | 22.44 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | |
| 3512326890 | SM NMY | | 415 / 90 - 305 | SM | YELLOW | 10.24 | 22.54 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | |
| 3512327415 | SM NMW | | 415 / 90 - 305 | SM | WHITE | 10.20 | 22.44 | 16.42 | 3.54 | 15.12 | 417 | 90 | 384 | 1070 | 875 | 950 | 795 | | | |
| 3512425845 | SM | | 415 / 100 - 305 | SM | BLACK | 10.60 | 23.32 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | |
| 3512326370 | SM NMG | | 415 / 100 - 305 | SM | GREY | 10.60 | 23.32 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | |
| 3512326895 | SM NMY | | 415 / 100 - 305 | SM | YELLOW | 10.65 | 23.42 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | |
| 3512327420 | SM NMW | | 415 / 100 - 305 | SM | WHITE | 10.60 | 23.32 | 16.42 | 3.94 | 15.12 | 417 | 100 | 384 | 1115 | 915 | 1000 | 835 | 810 | 665 | |
| 3512425855 | SM | | 550 / 150 - 370 | SM | BLACK | 28.30 | 62.26 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | |
| 3512326380 | SM NMG | | 550 / 150 - 370 | SM | GREY | 28.30 | 62.26 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | |
| 3512326905 | SM NMY | | 550 / 150 - 370 | SM | YELLOW | 28.42 | 62.53 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | |
| 3512327430 | SM NMW | | 550 / 150 - 370 | SM | WHITE | 28.30 | 62.26 | 21.77 | 5.91 | 19.53 | 553 | 150 | 496 | 2355 | 1930 | 2095 | 1760 | 1705 | 1395 | |
| 3512425865 | SM | | 660 / 250 - 480 | SM | BLACK | 63.20 | 139.04 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | |
| 3512326390 | SM NMG | | 660 / 250 - 480 | SM | GREY | 63.20 | 139.04 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | |
| 3512326915 | SM NMY | | 660 / 250 - 480 | SM | YELLOW | 63.47 | 139.64 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | |
| 3512327440 | SM NMW | | 660 / 250 - 480 | SM | WHITE | 63.20 | 139.04 | 25.79 | 9.84 | 23.86 | 655 | 250 | 606 | 4780 | 3910 | 4160 | 3415 | 3290 | 2735 | |
| 3512425870 | SM | | 660 / 280 - 480 | SM | BLACK | 71.30 | 156.86 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | |
| 3512326395 | SM NMG | | 660 / 280 - 480 | SM | GREY | 71.30 | 156.86 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | |
| 3512326920 | SM NMY | | 660 / 280 - 480 | SM | YELLOW | 71.61 | 157.53 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | |
| 3512327445 | SM NMW | | 660 / 280 - 480 | SM | WHITE | 71.30 | 156.86 | 25.98 | 11.02 | 23.86 | 660 | 280 | 606 | 5465 | 4480 | 4765 | 3915 | 3840 | 3130 | |
| 3512425875 | SM | | 840 / 350 - 559 | SM | BLACK | 157.00 | 345.40 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | |
| 3512326400 | SM NMG | | 840 / 350 - 559 | SM | GREY | 157.00 | 345.40 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | |
| 3512326925 | SM NMY | | 840 / 350 - 559 | SM | YELLOW | 157.67 | 346.88 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | |
| 3512327450 | SM NMW | | 840 / 350 - 559 | SM | WHITE | 157.00 | 345.40 | 33.27 | 13.78 | 29.80 | 845 | 350 | 757 | 9100 | 7445 | 7920 | 6500 | 6380 | 5200 | |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO CURED-ON

CURED-ON

FERENTINO CURED-ON

FERENTINO CURED-ON NON MARKING



WHITE & GRAY
AVAILABLE



S
special

OPTIMIZED TREAD DESIGN WITH WITH SIPING
Enhance water evacuation for better maneuverability

RGREY NON -MARKING COMPOUND
Provides low ground disturbance for indoor applications

ENGINEERED RUBER COMPOUND
Optimizes tread life on hard surface

DURABLE CAST STEEL WHEEL
Provides ultimate wheel durability

FERENTINO CURED-ON



CURED-ON

| CODE | TYRE SIZE | RIM SIZE | ACTUAL TYRE DIMENSIONS | | TREAD WIDTH |
|------|----------------|-----------|------------------------|---------------|-------------|
| | | | OUTSIDE DIAMETER | OVERALL WIDTH | |
| | | | Mm | Mm | Mm |
| | | | Inch | Inch | Inch |
| | 10X3(8) | 76.2X203 | 254 10.0 | 76.2 3.0 | 74 2.9 |
| | 12X4.5(255) | 114.3X255 | 305 12.0 | 114.3 4.5 | 112 4.4 |
| | 12.5X4.25(267) | 107X267 | 318 12.5 | 107 4.2 | 105 4.1 |
| | 323X100(280) | 100X280 | 323 12.7 | 100 3.9 | 93 3.7 |
| | 15X5(318) | 127X318 | 381 15.0 | 12.7 5.0 | 125 4.9 |
| | 15X5(320) | 127X320 | 381 15.0 | 127 5.0 | 125 4.9 |
| | 406X125(354) | 125X354 | 406 16.0 | 125 4.9 | 121 4.8 |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



CONVENTIONAL PNEUMATIC INDUSTRIAL TYRES

PNEUMATIC

SW

LT



NM
non marking

- Deep tread.
- Good stability.
- Resistant to damage to sidewalls: Side wall structure.
- Good traction.
- Good driving comfort.
- Complete SET*: Tyre + Tube + Flap.

APPLICATIONS

- Forklifts.
- Small - sized industrial tractors.
- Indoor trailers.
- Airport vehicles.

*The conventional industrial tyres SW and LT are TT (Tube Type) models for which complete assembly of tube and flap is recommended.



CONVENTIONAL PNEUMATIC

PNEUMATIC

| CODE | TIRE SIZE | PROFILE | PR | TYPE | RIM WIDTH | INFLATION PRESSURE ETRTO (bar) | OVERALL DIAMETER (mm) ± 2% | OVERALL SECTION WIDTH (mm) ± 2% | LOAD CAPACITY (kg) | | WEIGHT(kg) | |
|--------------------------|-----------|---------|----|------|---------------------|--------------------------------|----------------------------|---------------------------------|--------------------|---------|------------|--------|
| | | | | | | | | | 8 km/h | 16 km/h | Kg | Pound |
| 4.00-8 | | WL | 6 | TT | 3.00D-8 | 4.25 | 420 | 110 | 600 | 905 | 4.50 | 9.90 |
| 5.00-8 | | SW | 8 | TT | 3.00D; 3.75L-8 | 8.25 | 485 | 150 | 950 | 1.435 | 8.10 | 17.82 |
| 15X4.5-8 (125/75-8)* | | LT | 12 | TT | 3.25L-8 | 10.00 | 385 | 122 | 750 | 1.130 | 4.20 | 9.24 |
| 16X6-8 (150/75-8) | | SW | 18 | TT | 4.33R-8 | 10.50 | 420 | 155 | 1.180 | 1.780 | 9.00 | 19.80 |
| 18X7-8 (180/70-8) | | SW | 16 | TT | 4.33R-8 | 10.00 | 465 | 175 | 1.650 | 2.490 | 12.30 | 27.06 |
| 6.00-9 | | SW | 14 | TT | 4.00E-09 | 10.50 | 540 | 170 | 1.495 | 2.260 | 13.00 | 28.60 |
| 21X8-9(200/75-9) | | SW | 16 | TT | 6.00E-09 | 10.00 | 530 | 215 | 2.120 | 3.200 | 21.20 | 46.64 |
| 6.50-10 | | SW | 14 | TT | 5.00; 5.50F-10 | 10.00 | 590 | 190 | 1.800 | 2.720 | 16.10 | 35.42 |
| 23X9-10 (225/75-10) | | SW | 20 | TT | 7.00F-10 | 10.00 | 585 | 230 | 2.650 | 4.000 | 23.30 | 51.26 |
| 7.00-10 | | SW | 16 | TT | 5.00S-12 | 10.00 | 675 | 200 | 2.240 | 3.380 | 22.30 | 49.06 |
| 23X10-12 (250/60-12) | | SW | 22 | TT | 8.00G-12 | 10.50 | 600 | 260 | 2.985 | 4.510 | 30.30 | 66.66 |
| 27X10-12 (250/75-12) | | SW | 20 | TT | 8.00G-12 | 10.00 | 695 | 270 | 3.550 | 5.360 | 33.60 | 73.92 |
| 7.00-15 | | SW | 16 | TT | 5.00; 5.50-15 | 10.00 | 740 | 205 | 2.725 | 4.115 | 24.50 | 53.90 |
| 7.50-15 | | SW | 16 | TT | 5.00; 6.00; 6.50-15 | 10.00 | 785 | 225 | 3.000 | 4.530 | 27.70 | 60.94 |
| 28X9-15 (225/75-15) | | SW | 16 | TT | 7.0-15 | 10.50 | 715 | 220 | 3.090 | 4.665 | 27.10 | 59.62 |
| 32X12.1-15 | | SW | 24 | TT | 9.75-15 | 10.30 | 810 | 325 | 4.835 | 7.300 | 64.70 | 142.34 |
| 8.25-15 | | SW | 18 | TT | 6.0; 6.5; 7.0-15 | 9.25 | 840 | 255 | 3.650 | 5.510 | 43.20 | 95.04 |
| 250-15 (250/70-15) | | SW | 20 | TT | 7.0; 7.5-15 | 10.00 | 735 | 245 | 3.875 | 5.850 | 36.40 | 80.08 |
| 300-15 (315/70-15) | | SW | 20 | TT | 8.0-15 | 9.00 | 820 | 280 | 5.000 | 7.550 | 56.50 | 124.30 |
| 28X12 1/2-15 (355/45-15) | | SW | 24 | TT | 9.75-15 | 10.50 | 710 | 305 | 3.730 | 5.630 | 45.40 | 99.88 |
| 9.00-20 | | LT | 14 | TT | 7.00-20 | 7.60 | 1.034 | 259 | 4.500 | 6.795 | 48.50 | 106.70 |
| 10.00-20 | | SW | 20 | TT | 7.0; 7.50; 8.0-20 | 10.00 | 1.070 | 290 | 5.320 | 8.035 | 103.50 | 227.70 |
| 12.00-20 | | SW | 20 | TT | 8.00; 8.50; 9.00-20 | 10.00 | 1.145 | 320 | 6.900 | 10.420 | 103.50 | 227.70 |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



FERENTINO CONVENTIONAL PNEUMATIC FOR SMALL - SIZED MACHINES

PNEUMATIC

SS



SD



SKZ+



NM
non marking

SS

- Standard tread with sidewall properties.
- Good traction.

SD

- Resistant tread reinforced in the middle.
- Compound resistant to punctures.
- Balanced tread wear.
- Reinforced sidewalls.

SKZ+

- Sturdy tyres for extreme condition.
- High pattern: improves performance and tyre life.
- Good self- cleaning properties.



FERENTINO CONVENTIONAL PNEUMATIC

PNEUMATIC

| CODE | TIRE SIZE | PROFILE | PR | TYPE | RIM WIDTH | INFLATION PRESSURE ETRTO (bar) | OVERALL DIAMETER (mm) ± 2% | OVERALL SECTION WIDTH (mm) ± 2% | LOAD CAPACITY (kg) | | WEIGHT(kg) | |
|------|-----------------|---------|----|------|-----------|--------------------------------|----------------------------|---------------------------------|--------------------|---------|------------|-------|
| | | | | | | | | | 8 km/h | 16 km/h | Kg | Pound |
| | 5.70 - 12 | SD | 6 | TL | 4.50 | 4.10 | 570 | 146 | 660 | 520 | 7.90 | 17.38 |
| | 23x8.50 - 12 | SS | 6 | TL | 7.0 | 3.40 | 575 | 215 | 820 | 650 | 12.70 | 27.94 |
| | 27x8.50 - 15 | SS | 8 | TL | 7.0 | 4.80 | 680 | 210 | 1.250 | 990 | 15.20 | 33.44 |
| | 27 x 10.50 - 15 | SS | 8 | TL | 8.50 | 3.50 | 700 | 260 | 1.280 | 1.010 | 18.10 | 39.82 |
| | 10x16.5 | SS | 10 | TL | 8.25 | 5.10 | 775 | 280 | 2.135 | 1.685 | 22.70 | 49.94 |
| | 10x16.5 | SKZ + | 10 | TL | 8.25 | 5.20 | 773 | 264 | 2.135 | 1.685 | 20.20 | 44.44 |
| | 12x16.5 | SS | 12 | TL | 9.75 | 5.60 | 845 | 330 | 2.890 | 2.285 | 36.60 | 80.52 |
| | 12x16.5 | SKZ + | 12 | TL | 9.75 | 5.50 | 831 | 307 | 2.890 | 2.285 | 40.20 | 88.44 |

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY

CONVENTIONAL PNEUMATIC TYRES FOR INDUSTRIAL TRACTORS FOR CONSTRUCTION AND ROAD WORKS

PNEUMATIC

IM54



T109



NM
non marking

IM54

- Structure ensuring excellent traction.
- Suitable for industrial and agricultural application.

T109

- Industrial pattern with sturdy tread.
- Compound highly resistant to abrasion.
- Good traction and self - cleaning properties.



FERENTINO CONVENTIONAL PNEUMATIC

PNEUMATIC

| CODE | TIRE SIZE | PROFILE | PR | TYPE | RIM WIDTH | INFLATION PRESSURE ETRTO (bar) | OVERALL DIAMETER (mm) ± 2% | OVERALL SECTION WIDTH (mm) ± 2% | LOAD CAPACITY (kg) 40km/h | WEIGHT(kg) | |
|------|--------------|---------|----|------|-----------|--------------------------------|----------------------------|---------------------------------|---------------------------|------------|--------|
| | | | | | | | | | | Kg | Pound |
| | 15.5/80 - 24 | IM54 | 16 | TL | W12 | 4.00 | 1.260 | 415 | 4.680 | 70.50 | 155.10 |
| | 18.4 - 26 | T109 | 12 | TL | 16.00 | 2.50 | 1.420 | 490 | 4.000 | 93.50 | 205.70 |
| | 16.9 - 28 | T109 | 14 | TL | 15.00 | 3.00 | 1.415 | 460 | 3.860 | 83.50 | 183.70 |

- NMW - NON MARKING WHITE
- NMG - NON MARKING GRAY
- NMY - NON MARKING YELLOW
- AVAILABLE SHORTLY



MULTI-PURPOSE CONVENTIONAL PNEUMATIC FOR MANUFACTURING MACHINES

PNEUMATIC

MT63

MT45

MT54

MT72

MT90



NM
non marking

MT63

- Tread for on/off - road application.
- Good traction.

Applications:

Municipality vehicle used on roads.
Agricultural vehicles.
Special service vehicles.

MT45

- Tread with good traction and self - cleaning properties for on/off - road applications.
- Good stability and manoeuvrability.

MT54

- Multi purpose tread with excellent pattern for special applications.
- Good traction and self-cleaning properties.

MT72

- Tread especially suitable for loader applications.
- Good traction and self-cleaning properties.

MT90

- Tread with good traction characteristics and increased stability.
- Suitable for excavators and telescopic hoisting devices.



FERENTINO MULTI-PURPOSE CONVENTIONAL PNEUMATIC

PNEUMATIC

| CODE | TIRE SIZE | PROFILE | PR | TYPE | RIM WIDTH | INFLATION PRESSURE ETRTO (bar) | OVERALL DIAMETER (mm) ± 2% | OVERALL SECTION WIDTH (mm) ± 2% | LOAD CAPACITY (kg) 40 km/h | WEIGHT(kg) | |
|------|------------|---------|----|------|-----------|--------------------------------|----------------------------|---------------------------------|----------------------------|------------|--------|
| | | | | | | | | | | Kg | Pound |
| | 10.5/80-18 | MT45 | 10 | TL | 9.00 | 3.70 | 910 | 280 | 1.950 | 31.90 | 70.18 |
| | 12.5/80-18 | MT45 | 12 | TL | W9 | 3.70 | 990 | 310 | 2.650 | 42.10 | 92.62 |
| | 18-19.5 | MT63 | 18 | TL | 14.00 | 6.75 | 1.090 | 455 | 5.605 | 75.00 | 165.00 |
| | 10.5-20 | MT54 | 10 | TL | 9.00 | 3.75 | 960 | 275 | 2.070 | 31.80 | 69.96 |
| | 12.5-20 | MT54 | 12 | TL | 11.00 | 3.50 | 1.055 | 330 | 2.300 | 48.80 | 107.36 |
| | 14.5-20 | MT54 | 14 | TL | 11.00 | 3.50 | 1.095 | 355 | 2.795 | 58.40 | 128.48 |
| | 405/70-20 | MT54 | 14 | TL | 13.00 | 3.50 | 1.090 | 385 | 3.335 | 60.50 | 133.10 |
| | 405/70-20 | MT72 | 14 | TL | 13.00 | 3.50 | 1.150 | 405 | 3.335 | 67.20 | 147.84 |
| | 18-22.5 | | | | | | | | | | |
| | 405/70-24 | MT54 | 14 | TL | 13.00 | 3.50 | 1.190 | 415 | 3.620 | 76.00 | 167.20 |
| | 405/70-24 | | | | | | | | | | |

MT54

- Classical tread with excellent pattern for all applications.
- Good traction and self-cleaning properties.



FERENTINO MULTI-PURPOSE CONVENTIONAL PNEUMATIC

PNEUMATIC

| CODE | TIRE SIZE | PROFILE | PR | TYPE | RIM WIDTH | INFLATION PRESSURE ETRTO (bar) | OVERALL DIAMETER (mm) ± 2% | OVERALL SECTION WIDTH (mm) ± 2% | LOAD CAPACITY (kg) 40 km/h | WEIGHT(kg) | |
|------|-----------|---------|----|------|-----------|--------------------------------|----------------------------|---------------------------------|----------------------------|------------|--------|
| | | | | | | | | | | Kg | Pound |
| | 8.25-20 | MT54 | 14 | TT | 6.5-20 | 6.75 | 970 | 232 | 2.180 | 35.00 | 77.00 |
| | 9.00-20 | MT54 | 14 | TT | 7.0-20 | 7.00 | 1.012 | 256 | 2.650 | 43.00 | 94.60 |
| | 10.00-20 | MT54 | 16 | TT | 7.5-20 | 7.50 | 1.050 | 280 | 3.190 | 50.00 | 110.00 |

- NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW
 - AVAILABLE SHORTLY



AWP

FERENTINO AWP



YELLOW COLOR AVAILABLE



S special

OPTIMIZED TREAD DESIGN WITH WITH SIPING
Enhance water evacuation for better maneuverability

RGREY NON -MARKING COMPOUND
Provides low ground disturbance for indoor applications

ENGINEERED RUBER COMPOUND
Optimizes tread life on hard surface

DURABLE CAST STEEL WHEEL
Provides ultimate wheel durability


FERENTINO AWP AWP



| CODE | TYRE SIZE | RIM SIZE | ACTUAL TYRE DIMENSIONS | | TREAD WIDTH |
|------|----------------|-----------|------------------------|---------------|-------------|
| | | | OUTSIDE DIAMETER | OVERALL WIDTH | |
| | | | Mm | Mm | Mm |
| | | | Inch | Inch | Inch |
| | 10X3(8) | 76.2X203 | 254 10.0 | 76.2 3.0 | 74 2.9 |
| | 12X4.5(255) | 114.3X255 | 305 12.0 | 114.3 4.5 | 112 4.4 |
| | 12.5X4.25(267) | 107X267 | 318 12.5 | 107 4.2 | 105 4.1 |
| | 323X100(280) | 100X280 | 323 12.7 | 100 3.9 | 93 3.7 |
| | 15X5(318) | 127X318 | 381 15.0 | 12.7 5.0 | 125 4.9 |
| | 15X5(320) | 127X320 | 381 15.0 | 127 5.0 | 125 4.9 |
| | 406X125(354) | 125X354 | 406 16.0 | 125 4.9 | 121 4.8 |

NMW - NON MARKING WHITE
NMG - NON MARKING GRAY
NMY - NON MARKING YELLOW
- AVAILABLE SHORTLY

SERVICE, ACCESSORIES - SOLID TIRES FITTING PRESS 250 TON



FITTING AND REMOVAL PRESS FOR SUPER ELASTIC AND CUSHION TIRES

This press is able to perform fitting and removal operations of all sizes of super-elastic tires (with the exception of 14.00- 24).

The machine's fundamental characteristics are: reability, speed, power and precision. The press is composed of a metal structure, an adjustable lower work platform with area of 200 mm and an upper moveable platform with 600 mm of usable stroke. Manually controlled hydraulic movements. The press does not require a foundation. The press comes complete with CE certification, an Instruction Booklet for fitting and removal operations, as well as Use and Maintenance Booklet. The equipment necessary for fitting and removal of the super-elastic and cushion tires is sold separately upon request.

FERENTINO PREMIUM TIRES INSTALATION EQUIPMENT

- The installation equipment is available for wheel size from 8" to 24".
- Each size is painted in a different colour.



1 - Thrusting ring



2 - Bevelled ring



3 - Press ring



4 - QUICK de-mounting ring



5 - Seating rim

SOLID TIRES - USER INSTRUCTIONS, MAINTENANCE, REPLACEMENT AND CALCULATION OF WEAR LIMITS

1) INTRODUCTION

Tires are the only contact between the vehicle and the ground. It is therefore of paramount importance that they are maintained in good condition at all times, and that when the time comes to change them, correct replacements are done.

The tires fitted to your vehicle as Original Equipment were selected by the vehicle and tire manufacturers concerned taking into account the intended operations of the vehicle.

Changes in tire type, size and load capacity should not be made without first checking with the tire and/or vehicle manufacturer regarding possible effects on vehicle behaviour and safety.

2) FITTING AND REMOVAL OF TIRES

It is recommended that these operations be entrusted only to specialists who have the necessary equipment and expertise. Inexpert fitment may lead to personal injury and concealed damage to tires and wheels.

No special equipment is necessary for fitting solid tires on centrally divided conical rims, but appropriate presses and accessories are required for fitment on off-set divided conical rims, cylindrical rims and pneumatic tire rims.

The published instructions of the tire manufacturer must be strictly followed. Only approved proprietary tire lubricants should be used.

To avoid damage to the base of the tire, it must be placed on the rim concentrically and parallel to the axis. Only rims recommended by the tire manufacturer must be used.

3) TIRE LOAD AND SPEED

Tire load capacities are specified per tire. Published Standards or manufacturers' Manuals should be consulted to obtain the actual values applicable to a particular application at the speed specified, up to a maximum of 25 km/h.

Load interpolation within the specified speed steps is not permitted and the speed rating of the tire must be at least equal to the maximum speed capability of the unladen vehicle.

Continuous running should be avoided in order, to

prevent excessive heat build-up which may lead to tire break-up.

4) TIRE MAINTENANCE

Although solid tires require relatively little maintenance, they should be inspected from time to time in order to check their suitability for further use.

5) TIRE REPLACEMENT

Worn or damaged tires must be replaced in accordance with the tire manufacturer's recommendations. Also, national legal requirements should be checked as they vary from Country to country. When replacing a tire, special attention should be paid to the condition and suitability of the rim, as rim damage and incorrect fitment can result in tire break-up.

6) TIRE AGEING

Tires age even if they have not been used or have only been used occasionally. Rubber cracking may be evidence of ageing. Exposure to sunlight, heat and ozone will accelerate this process. Aged tires should be examined by a tire specialist to check their suitability for further use.

7) TIRE MIXING

Tires mounted on the same axle must be of the same type and size and must have approximately the same external diameter.

8) TREAD WEAR

8.1 INTRODUCTION

The limit for the tread wear of industrial vehicles is not defined by national or international standards. Several manufacturers provide instructions solely for their products. Recommendations by tire manufacturers should always be followed. However, in case no recommendations are provided by manufacturers, please abide by the contents published in this standard.

8.2 PURPOSE

This standard suggests tread wear limits for solid tires used on industrial vehicles that operate under conditions that are not regulated by the Highway Code and are to be used in case no instructions are provided by the manufacturer of the vehicle or tires. NOTE: Industrial vehicles that operate on public roads must be in order and comply with traffic circulation standards.

8.3 HAZARDS DUE TO EXCESSIVE TIRE TREAD WEAR

The hazards due to excessive tire wear are the following:

- a) Loss of load capacity that promotes the accelerated wear of the tread and leads to overheating of the tire.
- b) Loss of adhesion while accelerating or braking on unstable road conditions.
- c) Hazards are heightened if the tires mounted on the same axle are worn differently.
- d) Reduction in the vehicle's stability.
- e) Loss of the vehicle's directional control.
- f) Uneven load on twinned tires.

8.4 REDUCING HAZARDS

The hazards mentioned in the foregoing section can be reduced if: The tires mounted on the same axle are built by the same manufacturer, have the same size and are worn equally (this applies to any type of tire).

8.5 TIRE TREAD WEAR LIMITS

1) Pneumatic tire rim sizes

Wear indicators or Kerbing Rib are recommended. Solid Rubber tires for Pneumatic Rims may be used until the tread is worn to the wear indicator, if the tire has such a marking, or to the top of the kerbing rib, see page IS.3 of EDI. Where there is no indicator, use the tire until 3/4 of the original total thickness of the tire remains. To calculate the minimum diameter corresponding to this wear limit, measure the outside diameter of the worn tire, the outside diameter of an unworn tire of the same type, make and size, and the diameter of the wheel rim. The minimum permitted diameter of the worn tire is given by the formula:

$$D_{\text{worn}} = 3/4 (D_{\text{new}} - D_{\text{rim}}) + D_{\text{rim}}$$

where D_{worn} = the outside diameter of the worn tire
 D_{new} = the outside diameter of an unworn
 D_{rim} = the diameter of the wheel rim

2) Press-on-band, cured-on-band and conical base tires (rubber and non-rubber)

Press-on-band, cured-on and conical base tires may be used until 2/3 of the original total radial thickness of the tire remains, as given by the formula:

Cured-on tires:

$$D_{\text{worn}} = 2/3 (D_{\text{new}} - D_{\text{rim}}) + D_{\text{rim}}$$

Press-on-band and conical base tires:

$$D_{\text{worn}} = 2/3 (D_{\text{new}} - D_{\text{rim}} - 20) + (D_{\text{rim}} + 20)$$

Notes:

- a) All dimensions are measured in millimetres.
- b) The outside diameter of the tire D_{worn} and D_{new} may be calculated by measuring the circumference of the tire with a flexible tape, and calculating the diameter from the formula:

$$\text{Diameter} = \frac{\text{Circumference}}{\pi}$$

TREAD WEAR INDICATOR (TWI) FERENTINO INDUSTRIAL TIRES recommends for tires not to be worn beyond the TWI (Tread Wear Indicator) positioned on the tread of the tire.

The height of the TWI was defined according to a study based on safety and cost savings for the user. However, in case there is no TWI, FERENTINO INDUSTRIAL TIRES recommends to replace the tires for safety reasons when 10% of the original tread is worn.

General conditions of sales available on www.ferentinoindustrial.us



FERENTINO
TYRE CORPORATION



Ferentino Tyre Corporation (Private) Limited.
M & M Centre, No: 341/5, Kotte Road,
Rajagiriya, Sri Lanka.
inquiry@ferentinoindustrial.com
www.ferentinoindustrial.com