

# FERENTINO FORZA FT

FORZA FT

## FERENTINO FORZA FT



## FERENTINO FORZA FT NON MARKING



The Quality alternative for normal requirements & standard application

Wide profile and flat footprint

- Increases stability and grip

Large tread blocks and deep lugs

- Maximizes life and traction
- Established tread pattern design  
Exceptional tread rubber compound properties  
Ensures maximum tire utilization





## FERENTINO FORZA FT

### FORZA FT

CODE	PRODUCT NAME (FERENTINO FORZA FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
						Mm	Mm	Mm	Mm						
3212420740	NORMAL	3.00-4	2.10-4	TR	BLACK	3.90	8.57	9.88	3.31	261	84	23	255	195	
3212420745	NORMAL	3.00-4	2.50C-4	TR	BLACK	3.65	8.02	9.88	3.31	261	84	23	255	195	
3212321145	NORMAL NMW	3.00-4	2.10-4	TR	WHITE	3.90	8.57	9.88	3.31	261	84	23	255	195	
3212321150	NORMAL NMW	3.00-4	2.50C-4	TR	WHITE	3.65	8.02	9.88	3.31	261	84	23	255	195	
3212321142	NORMAL NMG	3.00-4	2.10-4	TR	GREY	3.90	8.57	9.88	3.31	261	84	23	255	195	
3212321144	NORMAL NMG	3.00-4	2.50C-4	TR	GREY	3.65	8.02	9.88	3.31	261	84	23	255	195	
3212321344	NORMAL NMY	3.00-4	2.10-4	TR	YELLOW	3.91	8.61	9.88	3.31	261	84	23	255	195	
3212321346	NORMAL NMY	3.00-4	2.50C-4	TR	YELLOW	3.66	8.06	9.88	3.31	261	84	23	255	195	
3212420750	NORMAL	4.00-4	2.10-4	TR	BLACK	6.69	14.73	12.09	3.78	307	96	36	535	410	
3212420755	NORMAL	4.00-4	2.50C-4	TR	BLACK	7.09	15.61	12.09	3.78	307	96	36	535	410	
3212321155	NORMAL NMW	4.00-4	2.10-4	TR	WHITE	6.69	14.73	12.09	3.78	307	96	36	535	410	
3212321160	NORMAL NMW	4.00-4	2.50C-4	TR	WHITE	7.09	15.61	12.09	3.78	307	96	36	535	410	
3212321146	NORMAL NMG	4.00-4	2.10-4	TR	GREY	6.69	14.73	12.09	3.78	307	96	36	535	410	
3212321148	NORMAL NMG	4.00-4	2.50C-4	TR	GREY	7.09	15.61	12.09	3.78	307	96	36	535	410	
3212321348	NORMAL NMY	4.00-4	2.10-4	TR	YELLOW	6.72	14.79	12.09	3.78	307	96	36	535	410	
3212321352	NORMAL NMY	4.00-4	2.50C-4	TR	YELLOW	7.12	15.67	12.09	3.78	307	96	36	535	410	
3212420760	NORMAL	4.00-8	3.00D-8	TR	BLACK	11.37	25.02	16.14	4.02	410	102	34	960	730	
3212421010	QUICK	4.00-8	3.00D-8	TR	BLACK	11.57	25.46	16.14	4.02	410	102	34	960	730	
3212321155	NORMAL NMW	4.00-8	3.00D-8	TR	WHITE	11.37	25.02	16.14	4.02	410	102	34	960	730	
3212321415	QUICK NMW	4.00-8	3.00D-8	TR	WHITE	11.57	25.46	16.14	4.02	410	102	34	960	730	
3212321152	NORMAL NMG	4.00-8	3.00D-8	TR	GREY	11.37	25.02	16.14	4.02	410	102	34	960	730	
3212321276	QUICK NMG	4.00-8	3.00D-8	TR	GREY	11.57	25.46	16.14	4.02	410	102	34	960	730	
3212321354	NORMAL NMY	4.00-8	3.00D-8	TR	YELLOW	11.42	25.12	16.14	4.02	410	102	34	960	730	
3212321478	QUICK NMY	4.00-8	3.00D-8	TR	YELLOW	11.62	25.57	16.14	4.02	410	102	34	960	730	
3212420765	NORMAL	5.00-8	3.00D-8	TR	BLACK	16.56	36.43	17.83	4.61	453	117	39	1415	1090	
3212420770	NORMAL	5.00-8	3.50D-8	TR	BLACK	16.56	36.43	17.72	4.80	450	122	39	1415	1090	
3212421015	QUICK	5.00-8	3.00D-8	TR	BLACK	16.76	36.87	17.83	4.61	453	117	39	1415	1090	
3212321170	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	16.56	36.43	17.83	4.61	453	117	39	1415	1090	
3212321175	NORMAL NMW	5.00-8	3.50D-8	TR	WHITE	16.56	36.43	17.72	4.80	450	122	39	1415	1090	
3212321420	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	16.76	36.87	17.83	4.61	453	117	39	1415	1090	
3212321154	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	16.56	36.43	17.83	4.61	453	117	39	1415	1090	
3212321156	NORMAL NMG	5.00-8	3.50D-8	TR	GREY	16.56	36.43	17.72	4.80	450	122	39	1415	1090	
3212321278	QUICK NMG	5.00-8	3.00D-8	TR	GREY	16.76	36.87	17.83	4.61	453	117	39	1415	1090	
3212321356	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	16.63	36.59	17.83	4.61	453	117	39	1415	1090	
3212321358	NORMAL NMY	5.00-8	3.50D-8	TR	YELLOW	16.63	36.59	17.72	4.80	450	122	39	1415	1090	
3212321482	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.83	37.03	17.83	4.61	453	117	39	1415	1090	
3212420775	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	9.88	21.73	14.84	4.45	377	113	26	1040	800	
3212420780	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	10.07	22.16	14.84	4.45	377	113	26	1040	800	
3212321180	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	9.88	21.73	14.84	4.45	377	113	26	1040	800	
3212321425	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.07	22.16	14.84	4.45	377	113	26	1040	800	
3212321158	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	9.88	21.73	14.84	4.45	377	113	26	1040	800	
3212321282	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.07	22.16	14.84	4.45	377	113	26	1040	800	
3212321362	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	9.92	21.82	14.84	4.45	377	113	26	1040	800	
3212321484	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.12	22.26	14.84	4.45	377	113	26	1040	800	
3212321185	NM NORMAL	15x4 1/2-8	3.25I-8	TR	BLACK	9.98	21.95	14.80	4.49	376	114	26	1040	800	
3212321185	NORMAL NMW	15x4 1/2-8	3.25I-8	TR	WHITE	9.98	21.95	14.80	4.49	376	114	26	1040	800	
3212321162	NORMAL NMG	15x4 1/2-8	3.25I-8	TR	GREY	9.98	21.95	14.80	4.49	376	114	26	1040	800	
3212321364	NORMAL NMY	15x4 1/2-8	3.25I-8	TR	YELLOW	10.0	22.04	14.80	4.49	376	114	26	1040	800	
3212420785	NORMAL	16x6-8	4.33R-8	TR	BLACK	16.46	36.21	16.22	5.94	412	151	32	1495	1150	
3212421025	QUICK	16x6-8	4.33R-8	TR	BLACK	16.66	36.65	16.22	5.94	412	151	32	1495	1150	
3212321190	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	16.46	36.21	16.22	5.94	412	151	32	1495	1150	
3212321430	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	16.66	36.65	16.22	5.94	412	151	32	1495	1150	
3212321164	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	16.46	36.21	16.22	5.94	412	151	32	1495	1150	
3212321284	QUICK NMG	16x6-8	4.33R-8	TR	GREY	16.66	36.65	16.22	5.94	412	151	32	1495	1150	
3212321366	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	16.53	36.36	16.22	5.94	412	151	32	1495	1150	
3212321486	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	16.73	36.81	16.22	5.94	412	151	32	1495	1150	
3212420790	NORMAL	18x7-8	4.33R-8	TR	BLACK	21.45	47.18	17.80	5.98	452	152	46	2145	1650	

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW







# FERENTINO FORZA FT

## FORZA FT

CODE	PRODUCT NAME (FERENTINO FORZA FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY									
						NORMAL	OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH	COUNTERBALANCE		UP TO 25KM/H									
														Kg	Pound	Inch	Inch	Mm	Mm	Mm	Kg	Kg
3212421030	QUICK	18x7-8	4.33R-8	TR	BLACK	21.66	47.62	17.80	5.98	452	152	46	2145	1650								
3212321196	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	21.46	47.18	17.80	5.98	452	152	46	2145	1650								
3212321436	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	21.66	47.62	17.80	5.98	452	152	46	2145	1650								
3212321166	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	21.46	47.18	17.80	5.98	452	152	46	2145	1650								
3212321286	QUICK NMG	18x7-8	4.33R-8	TR	GREY	21.66	47.62	17.80	5.98	452	152	46	2145	1650								
3212321368	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	21.54	47.38	17.80	5.98	452	152	46	2145	1650								
3212321488	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	21.74	47.83	17.80	5.98	452	152	46	2145	1650								
3212420795	NORMAL	18x9-8	7.00E-08	TR	BLACK	30.92	68.03	17.87	8.35	454	212	46	2535	1950								
3212321200	NORMAL NMW	18x9-8	7.00E-08	TR	WHITE	30.92	68.03	17.87	8.35	454	212	46	2535	1950								
3212321168	NORMAL NMG	18x9-8	7.00E-08	TR	GREY	30.92	68.03	17.87	8.35	454	212	46	2535	1950								
3212321372	NORMAL NMY	18x9-8	7.00E-08	TR	YELLOW	31.06	68.32	17.87	8.35	454	212	46	2535	1950								
3212421035	QUICK	140/55-9	4.00E-09	TR	BLACK	10.17	22.38	14.92	5.12	379	130	28	1170	900								
3212321440	QUICK NMW	140/55-9	7.00E-08	TR	WHITE	10.17	22.38	14.92	5.12	379	130	28	1170	900								
3212321288	QUICK NMG	140/55-9	7.00E-08	TR	GREY	10.17	22.38	14.92	5.12	379	130	28	1170	900								
3212321492	QUICK NMY	140/55-9	7.00E-08	TR	YELLOW	10.22	22.48	14.92	5.12	379	130	28	1170	900								
3212420800	NORMAL	6.00-9	4.00E-09	TR	BLACK	25.84	56.84	20.67	5.28	525	134	52	1885	1450								
3212421040	QUICK	6.00-9	4.00E-09	TR	BLACK	26.13	57.50	20.67	5.28	525	134	52	1885	1450								
3212321205	NORMAL NMW	6.00-9	4.00E-09	TR	WHITE	25.84	56.84	20.67	5.28	525	134	52	1885	1450								
3212321445	QUICK NMW	6.00-9	4.00E-09	TR	WHITE	26.13	57.50	20.67	5.28	525	134	52	1885	1450								
3212321172	NORMAL NMG	6.00-9	4.00E-09	TR	GREY	25.84	56.84	20.67	5.28	525	134	52	1885	1450								
3212321292	QUICK NMG	6.00-9	4.00E-09	TR	GREY	26.13	57.50	20.67	5.28	525	134	52	1885	1450								
3212321374	NORMAL NMY	6.00-9	4.00E-09	TR	YELLOW	25.95	57.08	20.67	5.28	525	134	52	1885	1450								
3212321404	QUICK NMY	6.00-9	4.00E-09	TR	YELLOW	26.25	57.74	20.67	5.28	525	134	52	1885	1450								
3212420805	NORMAL	21x8-9	6.00E-09	TR	BLACK	34.91	76.81	20.43	7.20	519	183	48	2755	2120								
3212421045	QUICK	21x8-9	6.00E-09	TR	BLACK	35.31	77.69	20.43	7.20	519	183	48	2755	2120								
3212321210	NORMAL NMW	21x8-9	6.00E-09	TR	WHITE	34.91	76.81	20.43	7.20	519	183	48	2755	2120								
3212321450	QUICK NMW	21x8-9	6.00E-09	TR	WHITE	35.31	77.69	20.43	7.20	519	183	48	2755	2120								
3212321174	NORMAL NMG	21x8-9	6.00E-09	TR	GREY	34.91	76.81	20.43	7.20	519	183	48	2755	2120								
3212321294	QUICK NMG	21x8-9	6.00E-09	TR	GREY	35.31	77.69	20.43	7.20	519	183	48	2755	2120								
3212321376	NORMAL NMY	21x8-9	6.00E-09	TR	YELLOW	35.06	77.14	20.43	7.20	519	183	48	2755	2120								
3212321496	QUICK NMY	21x8-9	6.00E-09	TR	YELLOW	35.46	78.02	20.43	7.20	519	183	48	2755	2120								
3212420810	NORMAL	200/50-10	6.50F-10	TR	BLACK	25.34	55.74	17.95	7.60	456	193	31	2470	1900								
3212421050	QUICK	200/50-10	6.50F-10	TR	BLACK	25.84	56.84	17.95	7.60	456	193	31	2470	1900								
3212321216	NORMAL NMW	200/50-10	6.50F-10	TR	WHITE	25.34	55.74	17.95	7.60	456	193	31	2470	1900								
3212321455	QUICK NMW	200/50-10	6.50F-10	TR	WHITE	25.84	56.84	17.95	7.60	456	193	31	2470	1900								
3212321176	NORMAL NMG	200/50-10	6.50F-10	TR	GREY	25.34	55.74	17.95	7.60	456	193	31	2470	1900								
3212321296	QUICK NMG	200/50-10	6.50F-10	TR	GREY	25.84	56.84	17.95	7.60	456	193	31	2470	1900								
3212321378	NORMAL NMY	200/50-10	6.50F-10	TR	YELLOW	25.45	55.98	17.95	7.60	456	193	31	2470	1900								
3212321498	QUICK NMY	200/50-10	6.50F-10	TR	YELLOW	25.95	57.08	17.95	7.60	456	193	31	2470	1900								
3212420815	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.81	76.59	22.28	6.18	566	157	55	2340	1800								
3212421055	NM NORMAL	6.50-10	5.00F-10	TR	BLACK	35.91	79.00	22.28	6.18	566	157	55	2340	1800								
3212321220	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.81	76.59	22.28	6.18	566	157	55	2340	1800								
3212321460	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.91	79.00	22.28	6.18	566	157	55	2340	1800								
3212321178	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.81	76.59	22.28	6.18	566	157	55	2340	1800								
3212321298	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.91	79.00	22.28	6.18	566	157	55	2340	1800								
3212321382	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	34.96	76.92	22.28	6.18	566	157	55	2340	1800								
3212321502	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	36.06	79.34	22.28	6.18	566	157	55	2340	1800								
3212420820	NORMAL	6.50-10	5.50F-10	TR	BLACK	35.11	77.25	22.28	6.22	566	158	55	2340	1800								
3212321225	NORMAL NMW	6.50-10	5.50F-10	TR	WHITE	35.11	77.25	22.28	6.22	566	158	55	2340	1800								
3212321182	NORMAL NMG	6.50-10	5.50F-10	TR	GREY	35.11	77.25	22.28	6.22	566	158	55	2340	1800								
3212321384	NORMAL NMY	6.50-10	5.50F-10	TR	YELLOW	35.26	77.58	22.28	6.22	566	158	55	2340	1800								
3212420825	NORMAL	23x9-10	6.50F-10	TR	BLACK	48.78	107.31	22.99	7.87	584	200	52	3445	2650								
3212421060	QUICK	23x9-10	6.50F-10	TR	BLACK	49.28	108.41	22.99	7.87	584	200	52	3445	2650								
3212321230	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	48.78	107.31	22.99	7.87	584	200	52	3445	2650								
3212321465	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	49.28	108.41	22.99	7.87	584	200	52	3445	2650								
3212321184	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	48.78	107.31	22.99	7.87	584	200	52	3445	2650								
3212321302	QUICK NMG	23x9-10	6.50F-10	TR	GREY	49.28	108.41	22.99	7.87	584	200	52	3445	2650								

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW





# FERENTINO FORZA FT

## FORZA FT

CODE	PRODUCT NAME (FERENTINO FORZA FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
3212321386	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	48.99	107.77	22.99	7.87	584	200	52	3445	2650	
3212321504	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	49.49	108.87	22.99	7.87	584	200	52	3445	2650	
3212420830	NORMAL	7.50-10	5.00F-10	TR	BLACK	50.87	111.92	24.84	7.09	631	180	68	3070	2360	
3212321235	NORMAL NMW	7.50-10	5.00F-10	TR	WHITE	50.87	111.92	24.84	7.09	631	180	68	3070	2360	
3212321186	NORMAL NMG	7.50-10	5.00F-10	TR	GREY	50.87	111.92	24.84	7.09	631	180	68	3070	2360	
3212321388	NORMAL NMY	7.50-10	5.00F-10	TR	YELLOW	51.09	112.40	24.84	7.09	631	180	68	3070	2360	
3212420835	NORMAL	7.50-10	5.50F-10	TR	BLACK	52.47	115.43	24.84	7.24	631	184	68	3070	2360	
3212421065	QUICK	7.50-10	5.50F-10	TR	BLACK	52.27	114.99	24.84	7.24	631	184	68	3070	2360	
3212321240	NORMAL NMW	7.50-10	5.50F-10	TR	WHITE	52.47	115.43	24.84	7.24	631	184	68	3070	2360	
3212321470	QUICK NMW	7.50-10	5.50F-10	TR	WHITE	52.27	114.99	24.84	7.24	631	184	68	3070	2360	
3212321188	NORMAL NMG	7.50-10	5.50F-10	TR	GREY	52.47	115.43	24.84	7.24	631	184	68	3070	2360	
3212321304	QUICK NMG	7.50-10	5.50F-10	TR	GREY	52.27	114.99	24.84	7.24	631	184	68	3070	2360	
3212321392	NORMAL NMY	7.50-10	5.50F-10	TR	YELLOW	52.69	115.93	24.84	7.24	631	184	68	3070	2360	
3212321506	QUICK NMY	7.50-10	5.50F-10	TR	YELLOW	52.49	115.49	24.84	7.24	631	184	68	3070	2360	
3212420840	NORMAL	23x10-12	8.00G-12	TR	BLACK	50.70	111.55	22.99	9.06	584	230	44	3770	2900	
3212421070	QUICK	23x10-12	8.00G-12	TR	BLACK	51.50	113.30	22.99	9.06	584	230	44	3770	2900	
3212321245	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	50.70	111.55	22.99	9.06	584	230	44	3770	2900	
3212321475	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	51.50	113.30	22.99	9.06	584	230	44	3770	2900	
3212321192	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	50.70	111.55	22.99	9.06	584	230	44	3770	2900	
3212321306	QUICK NMG	23x10-12	8.00G-12	TR	GREY	51.50	113.30	22.99	9.06	584	230	44	3770	2900	
3212321394	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	50.92	112.03	22.99	9.06	584	230	44	3770	2900	
3212321508	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	51.72	113.79	22.99	9.06	584	230	44	3770	2900	
3212420845	NORMAL	27x10-12	8.00G-12	TR	BLACK	76.35	167.98	26.77	9.53	680	242	63	3900	3000	
3212421075	QUICK	27x10-12	8.00G-12	TR	BLACK	77.05	169.51	26.77	9.53	680	242	63	3900	3000	
3212321250	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	76.35	167.98	26.77	9.53	680	242	63	3900	3000	
3212321480	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	77.05	169.51	26.77	9.53	680	242	63	3900	3000	
3212321194	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	76.35	167.98	26.77	9.53	680	242	63	3900	3000	
3212321308	QUICK NMG	27x10-12	8.00G-12	TR	GREY	77.05	169.51	26.77	9.53	680	242	63	3900	3000	
3212321396	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	76.68	168.70	26.77	9.53	680	242	63	3900	3000	
3212321512	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	77.38	170.24	26.77	9.53	680	242	63	3900	3000	
3212420850	NORMAL	7.00-12	5.00S-12	TR	BLACK	46.73	102.80	25.67	6.54	652	166	60	2920	2240	
3212421080	QUICK	7.00-12	5.00S-12	TR	BLACK	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321255	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	46.73	102.80	25.67	6.54	652	166	60	2920	2240	
3212321485	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321196	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	46.73	102.80	25.67	6.54	652	166	60	2920	2240	
3212321312	QUICK NMG	7.00-12	5.00S-12	TR	GREY	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321398	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321514	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	47.13	103.68	25.67	6.54	652	166	60	2920	2240	
3212420855	NORMAL	8.25-12	5.00S-12	TR	BLACK	66.41	146.11	28.46	7.36	723	187	65	3440	2645	
3212321260	NORMAL NMW	8.25-12	5.00S-12	TR	WHITE	66.41	146.11	28.46	7.36	723	187	65	3440	2645	
3212321198	NORMAL NMG	8.25-12	5.00S-12	TR	GREY	66.41	146.11	28.46	7.36	723	187	65	3440	2645	
3212321402	NORMAL NMY	8.25-12	5.00S-12	TR	YELLOW	66.70	146.74	28.46	7.36	723	187	65	3440	2645	
3212420860	NORMAL	150/100-13	3.75P-13	TR	BLACK	32.81	72.18	24.45	5.75	621	146	46	1495	1150	
3212421085	QUICK	150/100-13	3.75P-13	TR	BLACK	33.50	73.71	24.45	5.75	621	146	46	1495	1150	
3212321265	NORMAL NMW	150/100-13	3.75P-13	TR	WHITE	32.81	72.18	24.45	5.75	621	146	46	1495	1150	
3212321490	QUICK NMW	150/100-13	3.75P-13	TR	WHITE	33.50	73.71	24.45	5.75	621	146	46	1495	1150	
3212321202	NORMAL NMG	150/100-13	3.75P-13	TR	GREY	32.81	72.18	24.45	5.75	621	146	46	1495	1150	
3212321314	QUICK NMG	150/100-13	3.75P-13	TR	GREY	33.50	73.71	24.45	5.75	621	146	46	1495	1150	
3212321404	NORMAL NMY	150/100-13	3.75P-13	TR	YELLOW	32.96	72.49	24.45	5.75	621	146	46	1495	1150	
3212321516	QUICK NMY	150/100-13	3.75P-13	TR	YELLOW	33.65	74.03	24.45	5.75	621	146	46	1495	1150	
3212420865	NORMAL	28x9-15	6.50-15	TR	BLACK	58.96	129.70	27.05	8.43	687	214	54	3900	3000	
3212321270	NORMAL NMW	28x9-15	6.50-15	TR	WHITE	58.96	129.70	27.05	8.43	687	214	54	3900	3000	
3212321204	NORMAL NMG	28x9-15	6.50-15	TR	GREY	58.96	129.70	27.05	8.43	687	214	54	3900	3000	
3212321406	NORMAL NMY	28x9-15	6.50-15	TR	YELLOW	59.21	130.26	27.05	8.43	687	214	54	3900	3000	
3212420870	NORMAL	28x9-15	7.00-15	TR	BLACK	59.75	131.45	27.09	8.39	688	213	54	3900	3000	
3212421090	QUICK	28x9-15	7.00-15	TR	BLACK	60.75	133.64	27.09	8.39	688	213	54	3900	3000	
3212321275	NORMAL NMW	28x9-15	7.00-15	TR	WHITE	59.75	131.45	27.09	8.39	688	213	54	3900	3000	

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW







## FERENTINO FORZA FT

### FORZA FT

CODE	PRODUCT NAME (FERENTINO FORZA FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY						
						NORMAL	Kg	Pound	OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER		OVERALL WIDTH	COUNTERBALANCE	UP TO 25KM/H				
																Inch	Inch	Mm	Mm
Kg	Pound	Inch	Inch	Mm	Mm	Mm	Kg	Kg											
3212321495	QUICK NMW	28x9-15	7.00-15	TR	WHITE	60.75	133.64	27.09	8.39	688	213	54	3900	3000					
3212321206	NORMAL NMG	28x9-15	7.00-15	TR	GREY	59.75	131.45	27.09	8.39	688	213	54	3900	3000					
3212321316	QUICK NMG	28x9-15	7.00-15	TR	GREY	60.75	133.64	27.09	8.39	688	213	54	3900	3000					
3212321408	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	60.01	132.02	27.09	8.39	688	213	54	3900	3000					
3212321518	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	61.01	134.21	27.09	8.39	688	213	54	3900	3000					
3212420875	NORMAL	355/50-15	9.75-15	TR	BLACK	93.66	206.04	28.03	11.61	712	296	52	5690	4375					
3212421095	QUICK	355/50-15	9.75-15	TR	BLACK	94.85	208.66	28.03	11.61	712	296	52	5690	4375					
3212321280	NORMAL NMW	355/50-15	9.75-15	TR	WHITE	93.66	206.04	28.03	11.61	712	296	52	5690	4375					
3212321500	QUICK NMW	355/50-15	9.75-15	TR	WHITE	94.85	208.66	28.03	11.61	712	296	52	5690	4375					
3212321208	NORMAL NMG	355/50-15	9.75-15	TR	GREY	93.65	206.04	28.03	11.61	712	296	52	5690	4375					
3212321318	QUICK NMG	355/50-15	9.75-15	TR	GREY	94.85	208.66	28.03	11.61	712	296	52	5690	4375					
3212321412	NORMAL NMY	355/50-15	9.75-15	TR	YELLOW	94.06	206.92	28.03	11.61	712	296	52	5690	4375					
3212321522	QUICK NMY	355/50-15	9.75-15	TR	YELLOW	95.25	209.66	28.03	11.61	712	296	52	5690	4375					
3212420880	NORMAL	355/65-15	9.75-15	TR	BLACK	137.20	301.84	32.24	12.28	819	312	75	7800	6000					
3212421100	QUICK	355/65-15	9.75-15	TR	BLACK	138.60	305.12	32.24	12.28	819	312	75	7800	6000					
3212321286	NORMAL NMW	355/65-15	9.75-15	TR	WHITE	137.20	301.84	32.24	12.28	819	312	75	7800	6000					
3212321505	QUICK NMW	355/65-15	9.75-15	TR	WHITE	138.60	305.12	32.24	12.28	819	312	75	7800	6000					
3212321212	NORMAL NMG	355/65-15	9.75-15	TR	GREY	137.20	301.84	32.24	12.28	819	312	75	7800	6000					
3212321322	QUICK NMG	355/65-15	9.75-15	TR	GREY	138.60	305.12	32.24	12.28	819	312	75	7800	6000					
3212321414	NORMAL NMY	355/65-15	9.75-15	TR	YELLOW	137.79	303.14	32.24	12.28	819	312	75	7800	6000					
3212321524	QUICK NMY	355/65-15	9.75-15	TR	YELLOW	139.20	306.43	32.24	12.28	819	312	75	7800	6000					
3212420885	NORMAL	250-15	7.00-15	TR	BLACK	70.19	154.42	28.27	8.66	718	220	60	4745	3650					
3212421105	QUICK	250-15	7.00-15	TR	BLACK	70.79	155.73	28.27	8.66	718	220	60	4745	3650					
3212321290	NORMAL NMW	250-15	7.00-15	TR	WHITE	70.19	154.42	28.27	8.66	718	220	60	4745	3650					
3212321510	QUICK NMW	250-15	7.00-15	TR	WHITE	70.79	155.73	28.27	8.66	718	220	60	4745	3650					
3212321214	NORMAL NMG	250-15	7.00-15	TR	GREY	70.19	154.42	28.27	8.66	718	220	60	4745	3650					
3212321324	QUICK NMG	250-15	7.00-15	TR	GREY	70.79	155.73	28.27	8.66	718	220	60	4745	3650					
3212321416	NORMAL NMY	250-15	7.00-15	TR	YELLOW	70.49	155.08	28.27	8.66	718	220	60	4745	3650					
3212321526	QUICK NMY	250-15	7.00-15	TR	YELLOW	71.09	156.40	28.27	8.66	718	220	60	4745	3650					
3212420890	NORMAL	250-15	7.50-15	TR	BLACK	70.59	155.29	28.19	8.86	716	225	60	4745	3650					
3212421110	QUICK	250-15	7.50-15	TR	BLACK	71.58	157.48	28.19	8.86	716	225	60	4745	3650					
3212321295	NORMAL NMW	250-15	7.50-15	TR	WHITE	70.59	155.29	28.19	8.86	716	225	60	4745	3650					
3212321515	QUICK NMW	250-15	7.50-15	TR	WHITE	71.58	157.48	28.19	8.86	716	225	60	4745	3650					
3212321216	NORMAL NMG	250-15	7.50-15	TR	GREY	70.59	155.29	28.19	8.86	716	225	60	4745	3650					
3212321326	QUICK NMG	250-15	7.50-15	TR	GREY	71.58	157.48	28.19	8.86	716	225	60	4745	3650					
3212321418	NORMAL NMY	250-15	7.50-15	TR	YELLOW	70.80	155.96	28.19	8.86	716	225	60	4745	3650					
3212321528	QUICK NMY	250-15	7.50-15	TR	YELLOW	71.80	158.16	28.19	8.86	716	225	60	4745	3650					
3212420895	NORMAL	300-15	8.00-15	TR	BLACK	113.34	249.35	32.05	9.92	814	252	75	5850	4500					
3212421115	QUICK	300-15	8.00-15	TR	BLACK	114.33	251.53	32.05	9.92	814	252	75	5850	4500					
3212321300	NORMAL NMW	300-15	8.00-15	TR	WHITE	113.34	249.35	32.05	9.92	814	252	75	5850	4500					
3212321520	QUICK NMW	300-15	8.00-15	TR	WHITE	114.33	251.53	32.05	9.92	814	252	75	5850	4500					
3212321218	NORMAL NMG	300-15	8.00-15	TR	GREY	113.34	249.35	32.05	9.92	814	252	75	5850	4500					
3212321328	QUICK NMG	300-15	8.00-15	TR	GREY	114.33	251.53	32.05	9.92	814	252	75	5850	4500					
3212321422	NORMAL NMY	300-15	8.00-15	TR	YELLOW	113.83	250.42	32.05	9.92	814	252	75	5850	4500					
3212321532	QUICK NMY	300-15	8.00-15	TR	YELLOW	114.82	252.61	32.05	9.92	814	252	75	5850	4500					
3212420905	NORMAL	5.50-15	4.50E-15SDC	TR	BLACK	37.98	83.55	26.02	5.98	661	152	55	2430	1870					
3212321310	NORMAL NMW	5.50-15	4.50E-15SDC	TR	WHITE	37.98	83.55	26.02	5.98	661	152	55	2430	1870					
3212321224	NORMAL NMG	5.50-15	4.50E-15SDC	TR	GREY	37.98	83.55	26.02	5.98	661	152	55	2430	1870					
3212321426	NORMAL NMY	5.50-15	4.50E-15SDC	TR	YELLOW	38.14	83.91	26.02	5.98	661	152	55	2430	1870					
3212420910	NORMAL	6.00-15	4.50E-15SDC	TR	BLACK	46.23	101.71	27.48	6.30	698	160	44	3160	2430					
3212321315	NORMAL NMW	6.00-15	4.50E-15SDC	TR	WHITE	46.23	101.71	27.48	6.30	698	160	44	3160	2430					
3212321226	NORMAL NMG	6.00-15	4.50E-15SDC	TR	GREY	46.23	101.71	27.48	6.30	698	160	44	3160	2430					
3212321428	NORMAL NMY	6.00-15	4.50E-15SDC	TR	YELLOW	46.43	102.14	27.48	6.30	698	160	44	3160	2430					
3212420915	NORMAL	7.00-15	5.50-15	TR	BLACK	56.67	124.67	28.50	6.93	724	176	58	3545	2725					
3212421120	QUICK	7.00-15	5.50-15	TR	BLACK	57.66	126.86	28.50	6.93	724	176	58	3545	2725					
3212321320	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	56.67	124.67	28.50	6.93	724	176	58	3545	2725					
3212321525	QUICK NMW	7.00-15	5.50-15	TR	WHITE	57.66	126.86	28.50	6.93	724	176	58	3545	2725					





# FERENTINO FORZA FT

## FORZA FT

CODE	PRODUCT NAME (FERENTINO FORZA FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
3212321228	NORMAL NMG	7.00-15	5.50-15	TR	GREY	56.67	124.67	28.50	6.93	724	176	58	3545	2725	
3212321332	QUICK NMG	7.00-15	5.50-15	TR	GREY	57.66	126.86	28.50	6.93	724	176	58	3545	2725	
3212321432	NORMAL NMY	7.00-15	5.50-15	TR	YELLOW	56.91	125.21	28.50	6.93	724	176	58	3545	2725	
3212321534	QUICK NMY	7.00-15	5.50-15	TR	YELLOW	57.91	127.40	28.50	6.93	724	176	58	3545	2725	
3212420920	NORMAL	7.00-15	6.00-15	TR	BLACK	57.66	126.86	28.70	7.05	729	179	60	3545	2725	
3212321325	NORMAL NMW	7.00-15	6.00-15	TR	WHITE	57.66	126.86	28.70	7.05	729	179	60	3545	2725	
3212321232	NORMAL NMG	7.00-15	6.00-15	TR	GREY	57.66	126.86	28.70	7.05	729	179	60	3545	2725	
3212321434	NORMAL NMY	7.00-15	6.00-15	TR	YELLOW	57.91	127.40	28.70	7.05	729	179	60	3545	2725	
3212420925	NORMAL	7.50-15	5.50-15	TR	BLACK	66.21	145.67	29.61	7.83	752	199	62	3900	3000	
3212421125	QUICK	7.50-15	5.50-15	TR	BLACK	67.41	148.30	29.61	7.83	752	199	62	3900	3000	
3212321330	NORMAL NMW	7.50-15	5.50-15	TR	WHITE	66.21	145.67	29.61	7.83	752	199	62	3900	3000	
3212321530	QUICK NMW	7.50-15	5.50-15	TR	WHITE	67.41	148.30	29.61	7.83	752	199	62	3900	3000	
3212321234	NORMAL NMG	7.50-15	5.50-15	TR	GREY	66.21	145.67	29.61	7.83	752	199	62	3900	3000	
3212321334	QUICK NMG	7.50-15	5.50-15	TR	GREY	67.41	148.30	29.61	7.83	752	199	62	3900	3000	
3212321436	NORMAL NMY	7.50-15	5.50-15	TR	YELLOW	66.50	146.30	29.61	7.83	752	199	62	3900	3000	
3212321536	QUICK NMY	7.50-15	5.50-15	TR	YELLOW	67.70	148.93	29.61	7.83	752	199	62	3900	3000	
3212420930	NORMAL	7.50-15	6.00-15	TR	BLACK	66.81	146.98	29.61	7.83	752	199	62	3900	3000	
3212321335	NORMAL NMW	7.50-15	6.00-15	TR	WHITE	66.81	146.98	29.61	7.83	752	199	62	3900	3000	
3212321236	NORMAL NMG	7.50-15	6.00-15	TR	GREY	66.81	146.98	29.61	7.83	752	199	62	3900	3000	
3212321438	NORMAL NMY	7.50-15	6.00-15	TR	YELLOW	67.10	147.61	29.61	7.83	752	199	62	3900	3000	
3212420935	NORMAL	7.50-15	6.50-15	TR	BLACK	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321535	NM QUICK	7.50-15	6.50-15	TR	BLACK	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321340	NORMAL NMW	7.50-15	6.50-15	TR	WHITE	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321535	QUICK NMW	7.50-15	6.50-15	TR	WHITE	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321238	NORMAL NMG	7.50-15	6.50-15	TR	GREY	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321336	QUICK NMG	7.50-15	6.50-15	TR	GREY	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321442	NORMAL NMY	7.50-15	6.50-15	TR	YELLOW	68.10	149.81	29.61	7.83	752	199	62	3900	3000	
3212321538	QUICK NMY	7.50-15	6.50-15	TR	YELLOW	68.10	149.81	29.61	7.83	752	199	62	3900	3000	
3212420940	NORMAL	8.25-15	5.50-15	TR	BLACK	87.69	192.92	31.93	8.19	811	208	72	4615	3550	
3212421135	QUICK	8.25-15	5.50-15	TR	BLACK	88.68	195.10	31.93	8.19	811	208	72	4615	3550	
3212321345	NORMAL NMW	8.25-15	5.50-15	TR	WHITE	87.69	192.92	31.93	8.19	811	208	72	4615	3550	
3212321540	QUICK NMW	8.25-15	5.50-15	TR	WHITE	88.68	195.10	31.93	8.19	811	208	72	4615	3550	
3212321242	NORMAL NMG	8.25-15	5.50-15	TR	GREY	87.69	192.92	31.93	8.19	811	208	72	4615	3550	
3212321338	QUICK NMG	8.25-15	5.50-15	TR	GREY	88.68	195.10	31.93	8.19	811	208	72	4615	3550	
3212321444	NORMAL NMY	8.25-15	5.50-15	TR	YELLOW	88.07	193.74	31.93	8.19	811	208	72	4615	3550	
3212321542	QUICK NMY	8.25-15	5.50-15	TR	YELLOW	89.06	195.94	31.93	8.19	811	208	72	4615	3550	
3212420945	NORMAL	8.25-15	6.50-15	TR	BLACK	89.48	196.86	31.97	8.19	812	208	72	4750	3650	
3212421140	QUICK	8.25-15	6.50-15	TR	BLACK	90.67	199.48	31.97	8.19	812	208	72	4750	3650	
3212321350	NORMAL NMW	8.25-15	6.50-15	TR	WHITE	89.48	196.86	31.97	8.19	812	208	72	4750	3650	
3212321545	QUICK NMW	8.25-15	6.50-15	TR	WHITE	90.67	199.48	31.97	8.19	812	208	72	4750	3650	
3212321244	NORMAL NMG	8.25-15	6.50-15	TR	GREY	89.48	196.86	31.97	8.19	812	208	72	4750	3650	
3212321342	QUICK NMG	8.25-15	6.50-15	TR	GREY	90.67	199.48	31.97	8.19	812	208	72	4750	3650	
3212321446	NORMAL NMY	8.25-15	6.50-15	TR	YELLOW	89.86	197.70	31.97	8.19	812	208	72	4750	3650	
3212321544	QUICK NMY	8.25-15	6.50-15	TR	YELLOW	91.06	200.33	31.97	8.19	812	208	72	4750	3650	
3212420950	NORMAL	7.50-16	6.00-16	TR	BLACK	82.10	180.61	31.26	8.27	794	210	70	3965	3050	
3212321355	NORMAL NMW	7.50-16	6.00-16	TR	WHITE	82.10	180.61	31.26	8.27	794	210	70	3965	3050	
3212321246	NORMAL NMG	7.50-16	6.00-16	TR	GREY	82.10	180.61	31.26	8.27	794	210	70	3965	3050	
3212321448	NORMAL NMY	7.50-16	6.00-16	TR	YELLOW	82.45	181.39	31.26	8.27	794	210	70	3965	3050	
3212420955	NORMAL	9.00-20	7.00-20	TR	BLACK	142.93	314.44	39.13	8.98	994	228	75	5400	4500	
3212321360	NORMAL NMW	9.00-20	7.00-20	TR	WHITE	142.93	314.44	39.13	8.98	994	228	75	5400	4500	
3212321248	NORMAL NMG	9.00-20	7.00-20	TR	GREY	142.93	314.44	39.13	8.98	994	228	75	5400	4500	
3212321452	NORMAL NMY	9.00-20	7.00-20	TR	YELLOW	143.54	315.79	39.13	8.98	994	228	75	5400	4500	
3212420960	NORMAL	10.00-20	6.50-20	TR	BLACK	173.09	380.81	40.75	10.04	1035	255	82	5850	4875	
3212321365	NORMAL NMW	10.00-20	6.50-20	TR	WHITE	173.09	380.81	40.75	10.04	1035	255	82	5850	4875	
3212321252	NORMAL NMG	10.00-20	6.50-20	TR	GREY	173.09	380.81	40.75	10.04	1035	255	82	5850	4875	
3212321454	NORMAL NMY	10.00-20	6.50-20	TR	YELLOW	173.84	382.44	40.75	10.04	1035	255	82	5850	4875	
3212420965	NORMAL	10.00-20	7.00-20	TR	BLACK	175.07	385.16	40.75	10.04	1035	255	82	6000	5000	

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW







## FERENTINO FORZA FT

### FORZA FT

CODE	PRODUCT NAME (FERENTINO FORZA FT)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY								
						NORMAL	Kg	Pound	OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER		OVERALL WIDTH	COUNTERBALANCE	UP TO 25KM/H						
																Inch	Inch	Mm	Mm	LOAD WHEEL	STEERING WHEEL
3212321370	NORMAL NMW	10.00-20	7.00-20	TR	WHITE	176.07	386.16	40.75	10.04	1035	255	82	6000	5000							
3212321254	NORMAL NMG	10.00-20	7.00-20	TR	GREY	176.07	386.16	40.75	10.04	1035	255	82	6000	5000							
3212321456	NORMAL NMY	10.00-20	7.00-20	TR	YELLOW	176.82	386.81	40.75	10.04	1035	255	82	6000	5000							
3212420970	NORMAL	10.00-20	7.50-20	TR	BLACK	176.56	388.42	40.75	10.04	1035	255	82	6000	5000							
3212321375	NORMAL NMW	10.00-20	7.50-20	TR	WHITE	176.56	388.42	40.75	10.04	1035	255	82	6000	5000							
3212321256	NORMAL NMG	10.00-20	7.50-20	TR	GREY	176.56	388.42	40.75	10.04	1035	255	82	6000	5000							
3212321458	NORMAL NMY	10.00-20	7.50-20	TR	YELLOW	177.31	390.09	40.75	10.04	1035	255	82	6000	5000							
3212420975	NORMAL	10.00-20	8.00-20	TR	BLACK	178.04	391.69	40.75	9.92	1035	252	82	6000	5000							
3212321380	NORMAL NMW	10.00-20	8.00-20	TR	WHITE	178.04	391.69	40.75	9.92	1035	252	82	6000	5000							
3212321258	NORMAL NMG	10.00-20	8.00-20	TR	GREY	178.04	391.69	40.75	9.92	1035	252	82	6000	5000							
3212321462	NORMAL NMY	10.00-20	8.00-20	TR	YELLOW	178.80	393.37	40.75	9.92	1035	252	82	6000	5000							
3212420980	NORMAL	11.00-20	7.50-20	TR	BLACK	191.10	420.41	41.73	10.08	1060	256	96	6540	5450							
3212321385	NORMAL NMW	11.00-20	7.50-20	TR	WHITE	191.10	420.41	41.73	10.08	1060	256	96	6540	5450							
3212321262	NORMAL NMG	11.00-20	7.50-20	TR	GREY	191.10	420.41	41.73	10.08	1060	256	96	6540	5450							
3212321464	NORMAL NMY	11.00-20	7.50-20	TR	YELLOW	191.92	422.22	41.73	10.08	1060	256	96	6540	5450							
3212420985	NORMAL	11.00-20	8.00-20	TR	BLACK	192.88	424.33	41.73	10.08	1060	256	96	6540	5450							
3212321390	NORMAL NMW	11.00-20	8.00-20	TR	WHITE	192.88	424.33	41.73	10.08	1060	256	96	6540	5450							
3212321264	NORMAL NMG	11.00-20	8.00-20	TR	GREY	192.88	424.33	41.73	10.08	1060	256	96	6540	5450							
3212321466	NORMAL NMY	11.00-20	8.00-20	TR	YELLOW	193.70	426.15	41.73	10.08	1060	256	96	6540	5450							
3212420990	NORMAL	12.00-20	8.00-20	TR	BLACK	226.51	498.31	42.91	11.14	1090	283	88	7560	6300							
3212321395	NORMAL NMW	12.00-20	8.00-20	TR	WHITE	226.51	498.31	42.91	11.14	1090	283	88	7560	6300							
3212321266	NORMAL NMG	12.00-20	8.00-20	TR	GREY	226.51	498.31	42.91	11.14	1090	283	88	7560	6300							
3212321468	NORMAL NMY	12.00-20	8.00-20	TR	YELLOW	227.48	500.45	42.91	11.14	1090	283	88	7560	6300							
3212420995	NORMAL	12.00-20	8.50-20	TR	BLACK	227.50	500.49	42.91	11.14	1090	283	88	7560	6300							
3212321400	NORMAL NMW	12.00-20	8.50-20	TR	WHITE	227.50	500.49	42.91	11.14	1090	283	88	7560	6300							
3212321268	NORMAL NMG	12.00-20	8.50-20	TR	GREY	227.50	500.49	42.91	11.14	1090	283	88	7560	6300							
3212321472	NORMAL NMY	12.00-20	8.50-20	TR	YELLOW	228.47	502.64	42.91	11.14	1090	283	88	7560	6300							
3212421000	NORMAL	14.00-24	10.00-24IRA	TR	BLACK	391.69	861.71	51.97	13.11	1320	333	108	11100	9250							
3212321405	NORMAL NMW	14.00-24	10.00-24IRA	TR	WHITE	391.69	861.71	51.97	13.11	1320	333	108	11100	9250							
3212321272	NORMAL NMG	14.00-24	10.00-24IRA	TR	GREY	391.69	861.71	51.97	13.11	1320	333	108	11100	9250							
3212321474	NORMAL NMY	14.00-24	10.00-24IRA	TR	YELLOW	393.37	866.41	51.97	13.11	1320	333	108	11100	9250							
3212421005	NORMAL	16.00-25	11.25-25	TR	BLACK	581.60	1279.51	56.89	16.38	1445	416	125	15000	12500							
3212321410	NORMAL NMW	16.00-25	11.25-25	TR	WHITE	581.60	1279.51	56.89	16.38	1445	416	125	15000	12500							
3212321274	NORMAL NMG	16.00-25	11.25-25	TR	GREY	581.60	1279.51	56.89	16.38	1445	416	125	15000	12500							
3212321476	NORMAL NMY	16.00-25	11.25-25	TR	YELLOW	584.09	1285.00	56.89	16.38	1445	416	125	15000	12500							

NMW - NON MARKING WHITE  
 NMG - NON MARKING GRAY  
 NMY - NON MARKING YELLOW