

FERENTINO FORZA FT POB

FORZA FT POB

FERENTINO FORZA FT POB



FERENTINO FORZA FT POB NON MARKING



Unique lug pattern

- Increased traction and lifetime

High performance compound

- Low rolling resistance
- Excellent quality to price ratio
- Reduces chunking and cutting

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.

FERENTINO FORZA FT POB

FORZA FT POB

Table with columns: CODE, PRODUCT NAME (FERENTINO HIGHRIIDE POB), TIRE SIZE (Inch, Mm), PROFILE, COLOR, TIRE WEIGHT (NORMAL), ACTUAL TIRE (INCH DIM, OMB TI, HIGHWAY, FERENTINO, FERENTINO, FERENTINO, FERENTINO, FERENTINO, FERENTINO), LOAD CAPACITY (COUNTERBALANCED LIFT TRUCKS: UP TO 10KM/H, UP TO 16KM/H, UP TO 25KM/H). Rows list various tire models like 3412326546, 3412327070, etc.

NMW - NON MARKING WHITE
NMG - NON MARKING GRAY
NMY - NON MARKING YELLOW





FERENTINO FORZA FT POB

FORZA FT POB

CODE	PRODUCT NAME (FERENTINO HIGHRIIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE			ACTUAL TIRE			LOAD CAPACITY							
						NORMAL		SUB-LAWN DOWN THRESH	H/LAWN DOWN THRESH	SEMI- DOWNS THRESH	DOWNS THRESH	SUB-LAWN DOWN THRESH	H/LAWN DOWN THRESH	SEMI- DOWNS THRESH	DOWNS THRESH	COUNTERBALANCED LIFT TRUCKS					
						Kg	Pound									Inch	Inch	Inch	Mm	Mm	Mm
								LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL								
3512326865	SM NMY	800 / 75 - 240	GM	YELLOW	4.72	10.38	11.85	2.95	11.22	301	75	285	825	515	560	470					
3512327300	SM NMW	800 / 75 - 240	GM	WHITE	4.70	10.34	11.85	2.95	11.22	301	75	285	825	515	560	470					
3512426825	SM	860 / 85 - 270	SM	BLACK	7.30	16.06	14.25	3.35	13.23	362	85	336	880	720	785	655					
3512326350	SM NMG	860 / 85 - 270	SM	GREY	7.30	16.06	14.25	3.35	13.23	362	85	336	880	720	785	655					
3512326875	SM NMY	860 / 85 - 270	SM	YELLOW	7.33	16.13	14.25	3.35	13.23	362	85	336	880	720	785	655					
3512327400	SM NMW	860 / 85 - 270	SM	WHITE	7.30	16.06	14.25	3.35	13.23	362	85	336	880	720	785	655					
3512426835	SM	415 / 75 - 305	SM	BLACK	7.60	16.72	16.42	2.95	15.12	417	75	384	825	675	730	610					
3512326360	SM NMG	415 / 75 - 305	SM	GREY	7.60	16.72	16.42	2.95	15.12	417	75	384	825	675	730	610					
3512326885	SM NMY	415 / 75 - 305	SM	YELLOW	7.63	16.79	16.42	2.95	15.12	417	75	384	825	675	730	610					
3512327410	SM NMW	415 / 75 - 305	SM	WHITE	7.60	16.72	16.42	2.95	15.12	417	75	384	825	675	730	610					
3512426840	SM	415 / 90 - 305	SM	BLACK	10.20	22.44	16.42	3.54	15.12	417	90	384	1070	875	950	795					
3512326365	SM NMG	415 / 90 - 305	SM	GREY	10.20	22.44	16.42	3.54	15.12	417	90	384	1070	875	950	795					
3512326890	SM NMY	415 / 90 - 305	SM	YELLOW	10.24	22.54	16.42	3.54	15.12	417	90	384	1070	875	950	795					
3512327415	SM NMW	415 / 90 - 305	SM	WHITE	10.20	22.44	16.42	3.54	15.12	417	90	384	1070	875	950	795					
3512426845	SM	415 / 100 - 305	SM	BLACK	10.80	23.82	16.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665			
3512326370	SM NMG	415 / 100 - 305	SM	GREY	10.80	23.82	16.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665			
3512326895	SM NMY	415 / 100 - 305	SM	YELLOW	10.85	23.82	16.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665			
3512327420	SM NMW	415 / 100 - 305	SM	WHITE	10.80	23.82	16.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665			
3512426855	SM	550 / 150 - 370	SM	BLACK	28.30	62.26	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395			
3512326380	SM NMG	550 / 150 - 370	SM	GREY	28.30	62.26	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395			
3512326905	SM NMY	550 / 150 - 370	SM	YELLOW	28.42	62.53	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395			
3512327430	SM NMW	550 / 150 - 370	SM	WHITE	28.30	62.26	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395			
3512426865	SM	660 / 250 - 480	SM	BLACK	63.20	139.04	25.79	8.84	23.86	655	250	606	4780	3910	4180	3415	3290	2735			
3512326390	SM NMG	660 / 250 - 480	SM	GREY	63.20	139.04	25.79	8.84	23.86	655	250	606	4780	3910	4180	3415	3290	2735			
3512326915	SM NMY	660 / 250 - 480	SM	YELLOW	63.47	139.84	25.79	8.84	23.86	655	250	606	4780	3910	4180	3415	3290	2735			
3512327440	SM NMW	660 / 250 - 480	SM	WHITE	63.20	139.04	25.79	8.84	23.86	655	250	606	4780	3910	4180	3415	3290	2735			
3512426870	SM	660 / 280 - 480	SM	BLACK	71.30	156.88	25.98	11.02	23.86	660	280	606	5485	4480	4785	3915	3840	3130			
3512326395	SM NMG	660 / 280 - 480	SM	GREY	71.30	156.88	25.98	11.02	23.86	660	280	606	5485	4480	4785	3915	3840	3130			
3512326920	SM NMY	660 / 280 - 480	SM	YELLOW	71.61	157.53	25.98	11.02	23.86	660	280	606	5485	4480	4785	3915	3840	3130			
3512327445	SM NMW	660 / 280 - 480	SM	WHITE	71.30	156.88	25.98	11.02	23.86	660	280	606	5485	4480	4785	3915	3840	3130			
3512426875	SM	840 / 350 - 559	SM	BLACK	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200			
3512326400	SM NMG	840 / 350 - 559	SM	GREY	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200			
3512326925	SM NMY	840 / 350 - 559	SM	YELLOW	157.67	348.88	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200			
3512327450	SM NMW	840 / 350 - 559	SM	WHITE	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200			

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW

