

ATHLETIK

ATHLETIK

ATHLETIK



ATHLETIK NON MARKING



S
special

Deep tread design

- Improves traction and stability

Alternative for pneumatic tires

- Reduces downtime by eliminating punctures

Budget compound

- Excellent quality to price ratio



FERENTINO ATHLETIK

ATHLETIK

CODE	PRODUCT NAME (FERENTINO ATHLETIK)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
3212432175	NORMAL	5.00-8	3.00D-8	TR	BLACK	15.66	34.45	17.72	4.53	450	115	41	1415	1090	
3212432290	QUICK	5.00-8	3.00D-8	TR	BLACK	15.96	35.11	17.72	4.53	450	115	41	1415	1090	
3212332176	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	15.66	34.45	17.72	4.53	450	115	41	1415	1090	
3212332234	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	15.96	35.11	17.72	4.53	450	115	41	1415	1090	
3212332286	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	15.66	34.45	17.72	4.53	450	115	41	1415	1090	
3212332344	QUICK NMG	5.00-8	3.00D-8	TR	GREY	15.96	35.11	17.72	4.53	450	115	41	1415	1090	
3212332396	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	15.73	34.60	17.72	4.53	450	115	41	1415	1090	
3212332454	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.03	35.26	17.72	4.53	450	115	41	1415	1090	
3212432180	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212432295	QUICK	15x4 1/2-8	3.00D-8	TR	BLACK	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212332178	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212332236	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212332288	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212332346	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212332398	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.12	22.26	14.57	4.57	370	116	28	1040	800	
3212332456	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.22	22.48	14.57	4.57	370	116	28	1040	800	
3212432185	NORMAL	16x6-8	4.33R-8	TR	BLACK	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212432300	QUICK	16x6-8	4.33R-8	TR	BLACK	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212332182	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212332238	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212332292	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212332348	QUICK NMG	16x6-8	4.33R-8	TR	GREY	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212332402	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	15.33	33.72	16.10	5.75	409	146	34	1495	1150	
3212332458	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	15.53	34.16	16.10	5.75	409	146	34	1495	1150	
3212432190	NORMAL	18x7-8	4.33R-8	TR	BLACK	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212432305	QUICK	18x7-8	4.33R-8	TR	BLACK	20.85	45.87	17.52	5.83	445	148	40	2145	1650	
3212332184	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212332242	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	20.85	45.87	17.52	5.83	445	148	40	2145	1650	
3212332294	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212332352	QUICK NMG	18x7-8	4.33R-8	TR	GREY	20.85	45.87	17.52	5.83	445	148	40	2145	1650	
3212332404	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	19.74	43.42	17.52	5.83	445	148	40	2145	1650	
3212332462	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	20.94	46.06	17.52	5.83	445	148	40	2145	1650	
3212432195	NORMAL	6.00-9	4.00E-09	TR	BLACK	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212432315	QUICK	6.00-9	6.00E-09	TR	BLACK	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212332186	NORMAL NMW	6.00-9	4.00E-09	TR	WHITE	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212332246	QUICK NMW	6.00-9	6.00E-09	TR	WHITE	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212332296	NORMAL NMG	6.00-9	4.00E-09	TR	GREY	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212332356	QUICK NMG	6.00-9	6.00E-09	TR	GREY	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212332406	NORMAL NMY	6.00-9	4.00E-09	TR	YELLOW	25.04	55.10	20.43	5.35	519	136	48	1885	1450	
3212332466	QUICK NMY	6.00-9	6.00E-09	TR	YELLOW	25.35	55.76	20.43	5.35	519	136	48	1885	1450	
3212432200	NORMAL	21x8-9	6.00E-09	TR	BLACK	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212432320	QUICK	21x8-9	6.00E-09	TR	BLACK	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212332188	NORMAL NMW	21x8-9	6.00E-09	TR	WHITE	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212332248	QUICK NMW	21x8-9	6.00E-09	TR	WHITE	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212332298	NORMAL NMG	21x8-9	6.00E-09	TR	GREY	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212332358	QUICK NMG	21x8-9	6.00E-09	TR	GREY	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212332408	NORMAL NMY	21x8-9	6.00E-09	TR	YELLOW	34.36	75.59	20.28	7.13	515	181	48	2755	2120	
3212332468	QUICK NMY	21x8-9	6.00E-09	TR	YELLOW	34.66	76.26	20.28	7.13	515	181	48	2755	2120	
3212432205	NORMAL	200/60-10	6.50F-10	TR	BLACK	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212432325	QUICK	200/60-10	6.50F-10	TR	BLACK	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332192	NORMAL NMW	200/60-10	6.50F-10	TR	WHITE	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212332252	QUICK NMW	200/60-10	6.50F-10	TR	WHITE	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332302	NORMAL NMG	200/60-10	6.50F-10	TR	GREY	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212332362	QUICK NMG	200/60-10	6.50F-10	TR	GREY	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332412	NORMAL NMY	200/60-10	6.50F-10	TR	YELLOW	23.64	52.01	17.72	7.60	450	193	33	2470	1900	
3212332472	QUICK NMY	200/60-10	6.50F-10	TR	YELLOW	23.94	52.67	17.72	7.60	450	193	33	2470	1900	
3212432210	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.91	76.81	22.28	6.02	566	153	52	2340	1800	

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW





FERENTINO ATHLETIK

ATHLETIK

CODE	PRODUCT NAME (FERENTINO ATHLETIK)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY								
						NORMAL	OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH	COUNTERBALANCE		UP TO 25KM/H								
														Kg	Pound	Inch	Inch	Mm	Mm	LOAD WHEEL	STEERING WHEEL
3212432330	QUICK	6.50-10	5.00F-10	TR	BLACK	35.71	78.56	22.28	6.02	566	153	52	2340	1800							
3212332194	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.91	76.81	22.28	6.02	566	153	52	2340	1800							
3212332254	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.71	78.56	22.28	6.02	566	153	52	2340	1800							
3212332304	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.91	76.81	22.28	6.02	566	153	52	2340	1800							
3212332364	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.71	78.56	22.28	6.02	566	153	52	2340	1800							
3212332414	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	35.06	77.14	22.28	6.02	566	153	52	2340	1800							
3212332474	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	35.86	78.90	22.28	6.02	566	153	52	2340	1800							
3212432215	NORMAL	23x9-10	6.50F-10	TR	BLACK	46.38	102.04	22.56	7.87	573	200	53	3445	2650							
3212432335	QUICK	23x9-10	6.50F-10	TR	BLACK	46.98	103.36	22.56	7.87	573	200	53	3445	2650							
3212332196	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	46.38	102.04	22.56	7.87	573	200	53	3445	2650							
3212332256	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	46.98	103.36	22.56	7.87	573	200	53	3445	2650							
3212332306	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	46.38	102.04	22.56	7.87	573	200	53	3445	2650							
3212332366	QUICK NMG	23x9-10	6.50F-10	TR	GREY	46.98	103.36	22.56	7.87	573	200	53	3445	2650							
3212332416	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	46.58	102.48	22.56	7.87	573	200	53	3445	2650							
3212332476	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	47.18	103.80	22.56	7.87	573	200	53	3445	2650							
3212432220	NORMAL	23x10-12	8.00G-12	TR	BLACK	48.32	106.30	22.72	9.21	577	234	45	3770	2900							
3212432340	QUICK	23x10-12	8.00G-12	TR	BLACK	48.91	107.61	22.72	9.21	577	234	45	3770	2900							
3212332198	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	48.32	106.30	22.72	9.21	577	234	45	3770	2900							
3212332258	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	48.91	107.61	22.72	9.21	577	234	45	3770	2900							
3212332308	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	48.32	106.30	22.72	9.21	577	234	45	3770	2900							
3212332368	QUICK NMG	23x10-12	8.00G-12	TR	GREY	48.91	107.61	22.72	9.21	577	234	45	3770	2900							
3212332418	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	48.53	106.76	22.72	9.21	577	234	45	3770	2900							
3212332478	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	49.12	108.07	22.72	9.21	577	234	45	3770	2900							
3212432225	NORMAL	27x10-12	8.00G-12	TR	BLACK	76.06	167.32	26.14	9.76	664	248	60	3900	3000							
3212432345	QUICK	27x10-12	8.00G-12	TR	BLACK	76.85	169.07	26.14	9.76	664	248	60	3900	3000							
3212332202	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	76.06	167.32	26.14	9.76	664	248	60	3900	3000							
3212332262	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	76.85	169.07	26.14	9.76	664	248	60	3900	3000							
3212332312	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	76.06	167.32	26.14	9.76	664	248	60	3900	3000							
3212332372	QUICK NMG	27x10-12	8.00G-12	TR	GREY	76.85	169.07	26.14	9.76	664	248	60	3900	3000							
3212332422	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	76.38	168.04	26.14	9.76	664	248	60	3900	3000							
3212332482	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	77.18	169.80	26.14	9.76	664	248	60	3900	3000							
3212432230	NORMAL	7.00-12	5.00S-12	TR	BLACK	46.53	102.36	25.39	6.50	645	165	56	2920	2240							
3212432350	QUICK	7.00-12	5.00S-12	TR	BLACK	46.73	102.80	25.39	6.50	645	165	56	2920	2240							
3212332204	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	46.53	102.36	25.39	6.50	645	165	56	2920	2240							
3212332264	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	46.73	102.80	25.39	6.50	645	165	56	2920	2240							
3212332314	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	46.53	102.36	25.39	6.50	645	165	56	2920	2240							
3212332374	QUICK NMG	7.00-12	5.00S-12	TR	GREY	46.73	102.80	25.39	6.50	645	165	56	2920	2240							
3212332424	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	46.73	102.80	25.39	6.50	645	165	56	2920	2240							
3212332484	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	46.93	103.24	25.39	6.50	645	165	56	2920	2240							
3212432235	NORMAL	28x9-15	7.00-15	TR	BLACK	59.65	131.23	26.81	8.31	681	211	49	3900	3000							
3212432355	QUICK	28x9-15	7.00-15	TR	BLACK	60.65	133.42	26.81	8.31	681	211	49	3900	3000							
3212332206	NORMAL NMW	28x9-15	7.00-15	TR	WHITE	59.65	131.23	26.81	8.31	681	211	49	3900	3000							
3212332266	QUICK NMW	28x9-15	7.00-15	TR	WHITE	60.65	133.42	26.81	8.31	681	211	49	3900	3000							
3212332316	NORMAL NMG	28x9-15	7.00-15	TR	GREY	59.65	131.23	26.81	8.31	681	211	49	3900	3000							
3212332376	QUICK NMG	28x9-15	7.00-15	TR	GREY	60.65	133.42	26.81	8.31	681	211	49	3900	3000							
3212332426	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	59.91	131.80	26.81	8.31	681	211	49	3900	3000							
3212332486	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	60.91	133.99	26.81	8.31	681	211	49	3900	3000							
3212432245	NORMAL	355/65-15	9.75-15	TR	BLACK	132.73	292.00	31.93	12.20	811	310	70	7800	6000							
3212432365	QUICK	355/65-15	9.75-15	TR	BLACK	133.22	293.09	31.93	12.20	811	310	70	7800	6000							
3212332212	NORMAL NMW	355/65-15	9.75-15	TR	WHITE	132.73	292.00	31.93	12.20	811	310	70	7800	6000							
3212332272	QUICK NMW	355/65-15	9.75-15	TR	WHITE	133.22	293.09	31.93	12.20	811	310	70	7800	6000							
3212332322	NORMAL NMG	355/65-15	9.75-15	TR	GREY	132.73	292.00	31.93	12.20	811	310	70	7800	6000							
3212332382	QUICK NMG	355/65-15	9.75-15	TR	GREY	133.22	293.09	31.93	12.20	811	310	70	7800	6000							
3212332432	NORMAL NMY	355/65-15	9.75-15	TR	YELLOW	133.30	293.25	31.93	12.20	811	310	70	7800	6000							
3212332492	QUICK NMY	355/65-15	9.75-15	TR	YELLOW	133.80	294.35	31.93	12.20	811	310	70	7800	6000							
3212432250	NORMAL	250-15	7.00-15	TR	BLACK	66.61	146.55	27.83	8.35	707	212	53	4745	3650							
3212432255	NORMAL	250-15	7.00-15	TR	BLACK	67.61	148.73	27.83	8.35	707	212	53	4745	3650							

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW



FERENTINO ATHLETIK

ATHLETIK

CODE	PRODUCT NAME (FERENTINO ATHLETIK)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm				
3212332214	NORMAL NMW	250-15	7.00-15	TR	WHITE	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212332274	QUICK NMW	250-15	7.00-15	TR	WHITE	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332324	NORMAL NMG	250-15	7.00-15	TR	GREY	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212332384	QUICK NMG	250-15	7.00-15	TR	GREY	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332434	NORMAL NMY	250-15	7.00-15	TR	YELLOW	66.90	147.17	27.83	8.35	707	212	53	4745	3650	
3212332404	QUICK NMY	250-15	7.00-15	TR	YELLOW	67.90	149.37	27.83	8.35	707	212	53	4745	3650	
3212432370	QUICK	250-15	7.50-15	TR	BLACK	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332216	NORMAL NMW	250-15	7.50-15	TR	WHITE	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332326	NORMAL NMG	250-15	7.50-15	TR	GREY	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332436	NORMAL NMY	250-15	7.50-15	TR	YELLOW	66.80	146.96	27.83	8.35	707	212	53	4745	3650	
3212432260	NORMAL	300-15	8.00-15	TR	BLACK	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212432375	QUICK	300-15	8.00-15	TR	BLACK	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332218	NORMAL NMW	300-15	8.00-15	TR	WHITE	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212332276	QUICK NMW	300-15	8.00-15	TR	WHITE	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332328	NORMAL NMG	300-15	8.00-15	TR	GREY	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212332386	QUICK NMG	300-15	8.00-15	TR	GREY	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332438	NORMAL NMY	300-15	8.00-15	TR	YELLOW	108.33	238.34	31.81	9.84	808	250	70	5850	4500	
3212332496	QUICK NMY	300-15	8.00-15	TR	YELLOW	109.33	240.53	31.81	9.84	808	250	70	5850	4500	
3212432265	NORMAL	7.00-15	5.50-15	TR	BLACK	57.47	126.42	28.30	7.28	721	185	55	3545	2725	
3212432380	QUICK	7.00-15	5.50-15	TR	BLACK	58.46	128.61	28.30	7.28	721	185	55	3545	2725	
3212332222	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	57.47	126.42	28.30	7.28	721	185	55	3545	2725	
3212332278	QUICK NMW	7.00-15	5.50-15	TR	WHITE	58.46	128.61	28.30	7.28	721	185	55	3545	2725	
3212332332	NORMAL NMG	7.00-15	5.50-15	TR	GREY	57.47	126.42	28.30	7.28	721	185	55	3545	2725	
3212332388	QUICK NMG	7.00-15	5.50-15	TR	GREY	58.46	128.61	28.30	7.28	721	185	55	3545	2725	
3212332442	NORMAL NMY	7.00-15	5.50-15	TR	YELLOW	57.71	126.97	28.30	7.28	721	185	55	3545	2725	
3212332498	QUICK NMY	7.00-15	5.50-15	TR	YELLOW	58.71	129.16	28.30	7.28	721	185	55	3545	2725	
3212432270	NORMAL	7.50-15	6.50-15	TR	BLACK	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212432385	QUICK	7.50-15	6.50-15	TR	BLACK	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212332224	NORMAL NMW	7.50-15	6.50-15	TR	WHITE	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212332282	QUICK NMW	7.50-15	6.50-15	TR	WHITE	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212332334	NORMAL NMG	7.50-15	6.50-15	TR	GREY	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212332392	QUICK NMG	7.50-15	6.50-15	TR	GREY	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212332444	NORMAL NMY	7.50-15	6.50-15	TR	YELLOW	71.89	158.16	29.25	7.99	743	203	59	3900	3000	
3212332502	QUICK NMY	7.50-15	6.50-15	TR	YELLOW	72.99	160.57	29.25	7.99	743	203	59	3900	3000	
3212432275	NORMAL	8.25-15	6.50-15	TR	BLACK	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212432390	QUICK	8.25-15	6.50-15	TR	BLACK	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332226	NORMAL NMW	8.25-15	6.50-15	TR	WHITE	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212332284	QUICK NMW	8.25-15	6.50-15	TR	WHITE	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332336	NORMAL NMG	8.25-15	6.50-15	TR	GREY	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212332394	QUICK NMG	8.25-15	6.50-15	TR	GREY	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332446	NORMAL NMY	8.25-15	6.50-15	TR	YELLOW	89.86	197.70	31.65	7.99	804	203	69	4750	3650	
3212332504	QUICK NMY	8.25-15	6.50-15	TR	YELLOW	90.86	199.89	31.65	7.99	804	203	69	4750	3650	
3212432280	NORMAL	10.00-20	7.50-20	TR	BLACK	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212432285	NORMAL	10.00-20	8.00-20	TR	BLACK	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332228	NORMAL NMW	10.00-20	7.50-20	TR	WHITE	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332232	NORMAL NMW	10.00-20	8.00-20	TR	WHITE	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332338	NORMAL NMG	10.00-20	7.50-20	TR	GREY	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332342	NORMAL NMG	10.00-20	8.00-20	TR	GREY	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332448	NORMAL NMY	10.00-20	7.50-20	TR	YELLOW	168.87	371.51	39.76	10.00	1010	254	82	6000	5000	
3212332452	NORMAL NMY	10.00-20	8.00-20	TR	YELLOW	169.86	373.70	39.76	10.00	1010	254	82	6000	5000	

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW

