

FERENTINO SKS

SKS

SKS

SKS
NON MARKING

SKS SMOOTH



SKS SMOOTH
NON MARKING
WHITE & GRAY
AVAILABLE



S
special

Stepped tread design

- Provides excellent tread cleanout for improved off-road traction
- Longest wear

Reusable wheel

- Enables tire only replacement and lowers overall cost of ownership

Optimized conical aperture design

- Improves ride conformability and reduces aperture cracking

Smooth, full-width footprint

- Provides outstanding tread life and excellent stability

Quick Fit design

- Eliminates lock & side rings for quicker installation



FERENTINO SKS SOLID

SKS SOLID

CODE	PRODUCT NAME (FERENTINO SKS SOLID)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT Mm	LOAD CAPACITY								
						NORMAL	OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH	COUNTERBALANCE		UP TO 25KM/H								
														Kg	Pound	Inch	Inch	Mm	Mm	LOAD WHEEL	STEERING WHEEL
3212432515	NEW NORMAL	6.50-16	5.50	TR	BLACK	49.46	108.80	29.3	6.5	743	166		5750	4400							
3212332535	NEW NORMAL NMW	6.50-16	5.50	TR	WHITE	49.46	108.80	29.3	6.5	743	166		5750	4400							
3212332555	NEW NORMAL NMG	6.50-16	5.50	TR	GREY	49.46	108.80	29.3	6.5	743	166		5750	4400							
3212332575	NEW NORMAL NMY	6.50-16	5.50	TR	YELLOW	49.67	109.27	29.3	6.5	743	166		5750	4400							
3212432595	NEW QUICK-L	6.50-16	5.50	TR	BLACK	50.35	110.78	29.3	6.5	743	166		5750	4400							
3212432655	NEW QUICK-R	6.50-16	5.50	TR	BLACK	50.35	110.78	29.3	6.5	743	166		5750	4400							
3212332715	NEW QUICK-L NMW	6.50-16	5.50	TR	WHITE	50.35	110.78	29.3	6.5	743	166		5750	4400							
3212332775	NEW QUICK-R NMW	6.50-16	5.50	TR	WHITE	50.35	110.78	29.3	6.5	743	166		5750	4400							
3212332835	NEW QUICK-L NMG	6.50-16	5.50	TR	GREY	50.35	110.78	29.3	6.5	743	166		5750	4400							
3212332895	NEW QUICK-R NMG	6.50-16	5.50	TR	GREY	50.35	110.78	29.3	6.5	743	166		5750	4400							
3212332955	NEW QUICK-L NMY	6.50-16	5.50	TR	YELLOW	50.57	111.26	29.3	6.5	743	166		5750	4400							
3212333015	NEW QUICK-R NMY	6.50-16	5.50	TR	YELLOW	50.57	111.26	29.3	6.5	743	166		5750	4400							
3212432520	NEW NORMAL	7.50-16	5.50	TR	BLACK	67.44	148.37	31.2	8.1	793	207		8750	6750							
3212332540	NEW NORMAL NMW	7.50-16	5.50	TR	WHITE	67.44	148.37	31.2	8.1	793	207		8750	6750							
3212332560	NEW NORMAL NMG	7.50-16	5.50	TR	GREY	67.44	148.37	31.2	8.1	793	207		8750	6750							
3212332580	NEW NORMAL NMY	7.50-16	5.50	TR	YELLOW	67.73	149.00	31.2	8.1	793	207		8750	6750							
3212432600	NEW QUICK-L	7.50-16	5.50	TR	BLACK	68.34	150.34	31.2	8.1	793	207		8750	6750							
3212432660	NEW QUICK-R	7.50-16	5.50	TR	BLACK	68.34	150.34	31.2	8.1	793	207		8750	6750							
3212332720	NEW QUICK-L NMW	7.50-16	5.50	TR	WHITE	68.34	150.34	31.2	8.1	793	207		8750	6750							
3212332780	NEW QUICK-R NMW	7.50-16	5.50	TR	WHITE	68.34	150.34	31.2	8.1	793	207		8750	6750							
3212332840	NEW QUICK-L NMG	7.50-16	5.50	TR	GREY	68.34	150.34	31.2	8.1	793	207		8750	6750							
3212332900	NEW QUICK-R NMG	7.50-16	5.50	TR	GREY	68.34	150.34	31.2	8.1	793	207		8750	6750							
3212332960	NEW QUICK-L NMY	7.50-16	5.50	TR	YELLOW	68.63	150.99	31.2	8.1	793	207		8750	6750							
3212333020	NEW QUICK-R NMY	7.50-16	5.50	TR	YELLOW	68.63	150.99	31.2	8.1	793	207		8750	6750							
3212432525	NEW NORMAL	8.00-16	5.50	TR	BLACK	73.73	162.21	32.2	8.2	818	208		9200	7050							
3212432530	NEW NORMAL	8.00-16	6.00	TR	BLACK	73.73	162.21	32.2	8.2	818	208		9200	7050							
3212332545	NEW NORMAL NMW	8.00-16	5.50	TR	WHITE	73.73	162.21	32.2	8.2	818	208		9200	7050							
3212332550	NEW NORMAL NMW	8.00-16	6.00	TR	WHITE	73.73	162.21	32.2	8.2	818	208		9200	7050							
3212332565	NEW NORMAL NMG	8.00-16	5.50	TR	GREY	73.73	162.21	32.2	8.2	818	208		9200	7050							
3212332570	NEW NORMAL NMG	8.00-16	6.00	TR	GREY	73.73	162.21	32.2	8.2	818	208		9200	7050							
3212332585	NEW NORMAL NMY	8.00-16	5.50	TR	YELLOW	74.06	162.91	32.2	8.2	818	208		9200	7050							
3212332590	NEW NORMAL NMY	8.00-16	6.00	TR	YELLOW	74.06	162.91	32.2	8.2	818	208		9200	7050							
3212432605	NEW QUICK-L	8.00-16	5.50	TR	BLACK	74.63	164.19	32.2	8.2	818	208		9200	7050							
3212432665	NEW QUICK-R	8.00-16	5.50	TR	BLACK	74.63	164.19	32.2	8.2	818	208		9200	7050							
3212332725	NEW QUICK-L NMW	8.00-16	5.50	TR	WHITE	74.63	164.19	32.2	8.2	818	208		9200	7050							
3212332785	NEW QUICK-R NMW	8.00-16	5.50	TR	WHITE	74.63	164.19	32.2	8.2	818	208		9200	7050							
3212332845	NEW QUICK-L NMG	8.00-16	5.50	TR	GREY	74.63	164.19	32.2	8.2	818	208		9200	7050							
3212332905	NEW QUICK-R NMG	8.00-16	5.50	TR	GREY	74.63	164.19	32.2	8.2	818	208		9200	7050							
3212332965	NEW QUICK-L NMY	8.00-16	5.50	TR	YELLOW	74.96	164.90	32.2	8.2	818	208		9200	7050							
3212333025	NEW QUICK-R NMY	8.00-16	5.50	TR	YELLOW	74.96	164.90	32.2	8.2	818	208		9200	7050							
3212432395	AIR QUICK-L	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212432410	AIR QUICK-R	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332425	AIR QUICK-L NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332440	AIR QUICK-R NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332455	AIR QUICK-L NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332480	AIR QUICK-R NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332485	AIR QUICK-L NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835							
3212332500	AIR QUICK-R NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835							
3212432610	NEW QUICK-L	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212432670	NEW QUICK-R	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332730	NEW QUICK-L NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332790	NEW QUICK-R NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332850	NEW QUICK-L NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332910	NEW QUICK-R NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835							
3212332970	NEW QUICK-L NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835							
3212333030	NEW QUICK-R NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835							
3212432400	AIR QUICK-L	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820							

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW





FERENTINO SKS SOLID

SKS SOLID

CODE	PRODUCT NAME (FERENTINO SKS SOLID)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY	
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE	UP TO 25KM/H
						Kg	Pound	Inch	Inch	Mm	Mm			
Mm	Mm	Mm	Mm	Kg	Kg									
3212432415	QUIK-R	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332430	QUIK-L NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332445	QUIK-R NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332460	QUIK-L NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332470	QUIK-R NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332480	QUIK-L NMY	33X12-20	7.50	TR	YELLOW	85.79	188.74	32.70	11.30	831	287		11465	8820
3212332505	QUIK-R NMY	33X12-20	7.50	TR	YELLOW	85.79	188.74	32.70	11.30	831	287		11465	8820
3212432615	QUIK-L	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820
3212432675	QUIK-R	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332735	QUIK-L NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332795	QUIK-R NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332855	QUIK-L NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332915	QUIK-R NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820
3212332975	QUIK-L NMY	33X12-20	7.50	TR	YELLOW	85.79	188.74	32.70	11.30	831	287		11465	8820
3212333035	QUIK-R NMY	33X12-20	7.50	TR	YELLOW	85.79	188.74	32.70	11.30	831	287		11465	8820
3212432405	QUIK-L	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500
3212432420	QUIK-R	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332435	QUIK-L NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332450	QUIK-R NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332465	QUIK-L NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332475	QUIK-R NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332485	QUIK-L NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500
3212332510	QUIK-R NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500
3212432620	QUIK-L	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500
3212432680	QUIK-R	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332740	QUIK-L NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332800	QUIK-R NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332860	QUIK-L NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332920	QUIK-R NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500
3212332980	QUIK-L NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500
3212333040	QUIK-R NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500
3212432625	QUIK-L	31X10-20 SM	7.50	TR	BLACK	65.19	143.42	30.70	9.30	781	237		8885	6835
3212432685	QUIK-R	31X10-20 SM	7.50	TR	BLACK	65.19	143.42	30.70	9.30	781	237		8885	6835
3212332745	QUIK-L NMW	31X10-20 SM	7.50	TR	WHITE	65.19	143.42	30.70	9.30	781	237		8885	6835
3212332805	QUIK-R NMW	31X10-20 SM	7.50	TR	WHITE	65.19	143.42	30.70	9.30	781	237		8885	6835
3212332865	QUIK-L NMG	31X10-20 SM	7.50	TR	GREY	65.19	143.42	30.70	9.30	781	237		8885	6835
3212332925	QUIK-R NMG	31X10-20 SM	7.50	TR	GREY	65.19	143.42	30.70	9.30	781	237		8885	6835
3212332985	QUIK-L NMY	31X10-20 SM	7.50	TR	YELLOW	65.47	144.04	30.70	9.30	781	237		8885	6835
3212333045	QUIK-R NMY	31X10-20 SM	7.50	TR	YELLOW	65.47	144.04	30.70	9.30	781	237		8885	6835
3212432630	QUIK-L	33X12-20 SM	7.50	TR	BLACK	92.62	203.76	32.70	11.30	831	287		11465	8820
3212432690	QUIK-R	33X12-20 SM	7.50	TR	BLACK	92.62	203.76	32.70	11.30	831	287		11465	8820
3212332750	QUIK-L NMW	33X12-20 SM	7.50	TR	WHITE	92.62	203.76	32.70	11.30	831	287		11465	8820
3212332810	QUIK-R NMW	33X12-20 SM	7.50	TR	WHITE	92.62	203.76	32.70	11.30	831	287		11465	8820
3212332870	QUIK-L NMG	33X12-20 SM	7.50	TR	GREY	92.62	203.76	32.70	11.30	831	287		11465	8820
3212332930	QUIK-R NMG	33X12-20 SM	7.50	TR	GREY	92.62	203.76	32.70	11.30	831	287		11465	8820
3212332990	QUIK-L NMY	33X12-20 SM	7.50	TR	YELLOW	93.01	204.63	32.70	11.30	831	287		11465	8820
3212333050	QUIK-R NMY	33X12-20 SM	7.50	TR	YELLOW	93.01	204.63	32.70	11.30	831	287		11465	8820
3212432635	QUIK-L	36X14-20 SM	7.50	TR	BLACK	133.08	292.78	35.80	12.80	909	326		13650	10500
3212432695	QUIK-R	36X14-20 SM	7.50	TR	BLACK	133.08	292.78	35.80	12.80	909	326		13650	10500
3212332755	QUIK-L NMW	36X14-20 SM	7.50	TR	WHITE	133.08	292.78	35.80	12.80	909	326		13650	10500
3212332815	QUIK-R NMW	36X14-20 SM	7.50	TR	WHITE	133.08	292.78	35.80	12.80	909	326		13650	10500
3212332875	QUIK-L NMG	36X14-20 SM	7.50	TR	GREY	133.08	292.78	35.80	12.80	909	326		13650	10500
3212332935	QUIK-R NMG	36X14-20 SM	7.50	TR	GREY	133.08	292.78	35.80	12.80	909	326		13650	10500
3212332995	QUIK-L NMY	36X14-20 SM	7.50	TR	YELLOW	133.65	294.03	35.80	12.80	909	326		13650	10500
3212333055	QUIK-R NMY	36X14-20 SM	7.50	TR	YELLOW	133.65	294.03	35.80	12.80	909	326		13650	10500
3212432640	QUIK-L	31X10-20 SM Air solid	7.50	TR	BLACK	57.55	126.61	30.70	9.30	781	237		8885	6835
3212432700	QUIK-R	31X10-20 SM Air solid	7.50	TR	BLACK	57.55	126.61	30.70	9.30	781	237		8885	6835

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW



FERENTINO SKS SOLID

SKS SOLID

CODE	PRODUCT NAME (FERENTINO SKS SOLID)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT Mm	LOAD CAPACITY	
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE	UP TO 25KM/H
						Kg	Pound	Inch	Inch	Mm	Mm		LOAD WHEEL Kg	STEERING WHEEL Kg
3212332780	QUIOK-L NMW	31X10-20 SM Air solid	7.50	TR	WHITE	57.55	126.61	30.70	9.30	781	237		8885	6835
3212332820	QUIOK-R NMW	31X10-20 SM Air solid	7.50	TR	WHITE	57.55	126.61	30.70	9.30	781	237		8885	6835
3212332880	QUIOK-L NMG	31X10-20 SM Air solid	7.50	TR	GREY	57.55	126.61	30.70	9.30	781	237		8885	6835
3212332940	QUIOK-R NMG	31X10-20 SM Air solid	7.50	TR	GREY	57.55	126.61	30.70	9.30	781	237		8885	6835
3212333000	QUIOK-L NMY	31X10-20 SM Air solid	7.50	TR	YELLOW	57.80	127.15	30.70	9.30	781	237		8885	6835
3212333080	QUIOK-R NMY	31X10-20 SM Air solid	7.50	TR	YELLOW	57.80	127.15	30.70	9.30	781	237		8885	6835
3212432645	QUIOK-L	33X12-20 SM Air solid	7.50	TR	BLACK	82.73	182.00	32.70	11.30	831	287		11465	8820
3212432705	QUIOK-R	33X12-20 SM Air solid	7.50	TR	BLACK	82.73	182.00	32.70	11.30	831	287		11465	8820
3212332785	QUIOK-L NMW	33X12-20 SM Air solid	7.50	TR	WHITE	82.73	182.00	32.70	11.30	831	287		11465	8820
3212332825	QUIOK-R NMW	33X12-20 SM Air solid	7.50	TR	WHITE	82.73	182.00	32.70	11.30	831	287		11465	8820
3212332885	QUIOK-L NMG	33X12-20 SM Air solid	7.50	TR	GREY	82.73	182.00	32.70	11.30	831	287		11465	8820
3212332945	QUIOK-R NMG	33X12-20 SM Air solid	7.50	TR	GREY	82.73	182.00	32.70	11.30	831	287		11465	8820
3212333005	QUIOK-L NMY	33X12-20 SM Air solid	7.50	TR	YELLOW	83.08	182.78	32.70	11.30	831	287		11465	8820
3212333085	QUIOK-R NMY	33X12-20 SM Air solid	7.50	TR	YELLOW	83.08	182.78	32.70	11.30	831	287		11465	8820
3212432650	QUIOK-L	36X14-20 SM Air Solid	7.50	TR	BLACK	116.89	257.17	35.80	12.80	909	326		13650	10500
3212432710	QUIOK-R	36X14-20 SM Air Solid	7.50	TR	BLACK	116.89	257.17	35.80	12.80	909	326		13650	10500
3212332770	QUIOK-L NMW	36X14-20 SM Air Solid	7.50	TR	WHITE	116.89	257.17	35.80	12.80	909	326		13650	10500
3212332830	QUIOK-R NMW	36X14-20 SM Air Solid	7.50	TR	WHITE	116.89	257.17	35.80	12.80	909	326		13650	10500
3212332890	QUIOK-L NMG	36X14-20 SM Air Solid	7.50	TR	GREY	116.89	257.17	35.80	12.80	909	326		13650	10500
3212332950	QUIOK-R NMG	36X14-20 SM Air Solid	7.50	TR	GREY	116.89	257.17	35.80	12.80	909	326		13650	10500
3212333010	QUIOK-L NMY	36X14-20 SM Air Solid	7.50	TR	YELLOW	117.40	258.27	35.80	12.80	909	326		13650	10500
3212333070	QUIOK-R NMY	36X14-20 SM Air Solid	7.50	TR	YELLOW	117.40	258.27	35.80	12.80	909	326		13650	10500

NMW - NON MARKING WHITE
 NMG - NON MARKING GRAY
 NMY - NON MARKING YELLOW

