

LEADER IN INDUSTRIAL TYRES

FERENTINO TYRE CORPORATION



INDUSTRIAL TIRES
PRODUCT CATALOG 2021

FERENTINO
TYRE CORPORATION



STRONGER PERFORMANCE SAVES YOU TIME

FERENTINO INDUSTRIAL TIRES ARE THE ONLY CHOICE for those who want maximum performance and minimum wear. Those who work hard know how crucial time is. Continuous and extended use with no downtime for maintenance is a critical time saver. This indisputable advantage combined with high quality compounds and raw materials that extend the tire's lifespan allows us to achieve another key result: a reduction in costs. The wide range of FERENTINO INDUSTRIAL TIRES products is able to meet any and all requirements in terms of reliability, performance and safety. Guaranteed return for a long-term investment.



A SINGLE RESPONSE TO ALL YOUR NEEDS: PERFORMANCE



CUT OPERATING COSTS

Reducing rolling resistance means reducing heat and thus energy consumption.

The benefits are a greater yield per battery charge for electric forklifts and fewer refuelling stops for those based on internal combustion engines.

ACHIEVE HIGH STANDARDS OF QUALITY AND RELIABILITY

The management of the entire production process makes FERENTINO INDUSTRIAL TIRES one of the few companies able to choose compounds, technologies, machinery and moulds, while at the same time implementing unparalleled know-how. This results in highly proven and cutting edge products that always offer the performance you need.

IMPROVE EFFICIENCY

Constant performance levels, limited wear, plus comfort, stability and excellent loading capacity guarantee higher efficiency even for heavy duty forklifts.

CHOOSE THE BEST PRODUCT

Many of the leading manufacturers of forklifts and industrial vehicles have chosen FERENTINO INDUSTRIAL TIRES as their original equipment supplier and have cooperated with the Research and Development Centre to develop their products according to different needs: efficiency, safety, and comfort. Users can benefit from the wide range of products offered by FERENTINO INDUSTRIAL TIRES, a leading specialist in the sector globally.


REDUCE YOUR COMPANY'S FOOTPRINT

By ensuring industrial tires a longer lifespan and decreasing the energy consumption of vehicles, which in turn reduces polluting emissions and thus the overall ecological impact is significantly reduced.



SPECIALIST STRENGTH

The quality of the compounds used is essential in the solid industrial tire sector.





SPECIAL-S



This version was designed and developed especially for loaders and produced in the 20 and 24 inch sizes. It is constructed using compounds which are particularly resistant to tearing. The tire stands out for its resistance to wear and tear, jolts, cuts and abrasions, as well as for its high rigidity that provides stability to the vehicle and, therefore, to the load. Used for vehicles which carry loads, usually in environments with extreme conditions, such as scrap yards and dumps.



HIGH CAPACITY-HL

This is a tire designed with a highly rigid structure in comparison to standard

It is constructed with extremely hard compounds that are able to maintain all the other physical and mechanical characteristics to excellent levels. The distinguishing feature of Super-elastic and Cushion tires is their ability to sustain high loads with minimal deformation. It is widely used in situations where it is of paramount importance to maintain the stability of the vehicle and, therefore, of the load. It is also utilised in other specific cases. Contact a FERENTINO INDUSTRIAL TIRES technician for advice before choosing this version.



ANTISTATIC-AS

This tire was designed to release the static electricity accumulated by the vehicle onto the ground. It is constructed with special additives which perform this action while maintaining all the other physical and mechanical characteristics to excellent levels. It is typically used in paint and solvent factories, in gas tank deposits, in environments with easily flammable fine dust particles or in environments where the accumulation of static electricity can cause explosions. In all of these cases, the use of this tire increases safety levels. The AS Super-elastic and Cushion tires are in compliance with the ISO standards. A certificate of conformity shall be provided upon customers' request.



NON MARKING-NM

This is a yellow coloured tire, designed not to leave dark marks on the ground surface.

It is constructed with a yellow mixture, containing no dark substances. Its use is recommended in environments where cleanliness is of great importance, for example in the pharmaceutical, food and beverage, and electronic industries, or anywhere light coloured floors must stay clean.

SURFACE: RECOMMENDED USE



SSTDAS



HL



NM

INNOVATIVE SOLUTIONS

FERENTINO HIGHRIDE INTEGRATED LOADER SYSTEM

The FERENTINO INDUSTRIAL TIRES integrated loader system is ideal for all stressful situations in which the machines have to work in a stationary position, travelling just short distances and carrying particularly heavy loads (scrap yards, landfills, timber yards, etc.).

TIRE

square and compact pattern
less vertical deformation

MORE STABILITY

COMPOUND

resistant to cuts and tears

+ LIFE

TREAD

designed to transmit

MORE TRACTION

SPACER

prevents infiltration
of debris and other
similar objects


REINFORCED RIM WITH FLAT BOTTOM CHANNEL

increased thickness
no aeration or inflation valve holes

STURDIER

perfect coupling to the tires

MORE SOLIDITY



HIGHRIDE TIRE

High stability tire designed to withstand very high loads. The reinforced sidewall limits vertical deformation and protects against accidental impact.

The compounds used guarantee maximum resistance to cuts and tears and consequently longer life. The tread is designed to improve traction in all working conditions.

RING PROTECTOR

The spacer perfectly traces the profile of the FERENTINO INDUSTRIAL TIRES tire sidewall, thus preventing infiltration of debris and the like.

RIM

The reinforced rim with flat bottom channel, designed especially to mount FERENTINO INDUSTRIAL TIRES solid tires, solves all skidding problems. Especially robust due to increased thickness and elimination of the aeration holes and the hole for the inflation valve.

FERENTINO HIGHRIDE QUICK

QUICK - Bead structure consist of a special border made of highly resistant rubber; guarantees a perfect fit on the rim with no need for fastening rings.

HIGHRIDE QUICK FOR QUICK AND EASY INSTALLATION



FOR BEAD QUICK VERSION

HIGHRIDE STANDARD (NON QUICK) FOR FITTING ON INDUSTRIAL MULTIPIECE RIMS



FOR BEAD STANDARD VERSION
Movable rimparts 1, 2 and 3.

RIMS FOR QUICK SOLID TIRES

- Fit all sizes of Quick Solid Tires from 8" to 24"
- Available for all standard applications.
- Adaptable to most custom applications.



INDUSTRIAL MULTIPIECE RIMS

- Fit all sizes of Industrial Tires from 8" to 24".
- Available for all standard and heavy duty (20 and 24") applications.
- Multipiece design includes 2 or 3 piece components or base wheel for the quick type applications.
- Fit tube type tires as well as STANDARD solid tires.
- Designed for easy tire installation and precise fitment.



SPLIT RIMS (DIVIDED TYPE)

- Designed for easy tire installation and precise fitment without press.



WHEELS FOR POB CUSHION TIRES

- Fit all sizes of press on band cushion from 6,5" to 22".
- Available for all standard applications.
- Adaptable to most custom applications.



FERENTINO
TIRES CORPORATION

SPECIALISED RANGE

FERENTINO PREMIUM



FERENTINO CURED-ON



Page 70



CONVENTIONAL PNEUMATIC INDUSTRIAL TYRES



Page 72



CONVENTIONAL PNEUMATIC SKID STEER TIRES FOR SMALL- SIZED MACHINES



Page 74



CONVENTIONAL PNEUMATIC TIRES FOR INDUSTRIAL TRACTORS

FOR CONSTRUCTION AND ROAD WORKS



Page 76



MULTI-PURPOSE CONVENTIONAL PNEUMATIC TIRES FOR MANUFACTURING MACHINES



Page 78



CONVENTIONAL PNEUMATIC TIRES FOR INDUSTRIAL TRACTORS

FOR CONSTRUCTION AND ROAD WORKS



Page 80



 **FERENTINO**
Tyre Innovation

FERENTINO PREMIUM

THE TECHNOLOGY THAT ANTICIPATES TOMORROW BY 10%



Our prime objective? To extend tire life and save our customers time and money, without compromising on performance. Rather, improving performance even more compared to similar competing products. FERENTINO INDUSTRIAL TIRES' response has a name: **Ferentino Premium**. This new range can withstand a high number of working hours (10% more compared to other premium products) by generating less heat, the result of a new structure and optimised characteristics of the compounds.

The results achieved today with **Ferentino Premium** in terms of reliability, performance and safety were unconceivable just a few years ago.

Longer continuous service without stopping for maintenance means savings in terms of time and costs, as well as reducing environmental impact.

Less replacements mean less CO2 emissions, beneficial for the environment.



-8%*
LOWER ROLLING
RESISTANCE



-15%*
REDUCED HEAT
PRODUCTION



-20%*
LOWER ENERGY
CONSUMPTION




+10%*
LONGER
LIFE

* Tests conducted in the laboratory with other premium products.



MORE TIME, MORE EVOLUTION



**NEW TREAD STRUCTURE,
WITH THE 60J POSITIONED
ON A SMALLER DIAMETER**
= longer life compared to
other premium products

Ferentino Premium is the super-elastic superior tire by FERENTINO INDUSTRIAL TIRES offering the best performance in terms of durability, reliability and energy consumption.

The FERENTINO INDUSTRIAL TIRES R&D Division, after hundreds of hours spent on testing, has achieved the goal to optimize structures and compounds so as to obtain the best product in the market.

Low rolling resistance together with reduced heat generation allow **Ferentino Premium** to be used even in extreme operating conditions, guaranteeing long product life.

**EVOLVED AND
UPGRADED
COMPOUNDS**

**COMPOUNDS DESIGNED FOR
BETTER ROLLING RESISTANCE
AND LESS FRICTION BETWEEN
THE TREAD AND THE GROUND**
= lower energy consumption and
maximum battery efficiency

**GOOD
DIRECTIONALITY**



**BETTER
TRACTION**



**GREATER STABILITY
SMOOTH RUNNING**



FERENTINO

FERENTINO PREMIUM

PREMIUM

FERENTINO PREMIUM



FERENTINO PREMIUM NON MARKING



Continuous center lug

- Increased directionality
- Greater stability and smooth running
- Excellent comfort in every situation

Deeper tread

- Better traction

Wide tread profile

- Increases lateral load stability
- Safer in high-lift and cornering situations

Exceptional tread rubber compound properties

- Makes this tire the longest lasting tire in the industry for high intensity applications

Wear indicator

- Ensures maximum tire utilization

Low heat resistance rubber compounds

- Withstand high intensity usage and offer low energy consumption.

FERENTINO PREMIUM



PREMIUM

CODE	PRODUCT NAME (FERENTINO PREMIUM)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL STEERING WHEEL	
3212410001	NORMAL	5.00-8	3.00D-8	TR	BLACK	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212410190	QUICK	5.00-8	3.00D-8	TR	BLACK	16.86	37.09	17.87	4.65	454	118	39	1415	1090	
3212310360	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310365	NORMAL NMW	5.00-8	3.50D-8	TR	WHITE	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310610	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	16.86	37.09	17.87	4.65	454	118	39	1415	1090	
3212310344	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310346	NORMAL NMG	5.00-8	3.50D-8	TR	GREY	16.66	36.65	17.87	4.65	454	118	39	1415	1090	
3212310468	QUICK NMG	5.00-8	3.00D-8	TR	GREY	16.86	37.09	17.87	4.65	454	118	39	1415	1090	
3212310546	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	16.73	36.81	17.87	4.65	454	118	39	1415	1090	
3212310548	NORMAL NMY	5.00-8	3.50D-8	TR	YELLOW	16.73	36.81	17.87	4.65	454	118	39	1415	1090	
3212310672	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.93	37.25	17.87	4.65	454	118	39	1415	1090	
3212410005	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212410195	QUICK	15x4 1/2-8	3.00D-8	TR	BLACK	10.17	22.38	14.92	4.45	379	113	27	1040	800	
3212310370	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310375	NORMAL NMW	15x4 1/2-8	3.25I-8	TR	WHITE	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310615	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.17	22.38	14.92	4.45	379	113	27	1040	800	
3212310348	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310352	NORMAL NMG	15x4 1/2-8	3.25I-8	TR	GREY	9.98	21.95	14.92	4.45	379	113	27	1040	800	
3212310472	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.17	22.38	14.92	4.45	379	113	27	1040	800	
3212310552	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.02	22.04	14.92	4.45	379	113	27	1040	800	
3212310554	NORMAL NMY	15x4 1/2-8	3.25I-8	TR	YELLOW	10.02	22.04	14.92	4.45	379	113	27	1040	800	
3212310674	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.22	22.48	14.92	4.45	379	113	27	1040	800	
3212410010	NORMAL	16x6-8	4.33R-8	TR	BLACK	16.26	35.77	16.18	5.98	411	152	33	1495	1150	
3212410200	QUICK	16x6-8	4.33R-8	TR	BLACK	16.86	37.09	16.18	5.98	411	152	33	1495	1150	
3212310380	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	16.26	35.77	16.18	5.98	411	152	33	1495	1150	
3212310620	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	16.86	37.09	16.18	5.98	411	152	33	1495	1150	
3212310354	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	16.26	35.77	16.18	5.98	411	152	33	1495	1150	
3212310474	QUICK NMG	16x6-8	4.33R-8	TR	GREY	16.86	37.09	16.18	5.98	411	152	33	1495	1150	
3212310556	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	16.33	36.92	16.18	5.98	411	152	33	1495	1150	
3212310676	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	16.93	37.25	16.18	5.98	411	152	33	1495	1150	
3212410015	NORMAL	18x7-8	4.33R-8	TR	BLACK	21.61	47.63	17.83	5.98	453	152	44	2145	1650	
3212410205	QUICK	18x7-8	4.33R-8	TR	BLACK	21.75	47.84	17.83	5.98	453	152	44	2145	1650	
3212310385	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	21.61	47.63	17.83	5.98	453	152	44	2145	1650	
3212310625	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	21.75	47.84	17.83	5.98	453	152	44	2145	1650	
3212310356	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	21.61	47.63	17.83	5.98	453	152	44	2145	1650	
3212310476	QUICK NMG	18x7-8	4.33R-8	TR	GREY	21.75	47.84	17.83	5.98	453	152	44	2145	1650	
3212310558	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	21.70	47.74	17.83	5.98	453	152	44	2145	1650	
3212310678	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	21.84	48.05	17.83	5.98	453	152	44	2145	1650	
3212410210	QUICK	140/55-9	4.00E-09	TR	BLACK	10.67	23.48	14.84	5.12	377	130	28	1170	900	
3212310630	QUICK NMW	140/55-9	4.00E-09	TR	WHITE	10.67	23.48	14.84	5.12	377	130	28	1170	900	
3212310478	QUICK NMG	140/55-9	4.00E-09	TR	GREY	10.67	23.48	14.84	5.12	377	130	28	1170	900	
3212310682	QUICK NMY	140/55-9	4.00E-09	TR	YELLOW	10.72	23.58	14.84	5.12	377	130	28	1170	900	
3212410020	NORMAL	6.00-9	4.00E-09	TR	BLACK	26.84	56.84	20.50	5.31	523	135	52	1885	1450	
3212410215	QUICK	6.00-9	4.00E-09	TR	BLACK	26.33	57.93	20.50	5.31	523	135	52	1885	1450	
3212310395	NORMAL NMW	6.00-9	4.00E-09	TR	WHITE	26.84	56.84	20.50	5.31	523	135	52	1885	1450	
3212310635	QUICK NMW	6.00-9	4.00E-09	TR	WHITE	26.33	57.93	20.50	5.31	523	135	52	1885	1450	
3212310362	NORMAL NMG	6.00-9	4.00E-09	TR	GREY	26.84	56.84	20.50	5.31	523	135	52	1885	1450	
3212310482	QUICK NMG	6.00-9	4.00E-09	TR	GREY	26.33	57.93	20.50	5.31	523	135	52	1885	1450	
3212310564	NORMAL NMY	6.00-9	4.00E-09	TR	YELLOW	26.95	57.08	20.50	5.31	523	135	52	1885	1450	
3212310684	QUICK NMY	6.00-9	4.00E-09	TR	YELLOW	26.45	58.18	20.50	5.31	523	135	52	1885	1450	
3212410025	NORMAL	21x8-9	6.00E-09	TR	BLACK	35.11	77.25	20.39	7.20	518	183	40	2755	2120	
3212410220	QUICK	21x8-9	6.00E-09	TR	BLACK	35.51	78.12	20.39	7.20	518	183	40	2755	2120	
3212310400	NORMAL NMW	21x8-9	6.00E-09	TR	WHITE	35.11	77.25	20.39	7.20	518	183	40	2755	2120	
3212310640	QUICK NMW	21x8-9	6.00E-09	TR	WHITE	35.51	78.12	20.39	7.20	518	183	40	2755	2120	
3212310364	NORMAL NMG	21x8-9	6.00E-09	TR	GREY	35.11	77.25	20.39	7.20	518	183	40	2755	2120	
3212310484	QUICK NMG	21x8-9	6.00E-09	TR	GREY	35.51	78.12	20.39	7.20	518	183	40	2755	2120	
3212310566	NORMAL NMY	21x8-9	6.00E-09	TR	YELLOW	35.26	77.58	20.39	7.20	518	183	40	2755	2120	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO PREMIUM



CODE	PRODUCT NAME (FERENTINO PREMIUM)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212310686	QUICK NMY	21x8-9	6.00E-09	TR	YELLOW	35.66	78.46	20.39	7.20	518	183	49	2755	2120	
3212410225	QUICK	180/60-10	5.00F-10	TR	BLACK	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212318398	QUICK NMW	180/60-10	5.00F-10	TR	WHITE	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212318402	QUICK NMG	180/60-10	5.00F-10	TR	GREY	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212318404	QUICK NMY	180/60-10	5.00F-10	TR	YELLOW	20.05	44.11	17.80	6.30	452	160	33	2410	1850	
3212410030	NORMAL	200/50-10	6.50F-10	TR	BLACK	24.84	54.64	17.99	7.60	457	193	34	2470	1900	
3212410230	QUICK	200/50-10	6.50F-10	TR	BLACK	25.34	55.74	17.99	7.60	457	193	34	2470	1900	
3212310405	NORMAL NMW	200/50-10	6.50F-10	TR	WHITE	24.84	54.64	17.99	7.60	457	193	34	2470	1900	
3212310645	QUICK NMW	200/50-10	6.50F-10	TR	WHITE	25.34	55.74	17.99	7.60	457	193	34	2470	1900	
3212310366	NORMAL NMG	200/50-10	6.50F-10	TR	GREY	24.84	54.64	17.99	7.60	457	193	34	2470	1900	
3212310486	QUICK NMG	200/50-10	6.50F-10	TR	GREY	25.34	55.74	17.99	7.60	457	193	34	2470	1900	
3212310568	NORMAL NMY	200/50-10	6.50F-10	TR	YELLOW	24.94	54.88	17.99	7.60	457	193	34	2470	1900	
3212310688	QUICK NMY	200/50-10	6.50F-10	TR	YELLOW	25.45	55.98	17.99	7.60	457	193	34	2470	1900	
3212410035	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212410235	QUICK	6.50-10	5.00F-10	TR	BLACK	35.21	77.47	22.36	6.18	568	157	55	2340	1800	
3212310410	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310415	NORMAL NMW	6.50-10	5.50F-10	TR	WHITE	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310650	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.21	77.47	22.36	6.18	568	157	55	2340	1800	
3212310368	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310372	NORMAL NMG	6.50-10	5.50F-10	TR	GREY	34.71	76.37	22.36	6.18	568	157	55	2340	1800	
3212310488	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.21	77.47	22.36	6.18	568	157	55	2340	1800	
3212310572	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	34.86	76.70	22.36	6.18	568	157	55	2340	1800	
3212310574	NORMAL NMY	6.50-10	5.50F-10	TR	YELLOW	34.86	76.70	22.36	6.18	568	157	55	2340	1800	
3212310692	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	35.36	77.80	22.36	6.18	568	157	55	2340	1800	
3212410040	NORMAL	23x9-10	6.50F-10	TR	BLACK	48.78	107.31	22.99	7.83	584	199	52	3445	2650	
3212410240	QUICK	23x9-10	6.50F-10	TR	BLACK	49.78	109.51	22.99	7.83	584	199	52	3445	2650	
3212310420	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	48.78	107.31	22.99	7.83	584	199	52	3445	2650	
3212310655	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	49.78	109.51	22.99	7.83	584	199	52	3445	2650	
3212310374	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	48.78	107.31	22.99	7.83	584	199	52	3445	2650	
3212310492	QUICK NMG	23x9-10	6.50F-10	TR	GREY	49.78	109.51	22.99	7.83	584	199	52	3445	2650	
3212310576	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	48.90	107.77	22.99	7.83	584	199	52	3445	2650	
3212310694	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	49.90	109.98	22.99	7.83	584	199	52	3445	2650	
3212410045	NORMAL	23x10-12	8.00G-12	TR	BLACK	52.69	115.92	23.07	9.21	586	234	45	3770	2900	
3212410245	QUICK	23x10-12	8.00G-12	TR	BLACK	53.09	116.80	23.07	9.21	586	234	45	3770	2900	
3212310435	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	52.69	115.92	23.07	9.21	586	234	45	3770	2900	
3212310665	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	53.09	116.80	23.07	9.21	586	234	45	3770	2900	
3212310382	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	52.69	115.92	23.07	9.21	586	234	45	3770	2900	
3212310496	QUICK NMG	23x10-12	8.00G-12	TR	GREY	53.09	116.80	23.07	9.21	586	234	45	3770	2900	
3212310584	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	52.92	116.42	23.07	9.21	586	234	45	3770	2900	
3212310698	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	53.32	117.30	23.07	9.21	586	234	45	3770	2900	
3212410060	NORMAL	23x12-12	10.00G-12	TR	BLACK	64.13	141.08	22.99	11.06	584	281	43	4485	3450	
3212410260	QUICK	23x12-12	10.00G-12	TR	BLACK	65.32	143.70	22.99	11.06	584	281	43	4485	3450	
3212310384	NORMAL NMW	23x12-12	10.00G-12	TR	WHITE	64.13	141.08	22.99	11.06	584	281	43	4485	3450	
3212310386	NORMAL NMG	23x12-12	10.00G-12	TR	GREY	64.13	141.08	22.99	11.06	584	281	43	4485	3450	
3212310388	NORMAL NMY	23x12-12	10.00G-12	TR	YELLOW	64.40	141.68	22.99	11.06	584	281	43	4485	3450	
3212310392	NORMAL NMW	23x12-12	10.00G-12	TR	WHITE	65.32	143.70	22.99	11.06	584	281	43	4485	3450	
3212310394	NORMAL NMG	23x12-12	10.00G-12	TR	GREY	65.32	143.70	22.99	11.06	584	281	43	4485	3450	
3212310396	NORMAL NMY	23x12-12	10.00G-12	TR	YELLOW	65.60	144.32	22.99	11.06	584	281	43	4485	3450	
3212410055	NORMAL	27x10-12	8.00G-12	TR	BLACK	78.74	173.23	26.77	9.53	680	242	63	3900	3000	
3212410255	QUICK	27x10-12	8.00G-12	TR	BLACK	79.54	174.98	26.77	9.53	680	242	63	3900	3000	
3212310440	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	78.74	173.23	26.77	9.53	680	242	63	3900	3000	
3212310670	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	79.54	174.98	26.77	9.53	680	242	63	3900	3000	
3212310384	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	78.74	173.23	26.77	9.53	680	242	63	3900	3000	
3212310498	QUICK NMG	27x10-12	8.00G-12	TR	GREY	79.54	174.98	26.77	9.53	680	242	63	3900	3000	
3212310586	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	79.08	173.23	26.77	9.53	680	242	63	3900	3000	
3212310702	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	79.88	174.98	26.77	9.53	680	242	63	3900	3000	
3212310435	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	78.74	173.23	26.77	9.53	680	242	63	3900	3000	



FERENTINO PREMIUM

PREMIUM

CODE	PRODUCT NAME (FERENTINO PREMIUM)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY	
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE	
						Kg	Pound	Inch	Inch	Mm	Mm		UP TO 25KM/H	
3212310666	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	79.54	174.98	26.77	9.53	680	242	63	3900	3000
3212310382	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	78.74	173.23	26.77	9.53	680	242	63	3900	3000
3212310496	QUICK NMG	23x10-12	8.00G-12	TR	GREY	79.54	174.98	26.77	9.53	680	242	63	3900	3000
3212310584	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	79.08	173.97	26.77	9.53	680	242	63	3900	3000
3212310698	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	79.88	175.73	26.77	9.53	680	242	63	3900	3000
3212410060	NORMAL	7.00-12	5.00S-12	TR	BLACK	47.32	104.11	25.71	6.54	653	166	60	2920	2240
3212410260	QUICK	7.00-12	5.00S-12	TR	BLACK	48.32	106.30	25.71	6.54	653	166	60	2920	2240
3212310445	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	47.32	104.11	25.71	6.54	653	166	60	2920	2240
3212310675	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	48.32	106.30	25.71	6.54	653	166	60	2920	2240
3212310386	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	47.32	104.11	25.71	6.54	653	166	60	2920	2240
3212310502	QUICK NMG	7.00-12	5.00S-12	TR	GREY	48.32	106.30	25.71	6.54	653	166	60	2920	2240
3212310588	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	47.53	104.56	25.71	6.54	653	166	60	2920	2240
3212310704	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	48.53	106.76	25.71	6.54	653	166	60	2920	2240
3212410065	NORMAL	28x9-15	7.00-15	TR	BLACK	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212410265	QUICK	28x9-15	7.00-15	TR	BLACK	61.64	135.61	27.09	8.43	688	214	53	3900	3000
3212310460	NORMAL NMW	28x9-15	6.50-15	TR	WHITE	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310465	NORMAL NMG	28x9-15	7.00-15	TR	WHITE	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310685	QUICK NMW	28x9-15	7.00-15	TR	WHITE	61.64	135.61	27.09	8.43	688	214	53	3900	3000
3212310394	NORMAL NMG	28x9-15	6.50-15	TR	GREY	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310396	NORMAL NMG	28x9-15	7.00-15	TR	GREY	60.65	133.42	27.09	8.43	688	214	53	3900	3000
3212310506	QUICK NMG	28x9-15	7.00-15	TR	GREY	61.64	135.61	27.09	8.43	688	214	53	3900	3000
3212310596	NORMAL NMY	28x9-15	6.50-15	TR	YELLOW	60.91	133.99	27.09	8.43	688	214	53	3900	3000
3212310598	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	60.91	133.99	27.09	8.43	688	214	53	3900	3000
3212310707	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	61.91	136.19	27.09	8.43	688	214	53	3900	3000
3212410070	NORMAL	355/45-15	0.75-15	TR	BLACK	84.01	184.82	27.17	11.26	690	286	53	5690	4375
3212410270	QUICK	355/45-15	0.75-15	TR	BLACK	84.91	186.79	27.17	11.26	690	286	53	5690	4375
3212318324	NORMAL	355/45-15	0.75-15	TR	WHITE	84.01	184.82	27.17	11.26	690	286	53	5690	4375
3212318326	NORMAL	355/45-15	0.75-15	TR	GREY	84.01	184.82	27.17	11.26	690	286	53	5690	4375
3212318328	NORMAL	355/45-15	0.75-15	TR	YELLOW	84.37	185.62	27.17	11.26	690	286	53	5690	4375
3212318332	QUICK	355/45-15	0.75-15	TR	WHITE	84.91	186.79	27.17	11.26	690	286	53	5690	4375
3212318334	QUICK	355/45-15	0.75-15	TR	GREY	84.91	186.79	27.17	11.26	690	286	53	5690	4375
3212318336	QUICK	355/45-15	0.75-15	TR	YELLOW	85.27	187.59	27.17	11.26	690	286	53	5690	4375
3212410075	NORMAL	355/50-15	0.75-15	TR	BLACK	94.65	208.23	28.03	11.61	712	295	52	5690	4375
3212410275	QUICK	355/50-15	0.75-15	TR	BLACK	95.64	210.41	28.03	11.61	712	295	52	5690	4375
3212310470	NORMAL NMW	355/50-15	0.75-15	TR	WHITE	94.65	208.23	28.03	11.61	712	295	52	5690	4375
3212310690	QUICK NMW	355/50-15	0.75-15	TR	WHITE	95.64	210.41	28.03	11.61	712	295	52	5690	4375
3212310398	NORMAL NMG	355/50-15	0.75-15	TR	GREY	94.65	208.23	28.03	11.61	712	295	52	5690	4375
3212310508	QUICK NMG	355/50-15	0.75-15	TR	GREY	95.64	210.41	28.03	11.61	712	295	52	5690	4375
3212310602	NORMAL NMY	355/50-15	0.75-15	TR	YELLOW	95.05	209.12	28.03	11.61	712	295	52	5690	4375
3212310712	QUICK NMY	355/50-15	0.75-15	TR	YELLOW	96.05	211.32	28.03	11.61	712	295	52	5690	4375
3212410080	NORMAL	355/65-15	0.75-15	TR	BLACK	140.78	309.71	32.24	12.28	819	312	75	7800	6000
3212410280	QUICK	355/65-15	0.75-15	TR	BLACK	141.57	311.46	32.24	12.28	819	312	75	7800	6000
3212310475	NORMAL NMW	355/65-15	0.75-15	TR	WHITE	140.78	309.71	32.24	12.28	819	312	75	7800	6000
3212310695	QUICK NMW	355/65-15	0.75-15	TR	WHITE	141.57	311.46	32.24	12.28	819	312	75	7800	6000
3212310402	NORMAL NMG	355/65-15	0.75-15	TR	GREY	140.78	309.71	32.24	12.28	819	312	75	7800	6000
3212310512	QUICK NMG	355/65-15	0.75-15	TR	GREY	141.57	311.46	32.24	12.28	819	312	75	7800	6000
3212310604	NORMAL NMY	355/65-15	0.75-15	TR	YELLOW	141.38	311.04	32.24	12.28	819	312	75	7800	6000
3212310714	QUICK NMY	355/65-15	0.75-15	TR	YELLOW	142.18	312.80	32.24	12.28	819	312	75	7800	6000
3212410085	NORMAL	250-15	7.00-15	TR	BLACK	71.98	158.36	28.31	8.70	719	221	60	4745	3650
3212410090	NORMAL	250-15	7.50-15	TR	BLACK	73.37	161.42	28.31	8.86	719	225	62	4745	3650
3212410285	QUICK	250-15	7.00-15	TR	BLACK	72.08	158.58	28.31	8.70	719	221	60	4745	3650
3212410290	QUICK	250-15	7.50-15	TR	BLACK	72.38	159.23	28.31	8.86	719	225	62	4745	3650
3212310408	NORMAL NMW	260-15	7.00-15	TR	WHITE	71.98	158.36	28.31	8.70	719	221	60	4745	3650
3212310485	NORMAL NMW	260-15	7.50-15	TR	WHITE	73.37	161.42	28.31	8.86	719	225	62	4745	3650
3212310700	QUICK NMW	260-15	7.00-15	TR	WHITE	72.08	158.58	28.31	8.70	719	221	60	4745	3650
3212310705	QUICK NMW	260-15	7.50-15	TR	WHITE	72.38	159.23	28.31	8.86	719	225	62	4745	3650
3212310404	NORMAL NMG	260-15	7.00-15	TR	GREY	71.98	158.36	28.31	8.70	719	221	60	4745	3650

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO PREMIUM



PREMIUM

CODE	PRODUCT NAME (FERENTINO PREMIUM)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212310406	NORMAL NMG	260-15	7.60-15	TR	GREY	73.37	161.42	28.31	8.86	719	225	62	4745	3660	
3212310514	QUICK NMG	260-15	7.00-15	TR	GREY	72.08	158.58	28.31	8.70	719	221	60	4745	3660	
3212310516	QUICK NMG	260-15	7.50-15	TR	GREY	72.38	159.23	28.31	8.86	719	225	62	4745	3660	
3212310606	NORMAL NMY	260-15	7.00-15	TR	YELLOW	72.29	159.04	28.31	8.70	719	221	60	4745	3660	
3212310608	NORMAL NMY	260-15	7.50-15	TR	YELLOW	73.69	162.11	28.31	8.86	719	225	62	4745	3660	
3212310716	QUICK NMY	260-15	7.00-15	TR	YELLOW	72.39	159.26	28.31	8.70	719	221	60	4745	3660	
3212310718	QUICK NMY	260-15	7.50-15	TR	YELLOW	72.69	159.92	28.31	8.86	719	225	62	4745	3660	
3212410095	NORMAL	300-15	8.00-15	TR	BLACK	113.34	249.35	32.09	10.12	815	257	75	5850	4500	
3212410295	QUICK	300-15	8.00-15	TR	BLACK	114.13	251.10	32.09	10.12	815	257	75	5850	4500	
3212310490	NORMAL NMW	300-15	8.00-15	TR	WHITE	113.34	249.35	32.09	10.12	815	257	75	5850	4500	
3212310710	QUICK NMW	300-15	8.00-15	TR	WHITE	114.13	251.10	32.09	10.12	815	257	75	5850	4500	
3212310408	NORMAL NMG	300-15	8.00-15	TR	GREY	113.34	249.35	32.09	10.12	815	257	75	5850	4500	
3212310518	QUICK NMG	300-15	8.00-15	TR	GREY	114.13	251.10	32.09	10.12	815	257	75	5850	4500	
3212310612	NORMAL NMY	300-15	8.00-15	TR	YELLOW	113.83	250.42	32.09	10.12	815	257	75	5850	4500	
3212310722	QUICK NMY	300-15	8.00-15	TR	YELLOW	114.62	252.17	32.09	10.12	815	257	75	5850	4500	
3212410100	NORMAL	7.00-15	5.60-15	TR	BLACK	58.26	128.17	28.70	7.05	729	179	60	3545	2725	
3212410105	NORMAL	7.00-15	6.00-15	TR	BLACK	58.46	128.61	28.70	7.05	729	179	60	3545	2725	
3212410300	QUICK	7.00-15	5.50-15	TR	BLACK	58.56	128.83	28.70	7.05	729	179	60	3545	2725	
3212310510	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	58.26	128.17	28.70	7.05	729	179	60	3545	2725	
3212310515	NORMAL NMW	7.00-15	6.00-15	TR	WHITE	58.46	128.61	28.70	7.05	729	179	60	3545	2725	
3212310715	QUICK NMW	7.00-15	5.50-15	TR	WHITE	58.56	128.83	28.70	7.05	729	179	60	3545	2725	
3212310418	NORMAL NMG	7.00-15	5.50-15	TR	GREY	58.26	128.17	28.70	7.05	729	179	60	3545	2725	
3212310422	NORMAL NMG	7.00-15	6.00-15	TR	GREY	58.46	128.61	28.70	7.05	729	179	60	3545	2725	
3212310522	QUICK NMG	7.00-15	5.50-15	TR	GREY	58.56	128.83	28.70	7.05	729	179	60	3545	2725	
3212310622	NORMAL NMY	7.00-15	5.50-15	TR	YELLOW	58.51	128.72	28.70	7.05	729	179	60	3545	2725	
3212310624	NORMAL NMY	7.00-15	6.00-15	TR	YELLOW	58.71	129.16	28.70	7.05	729	179	60	3545	2725	
3212310724	QUICK NMY	7.00-15	5.50-15	TR	YELLOW	58.81	129.38	28.70	7.05	729	179	60	3545	2725	
3212410110	NORMAL	7.50-15	5.50-15	TR	BLACK	68.20	150.05	29.61	7.83	752	199	62	3900	3000	
3212410115	NORMAL	7.50-15	6.00-15	TR	BLACK	68.80	151.36	29.61	7.83	752	199	62	3900	3000	
3212410120	NORMAL	7.50-15	6.60-15	TR	BLACK	69.59	153.11	29.61	7.83	752	199	62	3900	3000	
3212410305	QUICK	7.50-15	6.60-15	TR	BLACK	70.19	154.42	29.61	7.83	752	199	62	3900	3000	
3212310520	NORMAL NMW	7.50-15	5.60-15	TR	WHITE	68.20	150.05	29.61	7.83	752	199	62	3900	3000	
3212310525	NORMAL NMW	7.50-15	6.00-15	TR	WHITE	68.80	151.36	29.61	7.83	752	199	62	3900	3000	
3212310530	NORMAL NMW	7.50-15	6.50-15	TR	WHITE	69.59	153.11	29.61	7.83	752	199	62	3900	3000	
3212310720	QUICK NMW	7.50-15	5.50-15	TR	WHITE	68.20	150.05	29.61	7.83	752	199	62	3900	3000	
3212310725	QUICK NMW	7.50-15	6.60-15	TR	WHITE	70.19	154.42	29.61	7.83	752	199	62	3900	3000	
3212310424	NORMAL NMG	7.50-15	5.50-15	TR	GREY	68.20	150.05	29.61	7.83	752	199	62	3900	3000	
3212310426	NORMAL NMG	7.50-15	6.00-15	TR	GREY	68.80	151.36	29.61	7.83	752	199	62	3900	3000	
3212310428	NORMAL NMG	7.50-15	6.60-15	TR	GREY	69.59	153.11	29.61	7.83	752	199	62	3900	3000	
3212310524	QUICK NMG	7.50-15	5.50-15	TR	GREY	68.20	150.05	29.61	7.83	752	199	62	3900	3000	
3212310526	QUICK NMG	7.50-15	6.60-15	TR	GREY	70.19	154.42	29.61	7.83	752	199	62	3900	3000	
3212310626	NORMAL NMY	7.50-15	5.50-15	TR	YELLOW	68.50	150.69	29.61	7.83	752	199	62	3900	3000	
3212310628	NORMAL NMY	7.50-15	6.00-15	TR	YELLOW	69.09	152.01	29.61	7.83	752	199	62	3900	3000	
3212310632	NORMAL NMY	7.50-15	6.50-15	TR	YELLOW	69.89	153.76	29.61	7.83	752	199	62	3900	3000	
3212310726	QUICK NMY	7.50-15	5.50-15	TR	YELLOW	68.50	150.69	29.61	7.83	752	199	62	3900	3000	
3212310728	QUICK NMY	7.50-15	6.60-15	TR	YELLOW	70.49	155.08	29.61	7.83	752	199	62	3900	3000	
3212410125	NORMAL	8.25-15	5.60-15	TR	BLACK	90.07	198.16	32.01	8.35	813	212	72	4615	3550	
3212410130	NORMAL	8.25-15	6.60-15	TR	BLACK	91.47	201.23	32.01	8.35	813	212	72	4750	3650	
3212410310	QUICK	8.25-15	5.60-15	TR	BLACK	90.87	199.91	32.01	8.35	813	212	72	4615	3550	
3212410315	QUICK	8.25-15	6.60-15	TR	BLACK	92.26	202.98	32.01	8.35	813	212	72	4750	3650	
3212310535	NORMAL NMW	8.25-15	5.50-15	TR	WHITE	90.07	198.16	32.01	8.35	813	212	72	4615	3550	
3212310540	NORMAL NMW	8.25-15	6.60-15	TR	WHITE	91.47	201.23	32.01	8.35	813	212	72	4750	3650	
3212310730	QUICK NMW	8.25-15	5.60-15	TR	WHITE	90.87	199.91	32.01	8.35	813	212	72	4615	3550	
3212310735	QUICK NMW	8.25-15	6.60-15	TR	WHITE	92.26	202.98	32.01	8.35	813	212	72	4750	3650	
3212310432	NORMAL NMG	8.25-15	5.50-15	TR	GREY	90.07	198.16	32.01	8.35	813	212	72	4615	3550	
3212310434	NORMAL NMG	8.25-15	6.60-15	TR	GREY	91.47	201.23	32.01	8.35	813	212	72	4750	3650	
3212310528	QUICK NMG	8.25-15	5.60-15	TR	GREY	90.87	199.91	32.01	8.35	813	212	72	4615	3550	



FERENTINO PREMIUM

PREMIUM

CODE	PRODUCT NAME (FERENTINO PREMIUM)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL STEERING WHEEL	
3212310532	QUICK NMW	8.25-15	6.50-15	TR	GREY	92.26	202.98	32.01	8.35	813	212	72	4750	3650	
3212310634	NORMAL NMG	8.25-15	5.50-15	TR	YELLOW	90.46	199.02	32.01	8.35	813	212	72	4615	3550	
3212310636	QUICK NMG	8.25-15	6.50-15	TR	YELLOW	91.86	202.09	32.01	8.35	813	212	72	4750	3650	
3212310732	NORMAL NMY	8.25-15	5.50-15	TR	YELLOW	91.26	200.77	32.01	8.35	813	212	72	4615	3550	
3212310734	QUICK NMY	8.25-15	6.50-15	TR	YELLOW	92.66	203.85	32.01	8.35	813	212	72	4750	3650	
3212410135	NORMAL	400/60-15	11.00 - 15	TR	BLACK	154.40	339.68	32.28	12.72	820	323	68	8070	6900	
3212410320	QUICK	400/60-15	11.00 - 15	TR	BLACK	155.10	341.21	32.28	12.72	820	323	68	8070	6900	
3212318338	NORMAL NMW	400/60-15	11.00 - 15	TR	WHITE	154.40	339.68	32.28	12.72	820	323	68	8070	6900	
3212318342	QUICK NMW	400/60-15	11.00 - 15	TR	GREY	154.40	339.68	32.28	12.72	820	323	68	8070	6900	
3212318344	NORMAL NMG	400/60-15	11.00 - 15	TR	YELLOW	155.06	341.14	32.28	12.72	820	323	68	8070	6900	
3212318346	QUICK NMG	400/60-15	11.00 - 15	TR	WHITE	155.10	341.21	32.28	12.72	820	323	68	8070	6900	
3212318348	NORMAL NMY	400/60-15	11.00 - 15	TR	GREY	155.10	341.21	32.28	12.72	820	323	68	8070	6900	
3212318352	QUICK NMY	400/60-15	11.00 - 15	TR	YELLOW	155.76	342.68	32.28	12.72	820	323	68	8070	6900	
3212410140	NORMAL	355/60-20	10.00-20	TR	BLACK	121.66	267.65	32.72	12.28	831	312	48	8070	6900	
3212410325	QUICK	355/60-20	10.00-20	TR	BLACK	122.05	270.48	32.72	12.28	831	312	48	8070	6900	
3212318354	NORMAL NMW	355/60-20	10.00-20	TR	WHITE	121.66	267.65	32.72	12.28	831	312	48	8070	6900	
3212318356	NORMAL NMW	355/60-20	10.00-20	TR	GREY	121.66	267.65	32.72	12.28	831	312	48	8070	6900	
3212318358	QUICK NMW	355/60-20	10.00-20	TR	YELLOW	122.18	268.80	32.72	12.28	831	312	48	8070	6900	
3212318362	NORMAL NMG	355/60-20	10.00-20	TR	WHITE	122.05	270.48	32.72	12.28	831	312	48	8070	6900	
3212318364	NORMAL NMG	355/60-20	10.00-20	TR	GREY	122.95	270.48	32.72	12.28	831	312	48	8070	6900	
3212318366	QUICK NMG	355/60-20	10.00-20	TR	YELLOW	123.47	271.64	32.72	12.28	831	312	48	8070	6900	
3212410145	NORMAL NMY	9.00-20	7.00-20	TR	BLACK	147.38	324.23	39.25	9.02	997	220	76	5400	4500	
3212310550	NORMAL NMY	9.00-20	7.00-20	TR	WHITE	147.38	324.23	39.25	9.02	997	220	76	5400	4500	
3212310438	QUICK NMY	9.00-20	7.00-20	TR	GREY	147.38	324.23	39.25	9.02	997	220	76	5400	4500	
3212310642	NORMAL	9.00-20	7.00-20	TR	YELLOW	148.01	325.62	39.25	9.02	997	220	76	5400	4500	
3212410150	QUICK	10.00-20	7.00-20	TR	BLACK	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212410155	NORMAL	10.00-20	7.50-20	TR	BLACK	178.53	392.78	40.75	10.04	1035	255	82	6000	5000	
3212410160	NORMAL	10.00-20	8.00-20	TR	BLACK	180.02	396.04	40.75	10.04	1035	255	82	6000	5000	
3212410330	NORMAL	10.00-20	7.50-20	TR	BLACK	179.03	393.86	40.75	10.04	1035	255	82	6000	5000	
3212310555	QUICK	10.00-20	6.50-20	TR	WHITE	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310560	QUICK	10.00-20	7.00-20	TR	WHITE	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310565	QUICK	10.00-20	7.50-20	TR	WHITE	178.53	392.78	40.75	10.04	1035	255	82	6000	5000	
3212310570	NORMAL	10.00-20	8.00-20	TR	WHITE	180.02	396.04	40.75	10.04	1035	255	82	6000	5000	
3212310442	QUICK	10.00-20	6.50-20	TR	GREY	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310444	NORMAL NMW	10.00-20	7.00-20	TR	GREY	176.06	387.34	40.75	10.04	1035	255	82	6000	5000	
3212310446	QUICK NMW	10.00-20	7.50-20	TR	GREY	178.53	392.78	40.75	10.04	1035	255	82	6000	5000	
3212310448	NORMAL NMG	10.00-20	8.00-20	TR	GREY	180.02	396.04	40.75	10.04	1035	255	82	6000	5000	
3212310644	QUICK NMG	10.00-20	6.50-20	TR	YELLOW	176.82	389.00	40.75	10.04	1035	255	82	6000	5000	
3212310646	NORMAL NMY	10.00-20	7.00-20	TR	YELLOW	176.82	389.00	40.75	10.04	1035	255	82	6000	5000	
3212310648	QUICK NMY	10.00-20	7.50-20	TR	YELLOW	179.30	394.46	40.75	10.04	1035	255	82	6000	5000	
3212310652	NORMAL	10.00-20	8.00-20	TR	YELLOW	180.79	397.74	40.75	10.04	1035	255	82	6000	5000	
3212410165	QUICK	12.00-20	8.00-20	TR	BLACK	225.52	496.14	42.91	11.14	1090	283	88	7560	6300	
3212410170	NORMAL NMW	12.00-20	8.50-20	TR	BLACK	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212410175	QUICK NMW	12.00-20	10.00-20	TR	BLACK	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212318406	NORMAL NMG	12.00-20	10.00-20	TR	WHITE	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212318408	QUICK NMG	12.00-20	10.00-20	TR	GREY	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212318412	NORMAL NMY	12.00-20	10.00-20	TR	YELLOW	272.00	598.41	42.83	13.07	1088	332	82	7800	6500	
3212310585	QUICK NMY	12.00-20	8.00-20	TR	WHITE	225.52	496.14	42.91	11.14	1090	283	88	7560	6300	
3212310590	NORMAL	12.00-20	8.50-20	TR	WHITE	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212310456	NORMAL	12.00-20	8.00-20	TR	GREY	225.52	496.14	42.91	11.14	1090	283	88	7560	6300	
3212310458	QUICK	12.00-20	8.50-20	TR	GREY	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212310658	QUICK	12.00-20	8.00-20	TR	YELLOW	226.48	498.27	42.91	11.14	1090	283	88	7560	6300	
3212310662	NORMAL NMW	12.00-20	8.50-20	TR	YELLOW	227.48	500.45	42.91	11.14	1090	283	88	7560	6300	
3212410180	NORMAL NMW	465/55-20	16.00-20	TR	BLACK	329.37	724.62	40.24	18.19	1022	462	77	10800	9000	
3212318368	QUICK NMW	465/55-20	16.00-20	TR	WHITE	329.37	724.62	40.24	18.19	1022	462	77	10800	9000	
3212318372	QUICK NMW	465/55-20	16.00-20	TR	GREY	329.37	724.62	40.24	18.19	1022	462	77	10800	9000	
3212318374	NORMAL NMG	465/55-20	16.00-20	TR	YELLOW	330.79	727.73	40.24	18.19	1022	462	77	10800	9000	
3212410185		12.00-24	8.50-24	TR	BLACK	254.20	559.24	46.65	11.10	1185	282	100	8040	6700	
3212318376		12.00-24	8.50-24	TR	WHITE	254.20	559.24	46.65	11.10	1185	282	100	8040	6700	
3212318378		12.00-24	8.50-24	TR	GREY	254.20	559.24	46.65	11.10	1185	282	100	8040	6700	
3212318382		12.00-24	8.50-24	TR	YELLOW	255.29	561.64	46.65	11.10	1185	282	100	8040	6700	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO HIGHRIDE

HIGHRIDE

FERENTINO HIGHRIDE



FERENTINO HIGHRIDE NON MARKING



-  **S** special
-  **HL** high capacity
-  **AS** antistatic
-  **NM** non marking

The Quality alternative for normal requirements & standard application

- Wide profile and flat footprint
- Increases stability and grip

Large tread blocks and deep lugs

- Maximizes life and traction
- Established tread pattern design
- Exceptional tread rubber compound properties
- Ensures maximum tire utilization



FERENTINO HIGHRIDE

HIGHRIDE

CODE	PRODUCT NAME (FERENTINO HIGHRIDE)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL STEERING WHEEL	
3212420740	NORMAL	3.00-4	2.10-4	TR	BLACK	3.90	8.57	9.88	3.31	251	84	23	255	195	
3212420745	NORMAL	3.00-4	2.50C-4	TR	BLACK	3.65	8.02	9.88	3.31	251	84	23	255	195	
3212321145	NORMAL NMW	3.00-4	2.10-4	TR	WHITE	3.90	8.57	9.88	3.31	251	84	23	255	195	
3212321150	NORMAL NMW	3.00-4	2.50C-4	TR	WHITE	3.65	8.02	9.88	3.31	251	84	23	255	195	
3212321142	NORMAL NMG	3.00-4	2.10-4	TR	GREY	3.90	8.57	9.88	3.31	251	84	23	255	195	
3212321144	NORMAL NMG	3.00-4	2.50C-4	TR	GREY	3.65	8.02	9.88	3.31	251	84	23	255	195	
3212321344	NORMAL NMY	3.00-4	2.10-4	TR	YELLOW	3.91	8.61	9.88	3.31	251	84	23	255	195	
3212321346	NORMAL NMY	3.00-4	2.50C-4	TR	YELLOW	3.66	8.06	9.88	3.31	251	84	23	255	195	
3212420750	NORMAL	4.00-4	2.10-4	TR	BLACK	6.69	14.73	12.09	3.78	307	96	36	535	410	
3212420755	NORMAL	4.00-4	2.50C-4	TR	BLACK	7.09	15.61	12.09	3.78	307	96	36	535	410	
3212321155	NORMAL NMW	4.00-4	2.10-4	TR	WHITE	6.69	14.73	12.09	3.78	307	96	36	535	410	
3212321160	NORMAL NMW	4.00-4	2.50C-4	TR	WHITE	7.09	15.61	12.09	3.78	307	96	36	535	410	
3212321146	NORMAL NMG	4.00-4	2.10-4	TR	GREY	6.69	14.73	12.09	3.78	307	96	36	535	410	
3212321148	NORMAL NMG	4.00-4	2.50C-4	TR	GREY	7.09	15.61	12.09	3.78	307	96	36	535	410	
3212321348	NORMAL NMY	4.00-4	2.10-4	TR	YELLOW	6.72	14.79	12.09	3.78	307	96	36	535	410	
3212321352	NORMAL NMY	4.00-4	2.50C-4	TR	YELLOW	7.12	15.67	12.09	3.78	307	96	36	535	410	
3212420760	NORMAL	4.00-8	3.00D-8	TR	BLACK	11.37	25.02	16.14	4.02	410	102	34	960	730	
3212421010	QUICK	4.00-8	3.00D-8	TR	BLACK	11.57	25.46	16.14	4.02	410	102	34	960	730	
3212321165	NORMAL NMW	4.00-8	3.00D-8	TR	WHITE	11.37	25.02	16.14	4.02	410	102	34	960	730	
3212321415	QUICK NMW	4.00-8	3.00D-8	TR	WHITE	11.57	25.46	16.14	4.02	410	102	34	960	730	
3212321162	NORMAL NMG	4.00-8	3.00D-8	TR	GREY	11.37	25.02	16.14	4.02	410	102	34	960	730	
3212321276	QUICK NMG	4.00-8	3.00D-8	TR	GREY	11.57	25.46	16.14	4.02	410	102	34	960	730	
3212321354	NORMAL NMY	4.00-8	3.00D-8	TR	YELLOW	11.42	25.12	16.14	4.02	410	102	34	960	730	
3212321478	QUICK NMY	4.00-8	3.00D-8	TR	YELLOW	11.62	25.57	16.14	4.02	410	102	34	960	730	
3212420765	NORMAL	5.00-8	3.00D-8	TR	BLACK	16.66	36.43	17.83	4.61	453	117	39	1415	1090	
3212420770	NORMAL	5.00-8	3.50D-8	TR	BLACK	16.56	36.43	17.72	4.80	450	122	39	1415	1090	
3212421015	QUICK	5.00-8	3.00D-8	TR	BLACK	16.76	36.87	17.83	4.61	453	117	39	1415	1090	
3212321170	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	16.56	36.43	17.83	4.61	453	117	39	1415	1090	
3212321175	NORMAL NMW	5.00-8	3.50D-8	TR	WHITE	16.56	36.43	17.72	4.80	450	122	39	1415	1090	
3212321420	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	16.76	36.87	17.83	4.61	453	117	39	1415	1090	
3212321164	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	16.56	36.43	17.83	4.61	453	117	39	1415	1090	
3212321156	NORMAL NMG	5.00-8	3.50D-8	TR	GREY	16.56	36.43	17.72	4.80	450	122	39	1415	1090	
3212321278	QUICK NMG	5.00-8	3.00D-8	TR	GREY	16.76	36.87	17.83	4.61	453	117	39	1415	1090	
3212321356	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	16.63	36.59	17.83	4.61	453	117	39	1415	1090	
3212321358	NORMAL NMY	5.00-8	3.50D-8	TR	YELLOW	16.63	36.59	17.72	4.80	450	122	39	1415	1090	
3212321482	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.83	37.03	17.83	4.61	453	117	39	1415	1090	
3212420775	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	9.88	21.73	14.84	4.45	377	113	26	1040	800	
3212420780	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	10.07	22.16	14.84	4.45	377	113	26	1040	800	
3212321180	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	9.88	21.73	14.84	4.45	377	113	26	1040	800	
3212321426	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.07	22.16	14.84	4.45	377	113	26	1040	800	
3212321158	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	9.88	21.73	14.84	4.45	377	113	26	1040	800	
3212321282	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.07	22.16	14.84	4.45	377	113	26	1040	800	
3212321362	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	9.92	21.82	14.84	4.45	377	113	26	1040	800	
3212321484	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.12	22.26	14.84	4.45	377	113	26	1040	800	
3212321185	NM NORMAL	15x4 1/2-8	3.25I-8	TR	BLACK	9.98	21.95	14.80	4.49	376	114	26	1040	800	
3212321185	NORMAL NMW	15x4 1/2-8	3.25I-8	TR	WHITE	9.98	21.95	14.80	4.49	376	114	26	1040	800	
3212321162	NORMAL NMG	15x4 1/2-8	3.25I-8	TR	GREY	9.98	21.95	14.80	4.49	376	114	26	1040	800	
3212321364	NORMAL NMY	15x4 1/2-8	3.25I-8	TR	YELLOW	10.0	22.04	14.80	4.49	376	114	26	1040	800	
3212420785	NORMAL	16x6-8	4.33R-8	TR	BLACK	16.46	36.21	16.22	5.94	412	151	32	1495	1150	
3212421025	QUICK	16x6-8	4.33R-8	TR	BLACK	16.66	36.65	16.22	5.94	412	151	32	1495	1150	
3212321190	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	16.46	36.21	16.22	5.94	412	151	32	1495	1150	
3212321430	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	16.66	36.65	16.22	5.94	412	151	32	1495	1150	
3212321164	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	16.46	36.21	16.22	5.94	412	151	32	1495	1150	
3212321284	QUICK NMG	16x6-8	4.33R-8	TR	GREY	16.66	36.65	16.22	5.94	412	151	32	1495	1150	
3212321366	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	16.53	36.36	16.22	5.94	412	151	32	1495	1150	
3212321486	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	16.73	36.81	16.22	5.94	412	151	32	1495	1150	
3212420790	NORMAL	18x7-8	4.33R-8	TR	BLACK	21.46	47.18	17.80	5.98	452	152	46	2145	1650	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO HIGHRIDE



HIGHRIDE

CODE	PRODUCT NAME (FERENTINO HIGHRIDE)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY COUNTERBALANCE		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		UP TO 25KM/H		
						Kg	Pound						Load Wheel	Steering Wheel	
3212421030	QUICK	18x7-8	4.33R-8	TR	BLACK	21.66	47.62	17.80	5.98	452	152	46	2145	1650	
3212321195	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	21.46	47.18	17.80	5.98	452	152	46	2145	1650	
3212321435	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	21.66	47.62	17.80	5.98	452	152	46	2145	1650	
3212321166	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	21.46	47.18	17.80	5.98	452	152	46	2145	1650	
3212321286	QUICK NMG	18x7-8	4.33R-8	TR	GREY	21.66	47.62	17.80	5.98	452	152	46	2145	1650	
3212321368	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	21.54	47.38	17.80	5.98	452	152	46	2145	1650	
3212321488	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	21.74	47.83	17.80	5.98	452	152	46	2145	1650	
3212420795	NORMAL	18x9-8	7.00E-08	TR	BLACK	30.92	68.03	17.87	8.35	454	212	46	2535	1950	
3212321200	NORMAL NMW	18x9-8	7.00E-08	TR	WHITE	30.92	68.03	17.87	8.35	454	212	46	2535	1950	
3212321168	NORMAL NMG	18x9-8	7.00E-08	TR	GREY	30.92	68.03	17.87	8.35	454	212	46	2535	1950	
3212321372	NORMAL NMY	18x9-8	7.00E-08	TR	YELLOW	31.06	68.32	17.87	8.35	454	212	46	2535	1950	
3212421035	QUICK	140/55-9	4.00E-09	TR	BLACK	10.17	22.38	14.92	5.12	370	130	28	1170	900	
3212321440	QUICK NMW	140/55-9	7.00E-08	TR	WHITE	10.17	22.38	14.92	5.12	370	130	28	1170	900	
3212321288	QUICK NMG	140/55-9	7.00E-08	TR	GREY	10.17	22.38	14.92	5.12	370	130	28	1170	900	
3212321492	QUICK NMY	140/55-9	7.00E-08	TR	YELLOW	10.22	22.48	14.92	5.12	370	130	28	1170	900	
3212420800	NORMAL	6.00-9	4.00E-09	TR	BLACK	25.84	56.84	20.67	5.28	525	134	52	1885	1450	
3212421040	QUICK	6.00-9	4.00E-09	TR	BLACK	26.13	57.50	20.67	5.28	525	134	52	1885	1450	
3212321205	NORMAL NMW	6.00-9	4.00E-09	TR	WHITE	25.84	56.84	20.67	5.28	525	134	52	1885	1450	
3212321445	QUICK NMW	6.00-9	4.00E-09	TR	WHITE	26.13	57.50	20.67	5.28	525	134	52	1885	1450	
3212321172	NORMAL NMG	6.00-9	4.00E-09	TR	GREY	25.84	56.84	20.67	5.28	525	134	52	1885	1450	
3212321292	QUICK NMG	6.00-9	4.00E-09	TR	GREY	26.13	57.50	20.67	5.28	525	134	52	1885	1450	
3212321374	NORMAL NMY	6.00-9	4.00E-09	TR	YELLOW	25.95	57.08	20.67	5.28	525	134	52	1885	1450	
3212321494	QUICK NMY	6.00-9	4.00E-09	TR	YELLOW	26.26	57.74	20.67	5.28	525	134	52	1885	1450	
3212420805	NORMAL	21x8-0	6.00E-09	TR	BLACK	34.01	76.81	20.43	7.20	519	183	48	2755	2120	
3212421045	QUICK	21x8-0	6.00E-09	TR	BLACK	35.31	77.69	20.43	7.20	519	183	48	2755	2120	
3212321210	NORMAL NMW	21x8-0	6.00E-09	TR	WHITE	34.01	76.81	20.43	7.20	519	183	48	2755	2120	
3212321450	QUICK NMW	21x8-0	6.00E-09	TR	WHITE	35.31	77.69	20.43	7.20	519	183	48	2755	2120	
3212321174	NORMAL NMG	21x8-0	6.00E-09	TR	GREY	34.91	76.81	20.43	7.20	519	183	48	2755	2120	
3212321294	QUICK NMG	21x8-0	6.00E-09	TR	GREY	35.31	77.69	20.43	7.20	519	183	48	2755	2120	
3212321376	NORMAL NMY	21x8-0	6.00E-09	TR	YELLOW	35.06	77.14	20.43	7.20	519	183	48	2755	2120	
3212321496	QUICK NMY	21x8-0	6.00E-09	TR	YELLOW	35.46	78.02	20.43	7.20	519	183	48	2755	2120	
3212420810	NORMAL	200/50-10	6.50F-10	TR	BLACK	25.34	55.74	17.95	7.60	456	193	31	2470	1900	
3212421050	QUICK	200/50-10	6.50F-10	TR	BLACK	25.84	56.84	17.95	7.60	456	193	31	2470	1900	
3212321215	NORMAL NMW	200/50-10	6.50F-10	TR	WHITE	25.34	55.74	17.95	7.60	456	193	31	2470	1900	
3212321455	QUICK NMW	200/50-10	6.50F-10	TR	WHITE	25.84	56.84	17.95	7.60	456	193	31	2470	1900	
3212321176	NORMAL NMG	200/50-10	6.50F-10	TR	GREY	25.34	55.74	17.95	7.60	456	193	31	2470	1900	
3212321296	QUICK NMG	200/50-10	6.50F-10	TR	GREY	25.84	56.84	17.95	7.60	456	193	31	2470	1900	
3212321378	NORMAL NMY	200/50-10	6.50F-10	TR	YELLOW	25.45	55.98	17.95	7.60	456	193	31	2470	1900	
3212321498	QUICK NMY	200/50-10	6.50F-10	TR	YELLOW	25.96	57.08	17.95	7.60	456	193	31	2470	1900	
3212420815	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.81	76.59	22.28	6.18	566	157	55	2340	1800	
3212421055	NM NORMAL	6.50-10	5.00F-10	TR	BLACK	35.91	79.00	22.28	6.18	566	157	55	2340	1800	
3212321220	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.81	76.59	22.28	6.18	566	157	55	2340	1800	
3212321460	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.91	79.00	22.28	6.18	566	157	55	2340	1800	
3212321178	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.81	76.59	22.28	6.18	566	157	55	2340	1800	
3212321298	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.91	79.00	22.28	6.18	566	157	55	2340	1800	
3212321382	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	34.96	76.92	22.28	6.18	566	157	55	2340	1800	
3212321502	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	36.06	79.34	22.28	6.18	566	157	55	2340	1800	
3212420820	NORMAL	6.50-10	5.50F-10	TR	BLACK	35.11	77.25	22.28	6.22	566	158	55	2340	1800	
3212321225	NORMAL NMW	6.50-10	5.50F-10	TR	WHITE	35.11	77.25	22.28	6.22	566	158	55	2340	1800	
3212321182	NORMAL NMG	6.50-10	5.50F-10	TR	GREY	35.11	77.25	22.28	6.22	566	158	55	2340	1800	
3212321384	NORMAL NMY	6.50-10	5.50F-10	TR	YELLOW	35.26	77.58	22.28	6.22	566	158	55	2340	1800	
3212420825	NORMAL	23x9-10	6.50F-10	TR	BLACK	48.78	107.31	22.99	7.87	584	200	52	3445	2650	
3212421060	QUICK	23x9-10	6.50F-10	TR	BLACK	49.28	108.41	22.99	7.87	584	200	52	3445	2650	
3212321230	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	48.78	107.31	22.99	7.87	584	200	52	3445	2650	
3212321465	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	49.28	108.41	22.99	7.87	584	200	52	3445	2650	
3212321184	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	48.78	107.31	22.99	7.87	584	200	52	3445	2650	
3212321302	QUICK NMG	23x9-10	6.50F-10	TR	GREY	49.28	108.41	22.99	7.87	584	200	52	3445	2650	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO HIGHRIDE

HIGHRIDE

CODE	PRODUCT NAME (FERENTINO HIGHRIDE)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL STEERING WHEEL	
3212321386	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	48.99	107.77	22.99	7.87	584	200	52	3445	2650	
3212321504	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	49.49	108.87	22.99	7.87	584	200	52	3445	2650	
3212420830	NORMAL	7.50-10	5.00F-10	TR	BLACK	50.87	111.92	24.84	7.09	631	180	68	3070	2360	
3212321235	NORMAL NMW	7.50-10	5.00F-10	TR	WHITE	50.87	111.92	24.84	7.09	631	180	68	3070	2360	
3212321186	NORMAL NMG	7.50-10	5.00F-10	TR	GREY	50.87	111.92	24.84	7.09	631	180	68	3070	2360	
3212321388	NORMAL NMY	7.50-10	5.00F-10	TR	YELLOW	51.09	112.40	24.84	7.09	631	180	68	3070	2360	
3212420835	NORMAL	7.50-10	5.50F-10	TR	BLACK	52.47	115.43	24.84	7.24	631	184	68	3070	2360	
3212421065	QUICK	7.50-10	5.50F-10	TR	BLACK	52.27	114.99	24.84	7.24	631	184	68	3070	2360	
3212321240	NORMAL NMW	7.50-10	5.50F-10	TR	WHITE	52.47	115.43	24.84	7.24	631	184	68	3070	2360	
3212321470	QUICK NMW	7.50-10	5.50F-10	TR	WHITE	52.27	114.99	24.84	7.24	631	184	68	3070	2360	
3212321188	NORMAL NMG	7.50-10	5.50F-10	TR	GREY	52.47	115.43	24.84	7.24	631	184	68	3070	2360	
3212321304	QUICK NMG	7.50-10	5.50F-10	TR	GREY	52.27	114.99	24.84	7.24	631	184	68	3070	2360	
3212321392	NORMAL NMY	7.50-10	6.50F-10	TR	YELLOW	52.69	115.93	24.84	7.24	631	184	68	3070	2360	
3212321506	QUICK NMY	7.50-10	6.50F-10	TR	YELLOW	52.49	115.49	24.84	7.24	631	184	68	3070	2360	
3212420840	NORMAL	23x10-12	8.00G-12	TR	BLACK	50.70	111.55	22.99	9.06	584	230	44	3770	2900	
3212421070	QUICK	23x10-12	8.00G-12	TR	BLACK	51.50	113.30	22.99	9.06	584	230	44	3770	2900	
3212321245	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	50.70	111.55	22.99	9.06	584	230	44	3770	2900	
3212321475	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	51.50	113.30	22.99	9.06	584	230	44	3770	2900	
3212321192	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	50.70	111.55	22.99	9.06	584	230	44	3770	2900	
3212321306	QUICK NMG	23x10-12	8.00G-12	TR	GREY	51.50	113.30	22.99	9.06	584	230	44	3770	2900	
3212321394	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	50.92	112.03	22.99	9.06	584	230	44	3770	2900	
3212321508	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	51.72	113.79	22.99	9.06	584	230	44	3770	2900	
3212420845	NORMAL	27x10-12	8.00G-12	TR	BLACK	76.35	167.98	26.77	9.53	680	242	63	3900	3000	
3212421075	QUICK	27x10-12	8.00G-12	TR	BLACK	77.05	169.51	26.77	9.53	680	242	63	3900	3000	
3212321250	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	76.35	167.98	26.77	9.53	680	242	63	3900	3000	
3212321480	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	77.05	169.51	26.77	9.53	680	242	63	3900	3000	
3212321194	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	76.35	167.98	26.77	9.53	680	242	63	3900	3000	
3212321308	QUICK NMG	27x10-12	8.00G-12	TR	GREY	77.05	169.51	26.77	9.53	680	242	63	3900	3000	
3212321396	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	76.68	168.70	26.77	9.53	680	242	63	3900	3000	
3212321512	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	77.38	170.24	26.77	9.53	680	242	63	3900	3000	
3212420850	NORMAL	7.00-12	5.00S-12	TR	BLACK	46.73	102.80	25.67	6.54	652	166	60	2920	2240	
3212421080	QUICK	7.00-12	5.00S-12	TR	BLACK	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321255	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	46.73	102.80	25.67	6.54	652	166	60	2920	2240	
3212321485	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321196	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	46.73	102.80	25.67	6.54	652	166	60	2920	2240	
3212321312	QUICK NMG	7.00-12	5.00S-12	TR	GREY	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321398	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	46.93	103.24	25.67	6.54	652	166	60	2920	2240	
3212321514	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	47.13	103.68	25.67	6.54	652	166	60	2920	2240	
3212420855	NORMAL	8.25-12	5.00S-12	TR	BLACK	66.41	146.11	28.46	7.36	723	187	65	3440	2645	
3212321260	NORMAL NMW	8.25-12	5.00S-12	TR	WHITE	66.41	146.11	28.46	7.36	723	187	65	3440	2645	
3212321198	NORMAL NMG	8.25-12	5.00S-12	TR	GREY	66.41	146.11	28.46	7.36	723	187	65	3440	2645	
3212321402	NORMAL NMY	8.25-12	5.00S-12	TR	YELLOW	66.70	146.74	28.46	7.36	723	187	65	3440	2645	
3212420860	NORMAL	150/100-13	3.75P-13	TR	BLACK	32.81	72.18	24.45	5.75	621	146	46	1495	1150	
3212421085	QUICK	150/100-13	3.75P-13	TR	BLACK	33.50	73.71	24.45	5.75	621	146	46	1495	1150	
3212321265	NORMAL NMW	150/100-13	3.75P-13	TR	WHITE	32.81	72.18	24.45	5.75	621	146	46	1495	1150	
3212321490	QUICK NMW	150/100-13	3.75P-13	TR	WHITE	33.50	73.71	24.45	5.75	621	146	46	1495	1150	
3212321202	NORMAL NMG	150/100-13	3.75P-13	TR	GREY	32.81	72.18	24.45	5.75	621	146	46	1495	1150	
3212321314	QUICK NMG	150/100-13	3.75P-13	TR	GREY	33.50	73.71	24.45	5.75	621	146	46	1495	1150	
3212321404	NORMAL NMY	150/100-13	3.75P-13	TR	YELLOW	32.95	72.49	24.45	5.75	621	146	46	1495	1150	
3212321516	QUICK NMY	150/100-13	3.75P-13	TR	YELLOW	33.65	74.03	24.45	5.75	621	146	46	1495	1150	
3212420865	NORMAL	28x9-15	6.50-15	TR	BLACK	58.96	129.70	27.05	8.43	687	214	54	3900	3000	
3212321270	NORMAL NMW	28x9-15	6.50-15	TR	WHITE	58.96	129.70	27.05	8.43	687	214	54	3900	3000	
3212321204	NORMAL NMG	28x9-15	6.50-15	TR	GREY	58.96	129.70	27.05	8.43	687	214	54	3900	3000	
3212321406	NORMAL NMY	28x9-15	6.50-15	TR	YELLOW	59.21	130.26	27.05	8.43	687	214	54	3900	3000	
3212420870	NORMAL	28x9-15	7.00-15	TR	BLACK	59.75	131.45	27.09	8.39	688	213	54	3900	3000	
3212421090	QUICK	28x9-15	7.00-15	TR	BLACK	60.75	133.64	27.09	8.39	688	213	54	3900	3000	
3212321275	NORMAL NMW	28x9-15	7.00-15	TR	WHITE	59.75	131.45	27.09	8.39	688	213	54	3900	3000	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO HIGHRIDE



HIGHRIDE

CODE	PRODUCT NAME (FERENTINO HIGHRIDE)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212321405	QUICK NMW	28x9-15	7.00-15	TR	WHITE	60.75	133.64	27.09	8.39	688	213	54	3900	3000	
3212321206	NORMAL NMG	28x9-15	7.00-15	TR	GREY	59.75	131.45	27.09	8.39	688	213	54	3900	3000	
3212321316	QUICK NMG	28x9-15	7.00-15	TR	GREY	60.75	133.64	27.09	8.39	688	213	54	3900	3000	
3212321408	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	60.01	132.02	27.09	8.39	688	213	54	3900	3000	
3212321518	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	61.01	134.21	27.09	8.39	688	213	54	3900	3000	
3212420875	NORMAL	355/50-15	9.75-15	TR	BLACK	93.65	206.04	28.03	11.61	712	295	52	5690	4375	
3212421095	QUICK	355/50-15	9.75-15	TR	BLACK	94.85	208.66	28.03	11.61	712	295	52	5690	4375	
3212321280	NORMAL NMW	355/50-15	9.75-15	TR	WHITE	93.65	206.04	28.03	11.61	712	295	52	5690	4375	
3212321500	QUICK NMW	355/50-15	9.75-15	TR	WHITE	94.85	208.66	28.03	11.61	712	295	52	5690	4375	
3212321208	NORMAL NMG	355/50-15	9.75-15	TR	GREY	93.65	206.04	28.03	11.61	712	295	52	5690	4375	
3212321318	QUICK NMG	355/50-15	9.75-15	TR	GREY	94.85	208.66	28.03	11.61	712	295	52	5690	4375	
3212321412	NORMAL NMY	355/50-15	9.75-15	TR	YELLOW	94.06	206.92	28.03	11.61	712	295	52	5690	4375	
3212321522	QUICK NMY	355/50-15	9.75-15	TR	YELLOW	95.25	209.56	28.03	11.61	712	295	52	5690	4375	
3212420880	NORMAL	355/65-15	9.75-15	TR	BLACK	137.20	301.84	32.24	12.28	819	312	75	7800	6000	
3212421100	QUICK	355/65-15	9.75-15	TR	BLACK	138.69	305.12	32.24	12.28	819	312	75	7800	6000	
3212321285	NORMAL NMW	355/65-15	9.75-15	TR	WHITE	137.20	301.84	32.24	12.28	819	312	75	7800	6000	
3212321505	QUICK NMW	355/65-15	9.75-15	TR	WHITE	138.69	305.12	32.24	12.28	819	312	75	7800	6000	
3212321212	NORMAL NMG	355/65-15	9.75-15	TR	GREY	137.20	301.84	32.24	12.28	819	312	75	7800	6000	
3212321322	QUICK NMG	355/65-15	9.75-15	TR	GREY	138.69	305.12	32.24	12.28	819	312	75	7800	6000	
3212321414	NORMAL NMY	355/65-15	9.75-15	TR	YELLOW	137.79	303.14	32.24	12.28	819	312	75	7800	6000	
3212321524	QUICK NMY	355/65-15	9.75-15	TR	YELLOW	139.29	306.43	32.24	12.28	819	312	75	7800	6000	
3212420885	NORMAL	250-15	7.00-15	TR	BLACK	70.19	154.42	28.27	8.66	718	220	60	4745	3650	
3212421105	QUICK	250-15	7.00-15	TR	BLACK	70.79	155.73	28.27	8.66	718	220	60	4745	3650	
3212321290	NORMAL NMW	250-15	7.00-15	TR	WHITE	70.19	154.42	28.27	8.66	718	220	60	4745	3650	
3212321510	QUICK NMW	250-15	7.00-15	TR	WHITE	70.79	155.73	28.27	8.66	718	220	60	4745	3650	
3212321214	NORMAL NMG	250-15	7.00-15	TR	GREY	70.10	154.42	28.27	8.66	718	220	60	4745	3650	
3212321324	QUICK NMG	250-15	7.00-15	TR	GREY	70.79	155.73	28.27	8.66	718	220	60	4745	3650	
3212321416	NORMAL NMY	250-15	7.00-15	TR	YELLOW	70.49	155.08	28.27	8.66	718	220	60	4745	3650	
3212321526	QUICK NMY	250-15	7.00-15	TR	YELLOW	71.09	156.40	28.27	8.66	718	220	60	4745	3650	
3212420890	NORMAL	250-15	7.50-15	TR	BLACK	70.59	155.29	28.19	8.86	716	225	60	4745	3650	
3212421110	QUICK	250-15	7.50-15	TR	BLACK	71.58	157.48	28.19	8.86	716	225	60	4745	3650	
3212321295	NORMAL NMW	250-15	7.50-15	TR	WHITE	70.59	155.29	28.19	8.86	716	225	60	4745	3650	
3212321515	QUICK NMW	250-15	7.50-15	TR	WHITE	71.58	157.48	28.19	8.86	716	225	60	4745	3650	
3212321216	NORMAL NMG	250-15	7.50-15	TR	GREY	70.59	155.29	28.19	8.86	716	225	60	4745	3650	
3212321326	QUICK NMG	250-15	7.50-15	TR	GREY	71.58	157.48	28.19	8.86	716	225	60	4745	3650	
3212321418	NORMAL NMY	250-15	7.50-15	TR	YELLOW	70.89	155.96	28.19	8.86	716	225	60	4745	3650	
3212321528	QUICK NMY	250-15	7.50-15	TR	YELLOW	71.89	158.16	28.19	8.86	716	225	60	4745	3650	
3212420895	NORMAL	300-15	8.00-15	TR	BLACK	113.34	249.35	32.05	9.92	814	252	75	5850	4500	
3212421115	QUICK	300-15	8.00-15	TR	BLACK	114.33	251.53	32.05	9.92	814	252	75	5850	4500	
3212321300	NORMAL NMW	300-15	8.00-15	TR	WHITE	113.34	249.35	32.05	9.92	814	252	75	5850	4500	
3212321520	QUICK NMW	300-15	8.00-15	TR	WHITE	114.33	251.53	32.05	9.92	814	252	75	5850	4500	
3212321218	NORMAL NMG	300-15	8.00-15	TR	GREY	113.34	249.35	32.05	9.92	814	252	75	5850	4500	
3212321328	QUICK NMG	300-15	8.00-15	TR	GREY	114.33	251.53	32.05	9.92	814	252	75	5850	4500	
3212321422	NORMAL NMY	300-15	8.00-15	TR	YELLOW	113.83	250.42	32.05	9.92	814	252	75	5850	4500	
3212321532	QUICK NMY	300-15	8.00-15	TR	YELLOW	114.82	252.61	32.05	9.92	814	252	75	5850	4500	
3212420905	NORMAL	5.50-15	4.50E-16SDC	TR	BLACK	37.98	83.55	26.02	5.98	661	152	55	2430	1870	
3212321310	NORMAL NMW	5.50-15	4.50E-16SDC	TR	WHITE	37.98	83.55	26.02	5.98	661	152	55	2430	1870	
3212321224	NORMAL NMG	5.50-15	4.50E-16SDC	TR	GREY	37.98	83.55	26.02	5.98	661	152	55	2430	1870	
3212321426	NORMAL NMY	5.50-15	4.50E-16SDC	TR	YELLOW	38.14	83.91	26.02	5.98	661	152	55	2430	1870	
3212420910	NORMAL	6.00-15	4.50E-16SDC	TR	BLACK	46.23	101.71	27.48	6.30	698	160	44	3160	2430	
3212321315	NORMAL NMW	6.00-15	4.50E-16SDC	TR	WHITE	46.23	101.71	27.48	6.30	698	160	44	3160	2430	
3212321226	NORMAL NMG	6.00-15	4.50E-16SDC	TR	GREY	46.23	101.71	27.48	6.30	698	160	44	3160	2430	
3212321428	NORMAL NMY	6.00-15	4.50E-16SDC	TR	YELLOW	46.43	102.14	27.48	6.30	698	160	44	3160	2430	
3212420915	NORMAL	7.00-15	5.50-15	TR	BLACK	56.67	124.67	28.50	6.93	724	176	58	3545	2725	
3212421120	QUICK	7.00-15	5.50-15	TR	BLACK	57.66	126.86	28.50	6.93	724	176	58	3545	2725	
3212321320	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	56.67	124.67	28.50	6.93	724	176	58	3545	2725	
3212321525	QUICK NMW	7.00-15	5.50-15	TR	WHITE	57.66	126.86	28.50	6.93	724	176	58	3545	2725	



FERENTINO HIGHRIDE

HIGHRIDE

CODE	PRODUCT NAME (FERENTINO HIGHRIDE)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212321228	NORMAL NMG	7.00-15	5.60-15	TR	GREY	56.67	124.67	28.60	6.93	724	176	58	3545	2725	
3212321332	QUICK NMG	7.00-15	5.60-15	TR	GREY	57.66	126.86	28.60	6.93	724	176	58	3545	2725	
3212321432	NORMAL NMY	7.00-15	5.60-15	TR	YELLOW	56.91	125.21	28.60	6.93	724	176	58	3545	2725	
3212321534	QUICK NMY	7.00-15	5.60-15	TR	YELLOW	57.91	127.40	28.60	6.93	724	176	58	3545	2725	
3212420920	NORMAL	7.00-15	6.00-15	TR	BLACK	57.66	126.86	28.70	7.05	729	179	60	3545	2725	
3212321328	NORMAL NMW	7.00-15	6.00-15	TR	WHITE	57.66	126.86	28.70	7.05	729	179	60	3545	2725	
3212321232	NORMAL NMG	7.00-15	6.00-15	TR	GREY	57.66	126.86	28.70	7.05	729	179	60	3545	2725	
3212321434	NORMAL NMY	7.00-15	6.00-15	TR	YELLOW	57.91	127.40	28.70	7.05	729	179	60	3545	2725	
3212420925	NORMAL	7.50-15	5.60-15	TR	BLACK	66.21	145.67	29.61	7.83	752	199	62	3900	3000	
3212421125	QUICK	7.50-15	5.60-15	TR	BLACK	67.41	148.30	29.61	7.83	752	199	62	3900	3000	
3212321330	NORMAL NMW	7.50-15	5.60-15	TR	WHITE	66.21	145.67	29.61	7.83	752	199	62	3900	3000	
3212321530	QUICK NMW	7.50-15	5.60-15	TR	WHITE	67.41	148.30	29.61	7.83	752	199	62	3900	3000	
3212321234	NORMAL NMG	7.50-15	5.60-15	TR	GREY	66.21	145.67	29.61	7.83	752	199	62	3900	3000	
3212321334	QUICK NMG	7.50-15	5.60-15	TR	GREY	67.41	148.30	29.61	7.83	752	199	62	3900	3000	
3212321436	NORMAL NMY	7.50-15	5.60-15	TR	YELLOW	66.60	146.30	29.61	7.83	752	199	62	3900	3000	
3212321536	QUICK NMY	7.50-15	5.60-15	TR	YELLOW	67.70	148.93	29.61	7.83	752	199	62	3900	3000	
3212420930	NORMAL	7.50-15	6.00-15	TR	BLACK	66.81	146.98	29.61	7.83	752	199	62	3900	3000	
3212321335	NORMAL NMW	7.50-15	6.00-15	TR	WHITE	66.81	146.98	29.61	7.83	752	199	62	3900	3000	
3212321236	NORMAL NMG	7.50-15	6.00-15	TR	GREY	66.81	146.98	29.61	7.83	752	199	62	3900	3000	
3212321438	NORMAL NMY	7.50-15	6.00-15	TR	YELLOW	67.10	147.61	29.61	7.83	752	199	62	3900	3000	
3212420935	NORMAL	7.50-15	6.60-15	TR	BLACK	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321535	NM QUICK	7.50-15	6.60-15	TR	BLACK	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321340	NORMAL NMW	7.50-15	6.60-15	TR	WHITE	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321535	QUICK NMW	7.50-15	6.60-15	TR	WHITE	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321238	NORMAL NMG	7.50-15	6.60-15	TR	GREY	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321336	QUICK NMG	7.50-15	6.60-15	TR	GREY	67.80	149.17	29.61	7.83	752	199	62	3900	3000	
3212321442	NORMAL NMY	7.50-15	6.60-15	TR	YELLOW	68.10	149.81	29.61	7.83	752	199	62	3900	3000	
3212321538	QUICK NMY	7.50-15	6.60-15	TR	YELLOW	68.10	149.81	29.61	7.83	752	199	62	3900	3000	
3212420940	NORMAL	8.25-15	5.60-15	TR	BLACK	87.69	192.92	31.93	8.19	811	208	72	4615	3560	
3212421135	QUICK	8.25-15	5.60-15	TR	BLACK	88.68	195.10	31.93	8.19	811	208	72	4615	3560	
3212321345	NORMAL NMW	8.25-15	5.60-15	TR	WHITE	87.69	192.92	31.93	8.19	811	208	72	4615	3560	
3212321540	QUICK NMW	8.25-15	5.60-15	TR	WHITE	88.68	195.10	31.93	8.19	811	208	72	4615	3560	
3212321242	NORMAL NMG	8.25-15	5.60-15	TR	GREY	87.69	192.92	31.93	8.19	811	208	72	4615	3560	
3212321338	QUICK NMG	8.25-15	5.60-15	TR	GREY	88.68	195.10	31.93	8.19	811	208	72	4615	3560	
3212321444	NORMAL NMY	8.25-15	5.60-15	TR	YELLOW	88.07	193.74	31.93	8.19	811	208	72	4615	3560	
3212321542	QUICK NMY	8.25-15	5.60-15	TR	YELLOW	89.06	195.94	31.93	8.19	811	208	72	4615	3560	
3212420945	NORMAL	8.25-15	6.60-15	TR	BLACK	89.48	196.85	31.97	8.19	812	208	72	4750	3660	
3212421140	QUICK	8.25-15	6.60-15	TR	BLACK	90.67	199.48	31.97	8.19	812	208	72	4750	3660	
3212321350	NORMAL NMW	8.25-15	6.60-15	TR	WHITE	89.48	196.85	31.97	8.19	812	208	72	4750	3660	
3212321545	QUICK NMW	8.25-15	6.60-15	TR	WHITE	90.67	199.48	31.97	8.19	812	208	72	4750	3660	
3212321244	NORMAL NMG	8.25-15	6.60-15	TR	GREY	89.48	196.85	31.97	8.19	812	208	72	4750	3660	
3212321342	QUICK NMG	8.25-15	6.60-15	TR	GREY	90.67	199.48	31.97	8.19	812	208	72	4750	3660	
3212321446	NORMAL NMY	8.25-15	6.60-15	TR	YELLOW	89.86	197.70	31.97	8.19	812	208	72	4750	3660	
3212321544	QUICK NMY	8.25-15	6.60-15	TR	YELLOW	91.06	200.33	31.97	8.19	812	208	72	4750	3660	
3212420950	NORMAL	7.50-16	6.00-16	TR	BLACK	82.10	180.61	31.26	8.27	794	210	70	3965	3060	
3212321355	NORMAL NMW	7.50-16	6.00-16	TR	WHITE	82.10	180.61	31.26	8.27	794	210	70	3965	3060	
3212321246	NORMAL NMG	7.50-16	6.00-16	TR	GREY	82.10	180.61	31.26	8.27	794	210	70	3965	3060	
3212321448	NORMAL NMY	7.50-16	6.00-16	TR	YELLOW	82.45	181.39	31.26	8.27	794	210	70	3965	3060	
3212420955	NORMAL	9.00-20	7.00-20	TR	BLACK	142.93	314.44	39.13	8.98	994	228	75	5400	4500	
3212321360	NORMAL NMW	9.00-20	7.00-20	TR	WHITE	142.93	314.44	39.13	8.98	994	228	75	5400	4500	
3212321248	NORMAL NMG	9.00-20	7.00-20	TR	GREY	142.93	314.44	39.13	8.98	994	228	75	5400	4500	
3212321452	NORMAL NMY	9.00-20	7.00-20	TR	YELLOW	143.54	315.79	39.13	8.98	994	228	75	5400	4500	
3212420960	NORMAL	10.00-20	6.60-20	TR	BLACK	173.09	380.81	40.75	10.04	1035	255	82	5850	4875	
3212321365	NORMAL NMW	10.00-20	6.60-20	TR	WHITE	173.09	380.81	40.75	10.04	1035	255	82	5850	4875	
3212321252	NORMAL NMG	10.00-20	6.60-20	TR	GREY	173.09	380.81	40.75	10.04	1035	255	82	5850	4875	
3212321454	NORMAL NMY	10.00-20	6.60-20	TR	YELLOW	173.84	382.44	40.75	10.04	1035	255	82	5850	4875	
3212420965	NORMAL	10.00-20	7.00-20	TR	BLACK	175.07	385.16	40.75	10.04	1035	255	82	6000	5000	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO HIGHRIDE



HIGHRIDE

CODE	PRODUCT NAME (FERENTINO HIGHRIDE)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY COUNTERBALANCE		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		UP TO 25KM/H		
						Kg	Pound						Load Wheel	Steering Wheel	
3212321370	NORMAL NMW	10.00-20	7.00-20	TR	WHITE	175.07	385.16	40.75	10.04	1035	255	82	6000	5000	
3212321254	NORMAL NMG	10.00-20	7.00-20	TR	GREY	175.07	385.16	40.75	10.04	1035	255	82	6000	5000	
3212321456	NORMAL NMY	10.00-20	7.00-20	TR	YELLOW	175.82	386.81	40.75	10.04	1035	255	82	6000	5000	
3212420970	NORMAL	10.00-20	7.50-20	TR	BLACK	176.66	388.42	40.75	10.04	1035	255	82	6000	5000	
3212321375	NORMAL NMW	10.00-20	7.50-20	TR	WHITE	176.66	388.42	40.75	10.04	1035	255	82	6000	5000	
3212321256	NORMAL NMG	10.00-20	7.50-20	TR	GREY	176.66	388.42	40.75	10.04	1035	255	82	6000	5000	
3212321458	NORMAL NMY	10.00-20	7.50-20	TR	YELLOW	177.31	390.09	40.75	10.04	1035	255	82	6000	5000	
3212420975	NORMAL	10.00-20	8.00-20	TR	BLACK	178.04	391.69	40.75	9.92	1035	252	82	6000	5000	
3212321380	NORMAL NMW	10.00-20	8.00-20	TR	WHITE	178.04	391.69	40.75	9.92	1035	252	82	6000	5000	
3212321258	NORMAL NMG	10.00-20	8.00-20	TR	GREY	178.04	391.69	40.75	9.92	1035	252	82	6000	5000	
3212321462	NORMAL NMY	10.00-20	8.00-20	TR	YELLOW	178.80	393.37	40.75	9.92	1035	252	82	6000	5000	
3212420980	NORMAL	11.00-20	7.50-20	TR	BLACK	191.10	420.41	41.73	10.08	1060	256	96	6540	5450	
3212321385	NORMAL NMW	11.00-20	7.50-20	TR	WHITE	191.10	420.41	41.73	10.08	1060	256	96	6540	5450	
3212321262	NORMAL NMG	11.00-20	7.50-20	TR	GREY	191.10	420.41	41.73	10.08	1060	256	96	6540	5450	
3212321464	NORMAL NMY	11.00-20	7.50-20	TR	YELLOW	191.92	422.22	41.73	10.08	1060	256	96	6540	5450	
3212420985	NORMAL	11.00-20	8.00-20	TR	BLACK	192.88	424.33	41.73	10.08	1060	256	96	6540	5450	
3212321390	NORMAL NMW	11.00-20	8.00-20	TR	WHITE	192.88	424.33	41.73	10.08	1060	256	96	6540	5450	
3212321264	NORMAL NMG	11.00-20	8.00-20	TR	GREY	192.88	424.33	41.73	10.08	1060	256	96	6540	5450	
3212321466	NORMAL NMY	11.00-20	8.00-20	TR	YELLOW	193.70	426.15	41.73	10.08	1060	256	96	6540	5450	
3212420990	NORMAL	12.00-20	8.00-20	TR	BLACK	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212321395	NORMAL NMW	12.00-20	8.00-20	TR	WHITE	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212321266	NORMAL NMG	12.00-20	8.00-20	TR	GREY	226.51	498.31	42.91	11.14	1090	283	88	7560	6300	
3212321468	NORMAL NMY	12.00-20	8.00-20	TR	YELLOW	227.48	500.45	42.91	11.14	1090	283	88	7560	6300	
3212420995	NORMAL	12.00-20	8.50-20	TR	BLACK	227.50	500.49	42.91	11.14	1090	283	88	7560	6300	
3212321400	NORMAL NMW	12.00-20	8.50-20	TR	WHITE	227.50	500.49	42.91	11.14	1090	283	88	7560	6300	
3212321268	NORMAL NMG	12.00-20	8.50-20	TR	GREY	227.50	500.49	42.91	11.14	1090	283	88	7560	6300	
3212321472	NORMAL NMY	12.00-20	8.50-20	TR	YELLOW	228.47	502.64	42.91	11.14	1090	283	88	7560	6300	
3212421000	NORMAL	14.00-24	10.00-24IRA	TR	BLACK	391.69	861.71	51.97	13.11	1320	333	108	11100	9250	
3212321405	NORMAL NMW	14.00-24	10.00-24IRA	TR	WHITE	391.69	861.71	51.97	13.11	1320	333	108	11100	9250	
3212321272	NORMAL NMG	14.00-24	10.00-24IRA	TR	GREY	391.69	861.71	51.97	13.11	1320	333	108	11100	9250	
3212321474	NORMAL NMY	14.00-24	10.00-24IRA	TR	YELLOW	393.37	865.41	51.97	13.11	1320	333	108	11100	9250	
3212421005	NORMAL	16.00-25	11.25-25	TR	BLACK	581.60	1279.61	56.89	16.38	1445	416	125	15000	12500	
3212321410	NORMAL NMW	16.00-25	11.25-25	TR	WHITE	581.60	1279.61	56.89	16.38	1445	416	125	15000	12500	
3212321274	NORMAL NMG	16.00-25	11.25-25	TR	GREY	581.60	1279.61	56.89	16.38	1445	416	125	15000	12500	
3212321476	NORMAL NMY	16.00-25	11.25-25	TR	YELLOW	584.09	1285.00	56.89	16.38	1445	416	125	15000	12500	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



 **FERENTINO**

FERENTINO - GSP(RIB)

FERENTINO GSP(RIB)

GSP



FERENTINO GSP(RIB) NON MARKING



Circumferential ribs

- High cornering capability and low vibration

Low rolling resistance

- Increases battery life and reduces fuel consumption

Excellent tread rubber compound

- For long lifespan



AS
antistatic



NM
non marking



FERENTINO GSP(RIB)

GSP(RIB)

CODE	PRODUCT NAME (FERENTINO GSP (RIB))	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212413075	RIB NORMAL	140/55-6 RIB	4.50E-06	TR	BLACK	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212313076	RIB NORMAL NMW	140/55-6 RIB	4.50E-06	TR	WHITE	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212313106	RIB NORMAL NMG	140/55-6 RIB	4.50E-06	TR	GREY	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212313136	RIB NORMAL NMY	140/55-6 RIB	4.50E-06	TR	YELLOW	10.03	22.07	12.20	5.51	310	140	25	1075	825	
3212413080	RIB NORMAL	4.00-8 RIB	2.50C-8	TR	BLACK	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212413085	RIB NORMAL	4.00-8 RIB	3.00D-8	TR	BLACK	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212413090	RIB NORMAL	4.00-8 RIB	3.75-8	TR	BLACK	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212313078	RIB NORMAL NMW	4.00-8 RIB	2.50C-8	TR	WHITE	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212313082	RIB NORMAL NMW	4.00-8 RIB	3.00D-8	TR	WHITE	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212313084	RIB NORMAL NMW	4.00-8 RIB	3.75-8	TR	WHITE	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212313108	RIB NORMAL NMG	4.00-8 RIB	2.50C-8	TR	GREY	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212313112	RIB NORMAL NMG	4.00-8 RIB	3.00D-8	TR	GREY	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212313114	RIB NORMAL NMG	4.00-8 RIB	3.75-8	TR	GREY	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212313138	RIB NORMAL NMY	4.00-8 RIB	2.50C-8	TR	YELLOW	9.42	20.72	15.98	3.98	406	101	25	950	730	
3212313242	RIB NORMAL NMY	4.00-8 RIB	3.00D-8	TR	YELLOW	10.02	22.04	15.98	4.02	406	102	25	950	730	
3212313244	RIB NORMAL NMY	4.00-8 RIB	3.75-8	TR	YELLOW	12.12	26.67	16.02	4.76	407	121	37	1010	775	
3212413095	RIB NORMAL	5.00-8 RIB	3.75-8	TR	BLACK	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212313086	RIB NORMAL NMW	5.00-8 RIB	3.75-8	TR	WHITE	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212313116	RIB NORMAL NMG	5.00-8 RIB	3.75-8	TR	GREY	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212313246	RIB NORMAL NMY	5.00-8 RIB	3.75-8	TR	YELLOW	17.83	39.23	17.76	5.31	451	135	41	1500	1155	
3212413100	RIB NORMAL	15x4 1/2-8 RIB	3.00D-8	TR	BLACK	10.27	22.60	14.84	4.67	377	116	29	1040	800	
3212413115	RIB QUICK	15x4 1/2-8 RIB	3.00D-8	TR	BLACK	10.47	23.04	14.84	4.67	377	116	29	1040	800	
3212313088	RIB NORMAL NMW	15x4 1/2-8 RIB	3.00D-8	TR	WHITE	10.27	22.60	14.84	4.67	377	116	29	1040	800	
3212313096	RIB QUICK NMW	15x4 1/2-8 RIB	3.00D-8	TR	WHITE	10.47	23.04	14.84	4.67	377	116	29	1040	800	
3212313118	RIB NORMAL NMG	15x4 1/2-8 RIB	3.00D-8	TR	GREY	10.27	22.60	14.84	4.67	377	116	29	1040	800	
3212313126	RIB QUICK NMG	15x4 1/2-8 RIB	3.00D-8	TR	GREY	10.47	23.04	14.84	4.67	377	116	29	1040	800	
3212313248	RIB NORMAL NMY	15x4 1/2-8 RIB	3.00D-8	TR	YELLOW	10.32	22.70	14.84	4.67	377	116	29	1040	800	
3212313256	RIB QUICK NMY	15x4 1/2-8 RIB	3.00D-8	TR	YELLOW	10.62	23.14	14.84	4.67	377	116	29	1040	800	
3212413120	RIB QUICK	140/55-9 RIB	4.00E-09	TR	BLACK	10.17	22.38	14.02	5.12	379	130	28	1170	900	
3212313098	RIB QUICK NMW	140/55-9 RIB	4.00E-09	TR	WHITE	10.17	22.38	14.02	5.12	379	130	28	1170	900	
3212313128	RIB QUICK NMG	140/55-9 RIB	4.00E-09	TR	GREY	10.17	22.38	14.02	5.12	379	130	28	1170	900	
3212313258	RIB QUICK NMY	140/55-9 RIB	4.00E-09	TR	YELLOW	10.22	22.48	14.02	5.12	379	130	28	1170	900	
3212413105	RIB NORMAL	16x5-9 RIB	3.50D-9	TR	BLACK	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212313092	RIB NORMAL NMW	16x5-9 RIB	3.50D-9	TR	WHITE	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212313122	RIB NORMAL NMG	16x5-9 RIB	3.50D-9	TR	GREY	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212313252	RIB NORMAL NMY	16x5-9 RIB	3.50D-9	TR	YELLOW	12.62	27.77	16.14	4.96	410	126	23	1050	810	
3212413110	RIB NORMAL	6.00-9 RIB	4.00E-09	TR	BLACK	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212313094	RIB NORMAL NMW	6.00-9 RIB	4.00E-09	TR	WHITE	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212313124	RIB NORMAL NMG	6.00-9 RIB	4.00E-09	TR	GREY	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212313254	RIB NORMAL NMY	6.00-9 RIB	4.00E-09	TR	YELLOW	25.04	55.10	20.35	5.28	517	134	48	1885	1450	
3212413125	RIB QUICK	180/60-10 RIB	5.00F-10	TR	BLACK	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212313102	RIB QUICK NMW	180/60-10 RIB	5.00F-10	TR	WHITE	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212313132	RIB QUICK NMG	180/60-10 RIB	5.00F-10	TR	GREY	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212313262	RIB QUICK NMY	180/60-10 RIB	5.00F-10	TR	YELLOW	20.64t	45.40	17.87	6.30	454	160	33	2410	1850	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO ECO PLUS

ECO PLUS

ECO PLUS



ECO PLUS NON MARKING



NM
non marking

Well-balanced rubber compound

- Operates in low intensity applications and offers the lowest operating cost.

Deep tread design

- Provides great traction and stability.
- Increases tire lifetime

Exceptional tread rubber compound properties

- Makes this tire the longest lasting tire in the industry for low intensity applications
- Excellent quality to price ratio

Steel bead reinforced heel

- Prevents rim slip

Middle layer cushion

- Middle layer provides an excellent cushioning effect

Wear indicator

- Ensures maximum tire utilization

FERENTINO ECO PLUS



ECO PLUS

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212431560	NORMAL	5.00-8	3.00D-8	TR	BLACK	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212431665	QUICK	5.00-8	3.00D-8	TR	BLACK	15.96	35.11	17.72	4.63	450	115	41	1415	1090	
3212331795	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212331800	NORMAL NMW	5.00-8	3.50D-8	TR	WHITE	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212332045	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	15.96	35.11	17.72	4.63	450	115	41	1415	1090	
3212331784	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212331786	NORMAL NMG	5.00-8	3.50D-8	TR	GREY	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212331908	QUICK NMG	5.00-8	3.00D-8	TR	GREY	15.96	35.11	17.72	4.63	450	115	41	1415	1090	
3212331986	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	15.73	34.60	17.72	4.53	450	115	41	1415	1090	
3212331988	NORMAL NMY	5.00-8	3.50D-8	TR	YELLOW	15.73	34.60	17.72	4.53	450	115	41	1415	1090	
3212332112	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.03	35.26	17.72	4.53	450	115	41	1415	1090	
3212431555	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212431670	QUICK	15x4 1/2-8	3.00D-8	TR	BLACK	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212331805	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212331810	NORMAL NMW	15x4 1/2-8	3.25i-8	TR	WHITE	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212332060	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212331788	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212331792	NORMAL NMG	15x4 1/2-8	3.25i-8	TR	GREY	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212331912	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212331992	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.12	22.26	14.57	4.57	370	116	28	1040	800	
3212331994	NORMAL NMY	15x4 1/2-8	3.25i-8	TR	YELLOW	10.12	22.26	14.57	4.57	370	116	28	1040	800	
3212332114	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.22	22.48	14.57	4.57	370	116	28	1040	800	
3212431560	NORMAL	16x6-8	4.33R-8	TR	BLACK	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212431675	QUICK	16x6-8	4.33R-8	TR	BLACK	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212331815	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212332055	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212331794	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212331914	QUICK NMG	16x6-8	4.33R-8	TR	GREY	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212331996	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	15.33	33.72	16.10	5.75	409	146	34	1495	1150	
3212332116	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	15.53	34.16	16.10	5.75	409	146	34	1495	1150	
3212431565	NORMAL	18x7-8	4.33R-8	TR	BLACK	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212431680	QUICK	18x7-8	4.33R-8	TR	BLACK	20.85	45.87	17.52	5.83	445	148	40	2145	1650	
3212331820	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212332060	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	20.85	45.87	17.52	5.83	445	148	40	2145	1650	
3212331795	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212331916	QUICK NMG	18x7-8	4.33R-8	TR	GREY	20.85	45.87	17.52	5.83	445	148	40	2145	1650	
3212331998	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	19.74	43.42	17.52	5.83	445	148	40	2145	1650	
3212332118	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	20.94	46.06	17.52	5.83	445	148	40	2145	1650	
3212431570	NORMAL	6.00-9	4.00E-09	TR	BLACK	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212431690	QUICK	6.00-9	4.00E-09	TR	BLACK	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212331830	NORMAL NMW	6.00-9	4.00E-09	TR	WHITE	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212332070	QUICK NMW	6.00-9	4.00E-09	TR	WHITE	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212331802	NORMAL NMG	6.00-9	4.00E-09	TR	GREY	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212331922	QUICK NMG	6.00-9	4.00E-09	TR	GREY	25.24	55.62	20.43	5.35	519	136	48	1885	1450	
3212332004	NORMAL NMY	6.00-9	4.00E-09	TR	YELLOW	25.04	55.10	20.43	5.35	519	136	48	1885	1450	
3212332124	QUICK NMY	6.00-9	4.00E-09	TR	YELLOW	25.35	55.76	20.43	5.35	519	136	48	1885	1450	
3212431575	NORMAL	21x8-9	6.00E-09	TR	BLACK	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212431695	QUICK	21x8-9	6.00E-09	TR	BLACK	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212331835	NORMAL NMW	21x8-9	6.00E-09	TR	WHITE	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212332075	QUICK NMW	21x8-9	6.00E-09	TR	WHITE	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212331804	NORMAL NMG	21x8-9	6.00E-09	TR	GREY	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212331924	QUICK NMG	21x8-9	6.00E-09	TR	GREY	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212332006	NORMAL NMY	21x8-9	6.00E-09	TR	YELLOW	34.36	75.59	20.28	7.13	515	181	48	2755	2120	
3212332126	QUICK NMY	21x8-9	6.00E-09	TR	YELLOW	34.66	76.26	20.28	7.13	515	181	48	2755	2120	
3212431580	NORMAL	200/60-10	6.50F-10	TR	BLACK	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212431700	QUICK	200/60-10	6.50F-10	TR	BLACK	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212331840	NORMAL NMW	200/60-10	6.50F-10	TR	WHITE	23.54	51.79	17.72	7.60	450	193	33	2470	1900	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO ECO PLUS



ECO PLUS

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL STEERING WHEEL	
3212332080	QUICK NMW	200/50-10	6.50F-10	TR	WHITE	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212331806	NORMAL NMG	200/50-10	6.50F-10	TR	GREY	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212331926	QUICK NMG	200/50-10	6.50F-10	TR	GREY	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332008	NORMAL NMY	200/50-10	6.50F-10	TR	YELLOW	23.64	52.01	17.72	7.60	450	193	33	2470	1900	
3212332128	QUICK NMY	200/50-10	6.50F-10	TR	YELLOW	23.94	52.67	17.72	7.60	450	193	33	2470	1900	
3212431585	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212431705	QUICK	6.50-10	5.00F-10	TR	BLACK	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212331845	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212331850	NORMAL NMW	6.50-10	5.50F-10	TR	WHITE	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212332085	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212331808	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212331812	NORMAL NMG	6.50-10	5.50F-10	TR	GREY	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212331928	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212332012	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	35.06	77.14	22.28	6.02	566	153	52	2340	1800	
3212332014	NORMAL NMY	6.50-10	5.50F-10	TR	YELLOW	35.06	77.14	22.28	6.02	566	153	52	2340	1800	
3212332132	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	35.86	78.90	22.28	6.02	566	153	52	2340	1800	
3212431500	NORMAL	23x9-10	6.50F-10	TR	BLACK	46.38	102.04	22.56	7.87	573	200	53	3445	2660	
3212431710	QUICK	23x9-10	6.50F-10	TR	BLACK	46.98	103.36	22.56	7.87	573	200	53	3445	2660	
3212331855	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	46.38	102.04	22.56	7.87	573	200	53	3445	2660	
3212332090	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	46.98	103.36	22.56	7.87	573	200	53	3445	2660	
3212331814	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	46.38	102.04	22.56	7.87	573	200	53	3445	2660	
3212331932	QUICK NMG	23x9-10	6.50F-10	TR	GREY	46.98	103.36	22.56	7.87	573	200	53	3445	2660	
3212332016	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	46.58	102.48	22.56	7.87	573	200	53	3445	2660	
3212332134	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	47.18	103.80	22.56	7.87	573	200	53	3445	2660	
3212431505	NORMAL	23x10-12	8.00G-12	TR	BLACK	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212431715	QUICK	23x10-12	8.00G-12	TR	BLACK	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212331870	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212332100	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212331822	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212331936	QUICK NMG	23x10-12	8.00G-12	TR	GREY	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212332024	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	48.53	106.76	22.72	9.21	577	234	45	3770	2900	
3212332138	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	49.12	108.07	22.72	9.21	577	234	45	3770	2900	
3212431600	NORMAL	27x10-12	8.00G-12	TR	BLACK	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212431720	QUICK	27x10-12	8.00G-12	TR	BLACK	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212331875	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212332105	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212331824	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212331938	QUICK NMG	27x10-12	8.00G-12	TR	GREY	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212332026	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	76.38	168.04	26.14	9.76	664	248	60	3900	3000	
3212332142	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	77.18	169.80	26.14	9.76	664	248	60	3900	3000	
3212431605	NORMAL	7.00-12	5.00S-12	TR	BLACK	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212431725	QUICK	7.00-12	5.00S-12	TR	BLACK	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212331880	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212332110	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212331826	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212331942	QUICK NMG	7.00-12	5.00S-12	TR	GREY	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332028	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332144	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	46.93	103.24	25.39	6.50	645	165	56	2920	2240	
3212431610	NORMAL	28x9-15	7.00-15	TR	BLACK	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212431730	QUICK	28x9-15	7.00-15	TR	BLACK	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212331895	NORMAL NMW	28x9-15	6.50-15	TR	WHITE	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212331900	NORMAL NMW	28x9-15	7.00-15	TR	WHITE	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212332120	QUICK NMW	28x9-15	7.00-15	TR	WHITE	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212331834	NORMAL NMG	28x9-15	6.50-15	TR	GREY	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212331836	NORMAL NMG	28x9-15	7.00-15	TR	GREY	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212331946	QUICK NMG	28x9-15	7.00-15	TR	GREY	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212332036	NORMAL NMY	28x9-15	6.50-15	TR	YELLOW	59.91	131.80	26.81	8.31	681	211	49	3900	3000	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO ECO PLUS

ECO PLUS

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212332038	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	59.91	131.80	26.81	8.31	681	211	49	3000	3000	
3212332148	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	60.91	133.99	26.81	8.31	681	211	49	3000	3000	
3212431620	NORMAL	355/65-15	9.75-15	TR	BLACK	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212431740	QUICK	355/65-15	9.75-15	TR	BLACK	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212331910	NORMAL NMW	355/65-15	9.75-15	TR	WHITE	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212332130	QUICK NMW	355/65-15	9.75-15	TR	WHITE	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212331842	NORMAL NMG	355/65-15	9.75-15	TR	GREY	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212331952	QUICK NMG	355/65-15	9.75-15	TR	GREY	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212332044	NORMAL NMY	355/65-15	9.75-15	TR	YELLOW	133.30	293.25	31.93	12.20	811	310	70	7800	6000	
3212332154	QUICK NMY	355/65-15	9.75-15	TR	YELLOW	133.80	294.35	31.93	12.20	811	310	70	7800	6000	
3212431626	NORMAL	250-15	7.00-15	TR	BLACK	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212431630	NORMAL	250-15	7.50-15	TR	BLACK	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212431745	QUICK	250-15	7.00-15	TR	BLACK	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212331915	NORMAL NMW	250-15	7.00-15	TR	WHITE	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212331920	NORMAL NMW	250-15	7.50-15	TR	WHITE	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332135	QUICK NMW	250-15	7.00-15	TR	WHITE	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332140	QUICK NMW	250-15	7.50-15	TR	WHITE	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212331844	NORMAL NMG	250-15	7.00-15	TR	GREY	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212331846	NORMAL NMG	250-15	7.50-15	TR	GREY	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212331954	QUICK NMG	250-15	7.00-15	TR	GREY	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212331956	QUICK NMG	250-15	7.50-15	TR	GREY	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332046	NORMAL NMY	250-15	7.00-15	TR	YELLOW	66.90	147.17	27.83	8.35	707	212	53	4745	3650	
3212332048	NORMAL NMY	250-15	7.50-15	TR	YELLOW	66.80	146.96	27.83	8.35	707	212	53	4745	3650	
3212332156	QUICK NMY	250-15	7.00-15	TR	YELLOW	67.90	149.37	27.83	8.35	707	212	53	4745	3650	
3212332158	QUICK NMY	250-15	7.50-15	TR	YELLOW	67.90	149.37	27.83	8.35	707	212	53	4745	3650	
3212431635	NORMAL	300-15	8.00-15	TR	BLACK	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212431750	QUICK	300-15	8.00-15	TR	BLACK	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212331925	NORMAL NMW	300-15	8.00-15	TR	WHITE	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212332145	QUICK NMW	300-15	8.00-15	TR	WHITE	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212331848	NORMAL NMG	300-15	8.00-15	TR	GREY	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212331958	QUICK NMG	300-15	8.00-15	TR	GREY	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332052	NORMAL NMY	300-15	8.00-15	TR	YELLOW	108.33	238.34	31.81	9.84	808	250	70	5850	4500	
3212332162	QUICK NMY	300-15	8.00-15	TR	YELLOW	109.33	240.53	31.81	9.84	808	250	70	5850	4500	
3212431640	NORMAL	7.00-15	5.50-15	TR	BLACK	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212431755	QUICK	7.00-15	5.50-15	TR	BLACK	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212331945	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212331950	NORMAL NMW	7.00-15	6.00-15	TR	WHITE	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212332150	QUICK NMW	7.00-15	5.50-15	TR	WHITE	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212331858	NORMAL NMG	7.00-15	5.50-15	TR	GREY	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212331862	NORMAL NMG	7.00-15	6.00-15	TR	GREY	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212331962	QUICK NMG	7.00-15	5.50-15	TR	GREY	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212332062	NORMAL NMY	7.00-15	5.50-15	TR	YELLOW	57.71	126.97	28.39	7.28	721	185	55	3545	2725	
3212332064	NORMAL NMY	7.00-15	6.00-15	TR	YELLOW	57.71	126.97	28.39	7.28	721	185	55	3545	2725	
3212332164	QUICK NMY	7.00-15	5.50-15	TR	YELLOW	58.71	129.16	28.39	7.28	721	185	55	3545	2725	
3212431645	NORMAL	7.50-15	6.50-15	TR	BLACK	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212431760	QUICK	7.50-15	6.50-15	TR	BLACK	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212331965	NORMAL NMW	7.50-15	6.50-15	TR	WHITE	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212332160	QUICK NMW	7.50-15	6.50-15	TR	WHITE	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212331868	NORMAL NMG	7.50-15	6.50-15	TR	GREY	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212331966	QUICK NMG	7.50-15	6.50-15	TR	GREY	72.68	159.89	29.25	7.99	743	203	59	3900	3000	
3212332072	NORMAL NMY	7.50-15	6.50-15	TR	YELLOW	71.89	168.16	29.25	7.99	743	203	59	3900	3000	
3212332168	QUICK NMY	7.50-15	6.50-15	TR	YELLOW	72.99	160.57	29.25	7.99	743	203	59	3900	3000	
3212431650	NORMAL	8.25-15	6.50-15	TR	BLACK	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212431765	QUICK	8.25-15	6.50-15	TR	BLACK	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212331975	NORMAL NMW	8.25-15	6.50-15	TR	WHITE	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212332170	QUICK NMW	8.25-15	6.50-15	TR	WHITE	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212331874	NORMAL NMG	8.25-15	6.50-15	TR	GREY	89.48	196.85	31.65	7.99	804	203	69	4750	3650	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO ECO PLUS



ECO PLUS

CODE	PRODUCT NAME (FERENTINO ECO PLUS)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						Up To 25km/h	Load Wheel	Steering Wheel
3212331972	QUICK NMG	8.25-15	6.50-15	TR	GREY	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332076	NORMAL NMW	8.25-15	6.50-15	TR	YELLOW	89.86	197.70	31.65	7.99	804	203	69	4750	3650	
3212332174	QUICK NMY	8.25-15	6.50-15	TR	YELLOW	90.86	199.89	31.65	7.99	804	203	69	4750	3650	
3212431655	NORMAL	10.00-20	7.50-20	TR	BLACK	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332000	NORMAL NMW	10.00-20	7.50-20	TR	WHITE	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212331886	NORMAL NMG	10.00-20	7.50-20	TR	GREY	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332088	NORMAL NMY	10.00-20	7.50-20	TR	YELLOW	168.87	371.51	39.76	10.00	1010	254	82	6000	5000	
3212431660	NORMAL	10.00-20	8.00-20	TR	BLACK	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332005	NORMAL NMW	10.00-20	8.00-20	TR	WHITE	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212331888	NORMAL NMG	10.00-20	8.00-20	TR	GREY	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332092	NORMAL NMY	10.00-20	8.00-20	TR	YELLOW	169.86	373.70	39.76	10.00	1010	254	82	6000	5000	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



 **FERENTINO**
TIRES & TIRES

FERENTINO ECOPLUS RIB

ECOPLUS RIB

ECOPLUS RIB



ECOPLUS RIB NON MARKING



S
pecial

Unique lug pattern

- Increased traction and lifetime

High performance compound

- Low rolling resistance
- Excellent quality to price ratio
- Reduces chunking and cutting

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.

FERENTINO ECOPLUS RIB



ECOPLUS RIB

CODE	PRODUCT NAME (FERENTINO ECOPLUS RIB)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL STEERING WHEEL	
3212433195	RIB NORMAL	140/55-6 RIB	4.50E-06	TR	BLACK	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212333196	RIB NORMAL NMW	140/55-6 RIB	4.50E-06	TR	WHITE	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212333226	RIB NORMAL NMG	140/55-6 RIB	4.50E-06	TR	GREY	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212333256	RIB NORMAL NMY	140/55-6 RIB	4.50E-06	TR	YELLOW	10.03	22.07	12.20	5.51	310	140	25	1075	825	
3212433200	RIB NORMAL	4.00-8 RIB	2.50C-8	TR	BLACK	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212433205	RIB NORMAL	4.00-8 RIB	3.00D-8	TR	BLACK	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212433210	RIB NORMAL	4.00-8 RIB	3.75-8	TR	BLACK	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212333198	RIB NORMAL NMW	4.00-8 RIB	2.50C-8	TR	WHITE	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212333202	RIB NORMAL NMW	4.00-8 RIB	3.00D-8	TR	WHITE	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212333204	RIB NORMAL NMW	4.00-8 RIB	3.75-8	TR	WHITE	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212333228	RIB NORMAL NMG	4.00-8 RIB	2.50C-8	TR	GREY	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212333232	RIB NORMAL NMG	4.00-8 RIB	3.00D-8	TR	GREY	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212333234	RIB NORMAL NMG	4.00-8 RIB	3.75-8	TR	GREY	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212333258	RIB NORMAL NMY	4.00-8 RIB	2.50C-8	TR	YELLOW	9.42	20.72	15.98	3.98	406	101	25	950	730	
3212333262	RIB NORMAL NMY	4.00-8 RIB	3.00D-8	TR	YELLOW	10.02	22.04	15.98	4.02	406	102	25	950	730	
3212333264	RIB NORMAL NMY	4.00-8 RIB	3.75-8	TR	YELLOW	12.12	26.67	16.02	4.76	407	121	37	1010	775	
3212433215	RIB NORMAL	5.00-8 RIB	3.75-8	TR	BLACK	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212333206	RIB NORMAL NMW	5.00-8 RIB	3.75-8	TR	WHITE	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212333236	RIB NORMAL NMG	5.00-8 RIB	3.75-8	TR	GREY	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212333266	RIB NORMAL NMY	5.00-8 RIB	3.75-8	TR	YELLOW	17.83	39.23	17.76	5.31	451	135	41	1500	1155	
3212433220	RIB NORMAL	15x4 1/2-8 RIB	3.00D-8	TR	BLACK	10.27	22.60	14.84	4.57	377	116	29	1040	800	
3212433235	RIB QUIOK	15x4 1/2-8 RIB	3.00D-8	TR	BLACK	10.47	23.04	14.84	4.57	377	116	29	1040	800	
3212333208	RIB NORMAL NMW	15x4 1/2-8 RIB	3.00D-8	TR	WHITE	10.27	22.60	14.84	4.57	377	116	29	1040	800	
3212333216	RIB QUIOK NMW	15x4 1/2-8 RIB	3.00D-8	TR	WHITE	10.47	23.04	14.84	4.57	377	116	29	1040	800	
3212333238	RIB NORMAL NMG	15x4 1/2-8 RIB	3.00D-8	TR	GREY	10.27	22.60	14.84	4.57	377	116	29	1040	800	
3212333246	RIB QUIOK NMG	15x4 1/2-8 RIB	3.00D-8	TR	GREY	10.47	23.04	14.84	4.57	377	116	29	1040	800	
3212333268	RIB NORMAL NMY	15x4 1/2-8 RIB	3.00D-8	TR	YELLOW	10.32	22.70	14.84	4.57	377	116	29	1040	800	
3212333276	RIB QUIOK NMY	15x4 1/2-8 RIB	3.00D-8	TR	YELLOW	10.52	23.14	14.84	4.57	377	116	29	1040	800	
3212433240	RIB QUIOK	140/55-9 RIB	4.00E-09	TR	BLACK	10.17	22.38	14.92	5.12	379	130	28	1170	900	
3212333218	RIB QUIOK NMW	140/55-9 RIB	4.00E-09	TR	WHITE	10.17	22.38	14.92	5.12	379	130	28	1170	900	
3212333248	RIB QUIOK NMW	140/55-9 RIB	4.00E-09	TR	GREY	10.17	22.38	14.92	5.12	379	130	28	1170	900	
3212333278	RIB QUIOK NMY	140/55-9 RIB	4.00E-09	TR	YELLOW	10.22	22.48	14.92	5.12	379	130	28	1170	900	
3212433225	RIB NORMAL	16x5-9 RIB	3.60D-9	TR	BLACK	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212333212	RIB NORMAL NMW	16x5-9 RIB	3.60D-9	TR	WHITE	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212333242	RIB NORMAL NMG	16x5-9 RIB	3.60D-9	TR	GREY	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212333272	RIB NORMAL NMY	16x5-9 RIB	3.60D-9	TR	YELLOW	12.62	27.77	16.14	4.96	410	126	23	1050	810	
3212433230	RIB NORMAL	6.00-9 RIB	4.00E-09	TR	BLACK	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212333214	RIB NORMAL NMW	6.00-9 RIB	4.00E-09	TR	WHITE	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212333244	RIB NORMAL NMG	6.00-9 RIB	4.00E-09	TR	GREY	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212333274	RIB NORMAL NMY	6.00-9 RIB	4.00E-09	TR	YELLOW	25.04	55.10	20.35	5.28	517	134	48	1885	1450	
3212433245	RIB QUIOK	180/60-10 RIB	5.00F-10	TR	BLACK	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212333222	RIB QUIOK NMW	180/60-10 RIB	5.00F-10	TR	WHITE	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212333252	RIB QUIOK NMG	180/60-10 RIB	5.00F-10	TR	GREY	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212333282	RIB QUIOK NMY	180/60-10 RIB	5.00F-10	TR	YELLOW	20.64	45.40	17.87	6.30	454	160	33	2410	1850	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW

FERENTINO HIGHRIDE POB

HIGHRIDE

FERENTINO HIGHRIDE POB



FERENTINO HIGHRIDE POB NON MARKING



Unique lug pattern

- Increased traction and lifetime

High performance compound

- Low rolling resistance
- Excellent quality to price ratio
- Reduces chunking and cutting

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.

FERENTINO HIGHRIDE RIB



HIGHRIDE RIB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE RIB)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL STEERING WHEEL	
3212423135	RIB NORMAL	140/55-6 RIB	4.50E-06	TR	BLACK	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212323136	RIB NORMAL NMW	140/55-6 RIB	4.50E-06	TR	WHITE	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212323166	RIB NORMAL NMG	140/55-6 RIB	4.50E-06	TR	GREY	9.99	21.98	12.20	5.51	310	140	25	1075	825	
3212323296	RIB NORMAL NMY	140/55-6 RIB	4.50E-06	TR	YELLOW	10.03	22.07	12.20	5.51	310	140	25	1075	825	
3212423140	RIB NORMAL	4.00-8 RIB	2.50C-8	TR	BLACK	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212423145	RIB NORMAL	4.00-8 RIB	3.00D-8	TR	BLACK	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212423150	RIB NORMAL	4.00-8 RIB	3.75-8	TR	BLACK	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212323138	RIB NORMAL NMW	4.00-8 RIB	2.50C-8	TR	WHITE	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212323142	RIB NORMAL NMW	4.00-8 RIB	3.00D-8	TR	WHITE	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212323144	RIB NORMAL NMW	4.00-8 RIB	3.75-8	TR	WHITE	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212323168	RIB NORMAL NMG	4.00-8 RIB	2.50C-8	TR	GREY	9.38	20.63	15.98	3.98	406	101	25	950	730	
3212323272	NORMAL NMG	4.00-8 RIB	3.00D-8	TR	GREY	9.98	21.95	15.98	4.02	406	102	25	950	730	
3212323274	NORMAL NMG	4.00-8 RIB	3.75-8	TR	GREY	12.07	26.55	16.02	4.76	407	121	37	1010	775	
3212323298	NORMAL NMY	4.00-8 RIB	2.50C-8	TR	YELLOW	9.42	20.72	15.98	3.98	406	101	25	950	730	
3212323202	RIB NORMAL NMY	4.00-8 RIB	3.00D-8	TR	YELLOW	10.02	22.04	15.98	4.02	406	102	25	950	730	
3212323204	RIB NORMAL NMY	4.00-8 RIB	3.75-8	TR	YELLOW	12.12	26.67	16.02	4.76	407	121	37	1010	775	
3212423155	RIB NORMAL	5.00-8 RIB	3.75-8	TR	BLACK	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212323146	RIB NORMAL NMW	5.00-8 RIB	3.75-8	TR	WHITE	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212323276	RIB NORMAL NMG	5.00-8 RIB	3.75-8	TR	GREY	17.76	39.06	17.76	5.31	451	135	41	1500	1155	
3212323206	RIB NORMAL NMY	5.00-8 RIB	3.75-8	TR	YELLOW	17.83	39.23	17.76	5.31	451	135	41	1500	1155	
3212423160	RIB NORMAL	15x4 1/2-8 RIB	3.00D-8	TR	BLACK	10.27	22.60	14.84	4.57	377	116	29	1040	800	
3212423175	RIB QUIK	15x4 1/2-8 RIB	3.00D-8	TR	BLACK	10.47	23.04	14.84	4.57	377	116	29	1040	800	
3212323148	RIB NORMAL NMW	15x4 1/2-8 RIB	3.00D-8	TR	WHITE	10.27	22.60	14.84	4.57	377	116	29	1040	800	
3212323156	RIB QUIK NMW	15x4 1/2-8 RIB	3.00D-8	TR	WHITE	10.47	23.04	14.84	4.57	377	116	29	1040	800	
3212323278	RIB NORMAL NMG	15x4 1/2-8 RIB	3.00D-8	TR	GREY	10.27	22.60	14.84	4.57	377	116	29	1040	800	
3212323286	RIB QUIK NMG	15x4 1/2-8 RIB	3.00D-8	TR	GREY	10.47	23.04	14.84	4.57	377	116	29	1040	800	
3212323208	RIB NORMAL NMY	15x4 1/2-8 RIB	3.00D-8	TR	YELLOW	10.32	22.70	14.84	4.57	377	116	29	1040	800	
3212323216	RIB QUIK NMY	15x4 1/2-8 RIB	3.00D-8	TR	YELLOW	10.52	23.14	14.84	4.57	377	116	29	1040	800	
3212423180	RIB QUIK	140/55-9 RIB	4.00E-09	TR	BLACK	10.17	22.38	14.92	5.12	379	130	28	1170	900	
3212323158	RIB QUIK NMW	140/55-9 RIB	4.00E-09	TR	WHITE	10.17	22.38	14.92	5.12	379	130	28	1170	900	
3212323288	RIB QUIK NMG	140/55-9 RIB	4.00E-09	TR	GREY	10.17	22.38	14.92	5.12	379	130	28	1170	900	
3212323218	RIB QUIK NMY	140/55-9 RIB	4.00E-09	TR	YELLOW	10.22	22.48	14.92	5.12	379	130	28	1170	900	
3212423165	RIB NORMAL	16x5-9 RIB	3.50D-9	TR	BLACK	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212323152	RIB NORMAL NMW	16x5-9 RIB	3.50D-9	TR	WHITE	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212323282	RIB NORMAL NMG	16x5-9 RIB	3.50D-9	TR	GREY	12.57	27.65	16.14	4.96	410	126	23	1050	810	
3212323212	RIB NORMAL NMY	16x5-9 RIB	3.50D-9	TR	YELLOW	12.62	27.77	16.14	4.96	410	126	23	1050	810	
3212423170	RIB NORMAL	6.00-9 RIB	4.00E-09	TR	BLACK	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212323154	RIB NORMAL NMW	6.00-9 RIB	4.00E-09	TR	WHITE	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212323284	RIB NORMAL NMG	6.00-9 RIB	4.00E-09	TR	GREY	24.94	54.86	20.35	5.28	517	134	48	1885	1450	
3212323214	RIB NORMAL NMY	6.00-9 RIB	4.00E-09	TR	YELLOW	25.04	55.10	20.35	5.28	517	134	48	1885	1450	
3212423185	RIB QUIK	180/60-10 RIB	5.00F-10	TR	BLACK	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212323162	RIB QUIK NMW	180/60-10 RIB	5.00F-10	TR	WHITE	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212323292	RIB QUIK NMG	180/60-10 RIB	5.00F-10	TR	GREY	20.55	45.21	17.87	6.30	454	160	33	2410	1850	
3212323222	RIB QUIK NMY	180/60-10 RIB	5.00F-10	TR	YELLOW	20.64	45.40	17.87	6.30	454	160	33	2410	1850	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



ATHLETIK

ATHLETIK

ATHLETIK



ATHLETIK
NON MARKING



S
special

Deep tread design

- Improves traction and stability

Alternative for pneumatic tires

- Reduces downtime by eliminating punctures

Budget compound

- Excellent quality to price ratio



FERENTINO ATHLETIK

ATHLETIK

CODE	PRODUCT NAME (FERENTINO ATHLETIK)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212432175	NORMAL	5.00-8	3.00D-8	TR	BLACK	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212432290	QUICK	5.00-8	3.00D-8	TR	BLACK	15.96	35.11	17.72	4.63	450	115	41	1415	1090	
3212332176	NORMAL NMW	5.00-8	3.00D-8	TR	WHITE	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212332234	QUICK NMW	5.00-8	3.00D-8	TR	WHITE	15.96	35.11	17.72	4.63	450	115	41	1415	1090	
3212332286	NORMAL NMG	5.00-8	3.00D-8	TR	GREY	15.66	34.45	17.72	4.63	450	115	41	1415	1090	
3212332344	QUICK NMG	5.00-8	3.00D-8	TR	GREY	15.96	35.11	17.72	4.63	450	115	41	1415	1090	
3212332396	NORMAL NMY	5.00-8	3.00D-8	TR	YELLOW	15.73	34.60	17.72	4.63	450	115	41	1415	1090	
3212332454	QUICK NMY	5.00-8	3.00D-8	TR	YELLOW	16.03	35.26	17.72	4.63	450	115	41	1415	1090	
3212432180	NORMAL	15x4 1/2-8	3.00D-8	TR	BLACK	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212432295	QUICK	15x4 1/2-8	3.00D-8	TR	BLACK	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212332178	NORMAL NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212332236	QUICK NMW	15x4 1/2-8	3.00D-8	TR	WHITE	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212332288	NORMAL NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.07	22.16	14.57	4.57	370	116	28	1040	800	
3212332346	QUICK NMG	15x4 1/2-8	3.00D-8	TR	GREY	10.17	22.38	14.57	4.57	370	116	28	1040	800	
3212332398	NORMAL NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.12	22.26	14.57	4.57	370	116	28	1040	800	
3212332456	QUICK NMY	15x4 1/2-8	3.00D-8	TR	YELLOW	10.22	22.48	14.57	4.57	370	116	28	1040	800	
3212432185	NORMAL	16x6-8	4.33R-8	TR	BLACK	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212432300	QUICK	16x6-8	4.33R-8	TR	BLACK	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212332182	NORMAL NMW	16x6-8	4.33R-8	TR	WHITE	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212332238	QUICK NMW	16x6-8	4.33R-8	TR	WHITE	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212332292	NORMAL NMG	16x6-8	4.33R-8	TR	GREY	15.26	33.58	16.10	5.75	409	146	34	1495	1150	
3212332348	QUICK NMG	16x6-8	4.33R-8	TR	GREY	15.46	34.01	16.10	5.75	409	146	34	1495	1150	
3212332402	NORMAL NMY	16x6-8	4.33R-8	TR	YELLOW	15.33	33.72	16.10	5.75	409	146	34	1495	1150	
3212332458	QUICK NMY	16x6-8	4.33R-8	TR	YELLOW	15.53	34.16	16.10	5.75	409	146	34	1495	1150	
3212432190	NORMAL	18x7-8	4.33R-8	TR	BLACK	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212432305	QUICK	18x7-8	4.33R-8	TR	BLACK	20.85	45.87	17.52	5.83	445	148	40	2145	1650	
3212332184	NORMAL NMW	18x7-8	4.33R-8	TR	WHITE	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212332242	QUICK NMW	18x7-8	4.33R-8	TR	WHITE	20.85	46.87	17.52	5.83	445	148	40	2145	1650	
3212332294	NORMAL NMG	18x7-8	4.33R-8	TR	GREY	19.65	43.23	17.52	5.83	445	148	40	2145	1650	
3212332352	QUICK NMG	18x7-8	4.33R-8	TR	GREY	20.85	46.87	17.52	5.83	445	148	40	2145	1650	
3212332404	NORMAL NMY	18x7-8	4.33R-8	TR	YELLOW	19.74	43.42	17.52	5.83	445	148	40	2145	1650	
3212332462	QUICK NMY	18x7-8	4.33R-8	TR	YELLOW	20.94	46.06	17.52	5.83	445	148	40	2145	1650	
3212432195	NORMAL	6.00-9	4.00E-09	TR	BLACK	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212432315	QUICK	6.00-9	4.00E-09	TR	BLACK	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212332186	NORMAL NMW	6.00-9	4.00E-09	TR	WHITE	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212332246	QUICK NMW	6.00-9	4.00E-09	TR	WHITE	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212332296	NORMAL NMG	6.00-9	4.00E-09	TR	GREY	24.94	54.86	20.43	5.35	519	136	48	1885	1450	
3212332356	QUICK NMG	6.00-9	4.00E-09	TR	GREY	25.24	55.52	20.43	5.35	519	136	48	1885	1450	
3212332406	NORMAL NMY	6.00-9	4.00E-09	TR	YELLOW	25.04	55.10	20.43	5.35	519	136	48	1885	1450	
3212332466	QUICK NMY	6.00-9	6.00E-09	TR	YELLOW	25.35	55.76	20.43	5.35	519	136	48	1885	1450	
3212432200	NORMAL	21x8-9	6.00E-09	TR	BLACK	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212432320	QUICK	21x8-9	6.00E-09	TR	BLACK	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212332188	NORMAL NMW	21x8-9	6.00E-09	TR	WHITE	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212332248	QUICK NMW	21x8-9	6.00E-09	TR	WHITE	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212332298	NORMAL NMG	21x8-9	6.00E-09	TR	GREY	34.21	75.27	20.28	7.13	515	181	48	2755	2120	
3212332358	QUICK NMG	21x8-9	6.00E-09	TR	GREY	34.51	75.93	20.28	7.13	515	181	48	2755	2120	
3212332408	NORMAL NMY	21x8-9	6.00E-09	TR	YELLOW	34.36	75.59	20.28	7.13	515	181	48	2755	2120	
3212332468	QUICK NMY	21x8-9	6.00E-09	TR	YELLOW	34.66	76.26	20.28	7.13	515	181	48	2755	2120	
3212432205	NORMAL	200/60-10	6.50F-10	TR	BLACK	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212432325	QUICK	200/60-10	6.50F-10	TR	BLACK	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332192	NORMAL NMW	200/60-10	6.50F-10	TR	WHITE	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212332252	QUICK NMW	200/60-10	6.50F-10	TR	WHITE	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332302	NORMAL NMG	200/60-10	6.50F-10	TR	GREY	23.54	51.79	17.72	7.60	450	193	33	2470	1900	
3212332362	QUICK NMG	200/60-10	6.50F-10	TR	GREY	23.84	52.45	17.72	7.60	450	193	33	2470	1900	
3212332412	NORMAL NMY	200/60-10	6.50F-10	TR	YELLOW	23.64	52.01	17.72	7.60	450	193	33	2470	1900	
3212332472	QUICK NMY	200/60-10	6.50F-10	TR	YELLOW	23.94	52.67	17.72	7.60	450	193	33	2470	1900	
3212432210	NORMAL	6.50-10	5.00F-10	TR	BLACK	34.91	76.81	22.28	6.02	566	153	52	2340	1800	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



ATHLETIK

CODE	PRODUCT NAME (FERENTINO ATHLETIK)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY COUNTERBALANCE		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm		Kg	Kg	
3212432330	QUICK	6.50-10	5.00F-10	TR	BLACK	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212332194	NORMAL NMW	6.50-10	5.00F-10	TR	WHITE	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212332254	QUICK NMW	6.50-10	5.00F-10	TR	WHITE	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212332304	NORMAL NMG	6.50-10	5.00F-10	TR	GREY	34.91	76.81	22.28	6.02	566	153	52	2340	1800	
3212332364	QUICK NMG	6.50-10	5.00F-10	TR	GREY	35.71	78.56	22.28	6.02	566	153	52	2340	1800	
3212332414	NORMAL NMY	6.50-10	5.00F-10	TR	YELLOW	35.06	77.14	22.28	6.02	566	153	52	2340	1800	
3212332474	QUICK NMY	6.50-10	5.00F-10	TR	YELLOW	35.86	78.90	22.28	6.02	566	153	52	2340	1800	
3212432215	NORMAL	23x9-10	6.50F-10	TR	BLACK	46.38	102.04	22.56	7.87	573	200	53	3445	2660	
3212432335	QUICK	23x9-10	6.50F-10	TR	BLACK	46.98	103.36	22.56	7.87	573	200	53	3445	2660	
3212332196	NORMAL NMW	23x9-10	6.50F-10	TR	WHITE	46.38	102.04	22.56	7.87	573	200	53	3445	2660	
3212332256	QUICK NMW	23x9-10	6.50F-10	TR	WHITE	46.98	103.36	22.56	7.87	573	200	53	3445	2660	
3212332306	NORMAL NMG	23x9-10	6.50F-10	TR	GREY	46.38	102.04	22.56	7.87	573	200	53	3445	2660	
3212332366	QUICK NMG	23x9-10	6.50F-10	TR	GREY	46.98	103.36	22.56	7.87	573	200	53	3445	2660	
3212332416	NORMAL NMY	23x9-10	6.50F-10	TR	YELLOW	46.58	102.48	22.56	7.87	573	200	53	3445	2660	
3212332476	QUICK NMY	23x9-10	6.50F-10	TR	YELLOW	47.18	103.80	22.56	7.87	573	200	53	3445	2660	
3212432220	NORMAL	23x10-12	8.00G-12	TR	BLACK	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212432340	QUICK	23x10-12	8.00G-12	TR	BLACK	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212332198	NORMAL NMW	23x10-12	8.00G-12	TR	WHITE	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212332258	QUICK NMW	23x10-12	8.00G-12	TR	WHITE	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212332308	NORMAL NMG	23x10-12	8.00G-12	TR	GREY	48.32	106.30	22.72	9.21	577	234	45	3770	2900	
3212332368	QUICK NMG	23x10-12	8.00G-12	TR	GREY	48.91	107.61	22.72	9.21	577	234	45	3770	2900	
3212332418	NORMAL NMY	23x10-12	8.00G-12	TR	YELLOW	48.53	106.76	22.72	9.21	577	234	45	3770	2900	
3212332478	QUICK NMY	23x10-12	8.00G-12	TR	YELLOW	49.12	108.07	22.72	9.21	577	234	45	3770	2900	
3212432225	NORMAL	27x10-12	8.00G-12	TR	BLACK	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212432345	QUICK	27x10-12	8.00G-12	TR	BLACK	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212332202	NORMAL NMW	27x10-12	8.00G-12	TR	WHITE	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212332262	QUICK NMW	27x10-12	8.00G-12	TR	WHITE	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212332312	NORMAL NMG	27x10-12	8.00G-12	TR	GREY	76.06	167.32	26.14	9.76	664	248	60	3900	3000	
3212332372	QUICK NMG	27x10-12	8.00G-12	TR	GREY	76.85	169.07	26.14	9.76	664	248	60	3900	3000	
3212332422	NORMAL NMY	27x10-12	8.00G-12	TR	YELLOW	76.38	168.04	26.14	9.76	664	248	60	3900	3000	
3212332482	QUICK NMY	27x10-12	8.00G-12	TR	YELLOW	77.18	169.80	26.14	9.76	664	248	60	3900	3000	
3212432230	NORMAL	7.00-12	5.00S-12	TR	BLACK	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212432350	QUICK	7.00-12	5.00S-12	TR	BLACK	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332204	NORMAL NMW	7.00-12	5.00S-12	TR	WHITE	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212332264	QUICK NMW	7.00-12	5.00S-12	TR	WHITE	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332314	NORMAL NMG	7.00-12	5.00S-12	TR	GREY	46.53	102.36	25.39	6.50	645	165	56	2920	2240	
3212332374	QUICK NMG	7.00-12	5.00S-12	TR	GREY	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332424	NORMAL NMY	7.00-12	5.00S-12	TR	YELLOW	46.73	102.80	25.39	6.50	645	165	56	2920	2240	
3212332484	QUICK NMY	7.00-12	5.00S-12	TR	YELLOW	46.93	103.24	25.39	6.50	645	165	56	2920	2240	
3212432235	NORMAL	28x9-15	7.00-15	TR	BLACK	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212432355	QUICK	28x9-15	7.00-15	TR	BLACK	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212332206	NORMAL NMW	28x9-15	7.00-15	TR	WHITE	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212332266	QUICK NMW	28x9-15	7.00-15	TR	WHITE	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212332316	NORMAL NMG	28x9-15	7.00-15	TR	GREY	59.65	131.23	26.81	8.31	681	211	49	3900	3000	
3212332376	QUICK NMG	28x9-15	7.00-15	TR	GREY	60.65	133.42	26.81	8.31	681	211	49	3900	3000	
3212332426	NORMAL NMY	28x9-15	7.00-15	TR	YELLOW	59.91	131.80	26.81	8.31	681	211	49	3900	3000	
3212332486	QUICK NMY	28x9-15	7.00-15	TR	YELLOW	60.91	133.90	26.81	8.31	681	211	49	3900	3000	
3212432245	NORMAL	355/65-15	9.75-15	TR	BLACK	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212432366	QUICK	355/65-15	9.75-15	TR	BLACK	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212332212	NORMAL NMW	355/65-15	9.75-15	TR	WHITE	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212332272	QUICK NMW	355/65-15	9.75-15	TR	WHITE	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212332322	NORMAL NMG	355/65-15	9.75-15	TR	GREY	132.73	292.00	31.93	12.20	811	310	70	7800	6000	
3212332382	QUICK NMG	355/65-15	9.75-15	TR	GREY	133.22	293.09	31.93	12.20	811	310	70	7800	6000	
3212332432	NORMAL NMY	355/65-15	9.75-15	TR	YELLOW	133.30	293.25	31.93	12.20	811	310	70	7800	6000	
3212332492	QUICK NMY	355/65-15	9.75-15	TR	YELLOW	133.80	294.35	31.93	12.20	811	310	70	7800	6000	
3212432260	NORMAL	250-15	7.00-15	TR	BLACK	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212432265	NORMAL	250-15	7.00-15	TR	BLACK	67.61	148.73	27.83	8.35	707	212	53	4745	3650	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO ATHLETIK

ATHLETIK

CODE	PRODUCT NAME (FERENTINO ATHLETIK)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212332214	NORMAL NMW	250-15	7.00-15	TR	WHITE	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212332274	QUICK NMW	250-15	7.00-15	TR	WHITE	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332324	NORMAL NMG	250-15	7.00-15	TR	GREY	66.61	146.55	27.83	8.35	707	212	53	4745	3650	
3212332384	QUICK NMG	250-15	7.00-15	TR	GREY	67.61	148.73	27.83	8.35	707	212	53	4745	3650	
3212332434	NORMAL NMY	250-15	7.00-15	TR	YELLOW	66.90	147.17	27.83	8.35	707	212	53	4745	3650	
3212332494	QUICK NMY	250-15	7.00-15	TR	YELLOW	67.90	140.37	27.83	8.35	707	212	53	4745	3650	
3212432370	QUICK	250-15	7.50-15	TR	BLACK	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332216	NORMAL NMW	250-15	7.50-15	TR	WHITE	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332326	NORMAL NMG	250-15	7.50-15	TR	GREY	66.51	146.33	27.83	8.35	707	212	53	4745	3650	
3212332436	NORMAL NMY	250-15	7.50-15	TR	YELLOW	66.80	146.96	27.83	8.35	707	212	53	4745	3650	
3212432260	NORMAL	300-15	8.00-15	TR	BLACK	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212432375	QUICK	300-15	8.00-15	TR	BLACK	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332218	NORMAL NMW	300-15	8.00-15	TR	WHITE	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212332276	QUICK NMW	300-15	8.00-15	TR	WHITE	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332328	NORMAL NMG	300-15	8.00-15	TR	GREY	107.87	237.32	31.81	9.84	808	250	70	5850	4500	
3212332386	QUICK NMG	300-15	8.00-15	TR	GREY	108.87	239.50	31.81	9.84	808	250	70	5850	4500	
3212332438	NORMAL NMY	300-15	8.00-15	TR	YELLOW	108.33	238.34	31.81	9.84	808	250	70	5850	4500	
3212332496	QUICK NMY	300-15	8.00-15	TR	YELLOW	109.33	240.53	31.81	9.84	808	250	70	5850	4500	
3212432265	NORMAL	7.00-15	5.50-15	TR	BLACK	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212432380	QUICK	7.00-15	5.50-15	TR	BLACK	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212332222	NORMAL NMW	7.00-15	5.50-15	TR	WHITE	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212332278	QUICK NMW	7.00-15	5.50-15	TR	WHITE	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212332332	NORMAL NMG	7.00-15	5.50-15	TR	GREY	57.47	126.42	28.39	7.28	721	185	55	3545	2725	
3212332388	QUICK NMG	7.00-15	5.50-15	TR	GREY	58.46	128.61	28.39	7.28	721	185	55	3545	2725	
3212332442	NORMAL NMY	7.00-15	5.50-15	TR	YELLOW	57.71	126.97	28.39	7.28	721	185	55	3545	2725	
3212332498	QUICK NMY	7.00-15	5.50-15	TR	YELLOW	58.71	129.16	28.39	7.28	721	185	55	3545	2725	
3212432270	NORMAL	7.50-15	6.50-15	TR	BLACK	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212432388	QUICK	7.50-15	6.50-15	TR	BLACK	72.68	150.89	29.25	7.99	743	203	59	3900	3000	
3212332224	NORMAL NMW	7.50-15	6.50-15	TR	WHITE	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212332282	QUICK NMW	7.50-15	6.50-15	TR	WHITE	72.68	150.89	29.25	7.99	743	203	59	3900	3000	
3212332334	NORMAL NMG	7.50-15	6.50-15	TR	GREY	71.58	157.48	29.25	7.99	743	203	59	3900	3000	
3212332392	QUICK NMG	7.50-15	6.50-15	TR	GREY	72.68	150.89	29.25	7.99	743	203	59	3900	3000	
3212332444	NORMAL NMY	7.50-15	6.50-15	TR	YELLOW	71.89	158.16	29.25	7.99	743	203	59	3900	3000	
3212332502	QUICK NMY	7.50-15	6.50-15	TR	YELLOW	72.99	160.57	29.25	7.99	743	203	59	3900	3000	
3212432275	NORMAL	8.25-15	6.50-15	TR	BLACK	80.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212432390	QUICK	8.25-15	6.50-15	TR	BLACK	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332226	NORMAL NMW	8.25-15	6.50-15	TR	WHITE	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212332284	QUICK NMW	8.25-15	6.50-15	TR	WHITE	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332336	NORMAL NMG	8.25-15	6.50-15	TR	GREY	89.48	196.85	31.65	7.99	804	203	69	4750	3650	
3212332394	QUICK NMG	8.25-15	6.50-15	TR	GREY	90.47	199.04	31.65	7.99	804	203	69	4750	3650	
3212332446	NORMAL NMY	8.25-15	6.50-15	TR	YELLOW	89.86	197.70	31.65	7.99	804	203	69	4750	3650	
3212332504	QUICK NMY	8.25-15	6.50-15	TR	YELLOW	90.86	199.89	31.65	7.99	804	203	69	4750	3650	
3212432280	NORMAL	10.00-20	7.50-20	TR	BLACK	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212432285	NORMAL	10.00-20	8.00-20	TR	BLACK	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332228	NORMAL NMW	10.00-20	7.50-20	TR	WHITE	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332232	NORMAL NMW	10.00-20	8.00-20	TR	WHITE	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332338	NORMAL NMG	10.00-20	7.50-20	TR	GREY	168.15	369.93	39.76	10.00	1010	254	82	6000	5000	
3212332342	NORMAL NMG	10.00-20	8.00-20	TR	GREY	169.14	372.10	39.76	10.00	1010	254	82	6000	5000	
3212332448	NORMAL NMY	10.00-20	7.50-20	TR	YELLOW	168.87	371.51	39.76	10.00	1010	254	82	6000	5000	
3212332452	NORMAL NMY	10.00-20	8.00-20	TR	YELLOW	169.86	373.70	39.76	10.00	1010	254	82	6000	5000	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



SKS

SKS

SKS
NON MARKING

SKS SMOOTH



SKS SMOOTH
NON MARKING
WHITE & GRAY
AVAILABLE



S
special

Stepped tread design

- Provides excellent tread cleanout for improved off-road traction
- Longest wear

Reusable wheel

- Enables tire only replacement and lowers overall cost of ownership

Optimized conical aperture design

- Improves ride conformability and reduces aperture cracking

Smooth, full-width footprint

- Provides outstanding tread life and excellent stability

Quick Fit design

- Eliminates lock & side rings for quicker installation

FERENTINO SKS SOLID



SKS SOLID

CODE	PRODUCT NAME (FERENTINO SKS SOLID)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212432515	NEW NORMAL	6.50-16	5.50	TR	BLACK	49.46	108.80	29.3	6.5	743	156		5750	4400	
3212332635	NEW NORMAL NMW	6.50-16	5.50	TR	WHITE	49.46	108.80	29.3	6.5	743	156		5750	4400	
3212332555	NEW NORMAL NMG	6.50-16	5.50	TR	GREY	49.46	108.80	29.3	6.5	743	156		5750	4400	
3212332575	NEW NORMAL NMY	6.50-16	5.50	TR	YELLOW	49.67	109.27	29.3	6.5	743	156		5750	4400	
3212432595	NEW QUICK-L	6.50-16	5.50	TR	BLACK	50.35	110.78	29.3	6.5	743	156		5750	4400	
3212432655	NEW QUICK-R	6.50-16	5.50	TR	BLACK	50.35	110.78	29.3	6.5	743	156		5750	4400	
3212332715	NEW QUICK-L NMW	6.50-16	5.50	TR	WHITE	50.35	110.78	29.3	6.5	743	156		5750	4400	
3212332775	NEW QUICK-R NMW	6.50-16	5.50	TR	WHITE	50.35	110.78	29.3	6.5	743	156		5750	4400	
3212332835	NEW QUICK-L NMG	6.50-16	5.50	TR	GREY	50.35	110.78	29.3	6.5	743	156		5750	4400	
3212332805	NEW QUICK-R NMG	6.50-16	5.50	TR	GREY	50.35	110.78	29.3	6.5	743	156		5750	4400	
3212332955	NEW QUICK-L NMY	6.50-16	5.50	TR	YELLOW	50.57	111.26	29.3	6.5	743	156		5750	4400	
3212333015	NEW QUICK-R NMY	6.50-16	5.50	TR	YELLOW	50.57	111.26	29.3	6.5	743	156		5750	4400	
3212432520	NEW NORMAL	7.50-16	5.50	TR	BLACK	67.44	148.37	31.2	8.1	793	207		8750	6750	
3212332540	NEW NORMAL NMW	7.50-16	5.50	TR	WHITE	67.44	148.37	31.2	8.1	793	207		8750	6750	
3212332560	NEW NORMAL NMG	7.50-16	5.50	TR	GREY	67.44	148.37	31.2	8.1	793	207		8750	6750	
3212332580	NEW NORMAL NMY	7.50-16	5.50	TR	YELLOW	67.73	149.00	31.2	8.1	793	207		8750	6750	
3212432600	NEW QUICK-L	7.50-16	5.50	TR	BLACK	68.34	150.34	31.2	8.1	793	207		8750	6750	
3212432660	NEW QUICK-R	7.50-16	5.50	TR	BLACK	68.34	150.34	31.2	8.1	793	207		8750	6750	
3212332720	NEW QUICK-L NMW	7.50-16	5.50	TR	WHITE	68.34	150.34	31.2	8.1	793	207		8750	6750	
3212332780	NEW QUICK-R NMW	7.50-16	5.50	TR	WHITE	68.34	150.34	31.2	8.1	793	207		8750	6750	
3212332840	NEW QUICK-L NMG	7.50-16	5.50	TR	GREY	68.34	150.34	31.2	8.1	793	207		8750	6750	
3212332900	NEW QUICK-R NMG	7.50-16	5.50	TR	GREY	68.34	150.34	31.2	8.1	793	207		8750	6750	
3212332960	NEW QUICK-L NMY	7.50-16	5.50	TR	YELLOW	68.63	150.99	31.2	8.1	793	207		8750	6750	
3212333020	NEW QUICK-R NMY	7.50-16	5.50	TR	YELLOW	68.63	150.99	31.2	8.1	793	207		8750	6750	
3212432525	NEW NORMAL	8.00-16	5.50	TR	BLACK	73.73	162.21	32.2	8.2	818	208		9200	7050	
3212432530	NEW NORMAL	8.00-16	6.00	TR	BLACK	73.73	162.21	32.2	8.2	818	208		9200	7050	
3212332545	NEW NORMAL NMW	8.00-16	5.50	TR	WHITE	73.73	162.21	32.2	8.2	818	208		9200	7050	
3212332560	NEW NORMAL NMW	8.00-16	6.00	TR	WHITE	73.73	162.21	32.2	8.2	818	208		9200	7050	
3212332566	NEW NORMAL NMG	8.00-16	5.50	TR	GREY	73.73	162.21	32.2	8.2	818	208		9200	7050	
3212332570	NEW NORMAL NMG	8.00-16	6.00	TR	GREY	73.73	162.21	32.2	8.2	818	208		9200	7050	
3212332585	NEW NORMAL NMY	8.00-16	5.50	TR	YELLOW	74.06	162.91	32.2	8.2	818	208		9200	7050	
3212332590	NEW NORMAL NMY	8.00-16	6.00	TR	YELLOW	74.06	162.91	32.2	8.2	818	208		9200	7050	
3212432605	NEW QUICK-L	8.00-16	5.50	TR	BLACK	74.63	164.19	32.2	8.2	818	208		9200	7050	
3212432665	NEW QUICK-R	8.00-16	5.50	TR	BLACK	74.63	164.19	32.2	8.2	818	208		9200	7050	
3212332725	NEW QUICK-L NMW	8.00-16	5.50	TR	WHITE	74.63	164.19	32.2	8.2	818	208		9200	7050	
3212332785	NEW QUICK-R NMW	8.00-16	5.50	TR	WHITE	74.63	164.19	32.2	8.2	818	208		9200	7050	
3212332845	NEW QUICK-L NMG	8.00-16	5.50	TR	GREY	74.63	164.19	32.2	8.2	818	208		9200	7050	
3212332905	NEW QUICK-R NMG	8.00-16	5.50	TR	GREY	74.63	164.19	32.2	8.2	818	208		9200	7050	
3212332965	NEW QUICK-L NMY	8.00-16	5.50	TR	YELLOW	74.95	164.90	32.2	8.2	818	208		9200	7050	
3212333025	NEW QUICK-R NMY	8.00-16	5.50	TR	YELLOW	74.95	164.90	32.2	8.2	818	208		9200	7050	
3212432395	AIR QUICK-L	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212432410	AIR QUICK-R	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332425	AIR QUICK-L NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332440	AIR QUICK-R NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332455	AIR QUICK-L NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332480	AIR QUICK-R NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332485	AIR QUICK-L NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835	
3212332500	AIR QUICK-R NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835	
3212432610	NEW QUICK-L	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212432670	NEW QUICK-R	31X10-20	7.50	TR	BLACK	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332730	NEW QUICK-L NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332790	NEW QUICK-R NMW	31X10-20	7.50	TR	WHITE	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332850	NEW QUICK-L NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332910	NEW QUICK-R NMG	31X10-20	7.50	TR	GREY	60.25	132.54	30.70	9.30	781	237		8885	6835	
3212332970	NEW QUICK-L NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835	
3212333030	NEW QUICK-R NMY	31X10-20	7.50	TR	YELLOW	60.50	133.11	30.70	9.30	781	237		8885	6835	
3212432400	AIR QUICK-L	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO SKS SOLID



SKS SOLID

CODE	PRODUCT NAME (FERENTINO SKS SOLID)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound						UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
3212432415	QUIOK-R	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212330430	QUIOK-L NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212330445	QUIOK-R NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212330460	QUIOK-L NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212330470	QUIOK-R NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212332480	QUIOK-L NMY	33X12-20	7.50	TR	YELLOW	85.70	188.74	32.70	11.30	831	287		11465	8820	
3212332505	QUIOK-R NMY	33X12-20	7.50	TR	YELLOW	85.70	188.74	32.70	11.30	831	287		11465	8820	
3212432615	QUIOK-L	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212432675	QUIOK-R	33X12-20	7.50	TR	BLACK	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212332735	QUIOK-L NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212332795	QUIOK-R NMW	33X12-20	7.50	TR	WHITE	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212332855	QUIOK-L NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212332915	QUIOK-R NMG	33X12-20	7.50	TR	GREY	85.42	187.93	32.70	11.30	831	287		11465	8820	
3212332975	QUIOK-L NMY	33X12-20	7.50	TR	YELLOW	85.70	188.74	32.70	11.30	831	287		11465	8820	
3212333035	QUIOK-R NMY	33X12-20	7.50	TR	YELLOW	85.70	188.74	32.70	11.30	831	287		11465	8820	
3212432405	QUIOK-L	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212432420	QUIOK-R	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332435	QUIOK-L NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332450	QUIOK-R NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332485	QUIOK-L NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332475	QUIOK-R NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332495	QUIOK-L NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500	
3212332510	QUIOK-R NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500	
3212432820	QUIOK-L	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212432680	QUIOK-R	36X14-20	7.50	TR	BLACK	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332740	QUIOK-L NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332800	QUIOK-R NMW	36X14-20	7.50	TR	WHITE	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332880	QUIOK-L NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332920	QUIOK-R NMG	36X14-20	7.50	TR	GREY	120.94	266.07	35.80	12.60	910	320		13650	10500	
3212332980	QUIOK-L NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500	
3212333040	QUIOK-R NMY	36X14-20	7.50	TR	YELLOW	121.46	267.21	35.80	12.60	910	320		13650	10500	
3212432825	QUIOK-L	31X10-20 SM	7.50	TR	BLACK	65.19	143.42	30.70	9.30	781	237		8885	6835	
3212432685	QUIOK-R	31X10-20 SM	7.50	TR	BLACK	65.19	143.42	30.70	9.30	781	237		8885	6835	
3212332745	QUIOK-L NMW	31X10-20 SM	7.50	TR	WHITE	65.19	143.42	30.70	9.30	781	237		8885	6835	
3212332805	QUIOK-R NMW	31X10-20 SM	7.50	TR	WHITE	65.19	143.42	30.70	9.30	781	237		8885	6835	
3212332885	QUIOK-L NMG	31X10-20 SM	7.50	TR	GREY	65.19	143.42	30.70	9.30	781	237		8885	6835	
3212332925	QUIOK-R NMG	31X10-20 SM	7.50	TR	GREY	65.19	143.42	30.70	9.30	781	237		8885	6835	
3212332985	QUIOK-L NMY	31X10-20 SM	7.50	TR	YELLOW	65.47	144.04	30.70	9.30	781	237		8885	6835	
3212432845	QUIOK-R NMY	31X10-20 SM	7.50	TR	YELLOW	65.47	144.04	30.70	9.30	781	237		8885	6835	
3212432630	QUIOK-L	33X12-20 SM	7.50	TR	BLACK	92.62	203.76	32.70	11.30	831	287		11465	8820	
3212432680	QUIOK-R	33X12-20 SM	7.50	TR	BLACK	92.62	203.76	32.70	11.30	831	287		11465	8820	
3212332750	QUIOK-L NMW	33X12-20 SM	7.50	TR	WHITE	92.62	203.76	32.70	11.30	831	287		11465	8820	
3212332810	QUIOK-R NMW	33X12-20 SM	7.50	TR	WHITE	92.62	203.76	32.70	11.30	831	287		11465	8820	
3212332870	QUIOK-L NMG	33X12-20 SM	7.50	TR	GREY	92.62	203.76	32.70	11.30	831	287		11465	8820	
3212332930	QUIOK-R NMG	33X12-20 SM	7.50	TR	GREY	92.62	203.76	32.70	11.30	831	287		11465	8820	
3212332990	QUIOK-L NMY	33X12-20 SM	7.50	TR	YELLOW	93.01	204.63	32.70	11.30	831	287		11465	8820	
3212333050	QUIOK-R NMY	33X12-20 SM	7.50	TR	YELLOW	93.01	204.63	32.70	11.30	831	287		11465	8820	
3212432635	QUIOK-L	36X14-20 SM	7.50	TR	BLACK	133.08	292.78	35.80	12.80	909	326		13650	10500	
3212432685	QUIOK-R	36X14-20 SM	7.50	TR	BLACK	133.08	292.78	35.80	12.80	909	326		13650	10500	
3212332755	QUIOK-L NMW	36X14-20 SM	7.50	TR	WHITE	133.08	292.78	35.80	12.80	909	326		13650	10500	
3212332815	QUIOK-R NMW	36X14-20 SM	7.50	TR	WHITE	133.08	292.78	35.80	12.80	909	326		13650	10500	
3212332875	QUIOK-L NMG	36X14-20 SM	7.50	TR	GREY	133.08	292.78	35.80	12.80	909	326		13650	10500	
3212332935	QUIOK-R NMG	36X14-20 SM	7.50	TR	GREY	133.08	292.78	35.80	12.80	909	326		13650	10500	
3212332995	QUIOK-L NMY	36X14-20 SM	7.50	TR	YELLOW	133.65	294.03	35.80	12.80	909	326		13650	10500	
3212333055	QUIOK-R NMY	36X14-20 SM	7.50	TR	YELLOW	133.65	294.03	35.80	12.80	909	326		13650	10500	
3212432640	QUIOK-L	81X10-20 SM Air solid	7.50	TR	BLACK	57.55	126.61	30.70	9.30	781	237		8885	6835	
3212432700	QUIOK-R	81X10-20 SM Air solid	7.50	TR	BLACK	57.55	126.61	30.70	9.30	781	237		8885	6835	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO SKS SOLID

SKS SOLID

CODE	PRODUCT NAME (FERENTINO SKS SOLID)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY COUNTERBALANCE		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Mm	Mm		Mm	Kg	Kg
3212332780	QUIOK-L NMW	31X10-20 GM Air solid	7.50	TR	WHITE	57.55	126.61	30.70	9.30	781	237		8885	6835	
3212332820	QUIOK-R NMW	31X10-20 GM Air solid	7.50	TR	WHITE	57.55	126.61	30.70	9.30	781	237		8885	6835	
3212332880	QUIOK-L NMG	31X10-20 GM Air solid	7.50	TR	GREY	57.55	126.61	30.70	9.30	781	237		8885	6835	
3212332940	QUIOK-R NMG	31X10-20 GM Air solid	7.50	TR	GREY	57.55	126.61	30.70	9.30	781	237		8885	6835	
3212333000	QUIOK-L NMY	31X10-20 GM Air solid	7.50	TR	YELLOW	57.80	127.15	30.70	9.30	781	237		8885	6835	
3212333080	QUIOK-R NMY	31X10-20 GM Air solid	7.50	TR	YELLOW	57.80	127.15	30.70	9.30	781	237		8885	6835	
3212432645	QUIOK-L	33X12-20 GM Air solid	7.50	TR	BLACK	82.73	182.00	32.70	11.30	831	287		11465	8820	
3212432705	QUIOK-R	33X12-20 GM Air solid	7.50	TR	BLACK	82.73	182.00	32.70	11.30	831	287		11465	8820	
3212332785	QUIOK-L NMW	33X12-20 GM Air solid	7.50	TR	WHITE	82.73	182.00	32.70	11.30	831	287		11465	8820	
3212332825	QUIOK-R NMW	33X12-20 GM Air solid	7.50	TR	WHITE	82.73	182.00	32.70	11.30	831	287		11465	8820	
3212332885	QUIOK-L NMG	33X12-20 GM Air solid	7.50	TR	GREY	82.73	182.00	32.70	11.30	831	287		11465	8820	
3212332945	QUIOK-R NMG	33X12-20 GM Air solid	7.50	TR	GREY	82.73	182.00	32.70	11.30	831	287		11465	8820	
3212333005	QUIOK-L NMY	33X12-20 GM Air solid	7.50	TR	YELLOW	83.08	182.78	32.70	11.30	831	287		11465	8820	
3212333085	QUIOK-R NMY	33X12-20 GM Air solid	7.50	TR	YELLOW	83.08	182.78	32.70	11.30	831	287		11465	8820	
3212432650	QUIOK-L	36X14-20 GM Air Solid	7.50	TR	BLACK	116.89	257.17	36.80	12.80	909	326		13660	10600	
3212432710	QUIOK-R	36X14-20 GM Air Solid	7.50	TR	BLACK	116.89	257.17	36.80	12.80	909	326		13660	10600	
3212332770	QUIOK-L NMW	36X14-20 GM Air Solid	7.50	TR	WHITE	116.89	257.17	36.80	12.80	909	326		13660	10600	
3212332830	QUIOK-R NMW	36X14-20 GM Air Solid	7.50	TR	WHITE	116.89	257.17	36.80	12.80	909	326		13660	10600	
3212332890	QUIOK-L NMG	36X14-20 GM Air Solid	7.50	TR	GREY	116.89	257.17	36.80	12.80	909	326		13660	10600	
3212332950	QUIOK-R NMG	36X14-20 GM Air Solid	7.50	TR	GREY	116.89	257.17	36.80	12.80	909	326		13660	10600	
3212333010	QUIOK-L NMY	36X14-20 GM Air Solid	7.50	TR	YELLOW	117.40	268.27	36.80	12.80	909	326		13660	10600	
3212333070	QUIOK-R NMY	36X14-20 GM Air Solid	7.50	TR	YELLOW	117.40	268.27	36.80	12.80	909	326		13660	10600	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO SOLID TLH

STANDARD

SOLID TLH



SOLID TLH NON MARKING



Massive directional tread depth

- Maximizes off-road traction and durability
- Provides flat-free operation and ultimate durability

Stepped tread design

- Enhances cleanout for improved off-road traction

Triangular aperture design

- Optimizes stability, strength and comfort



S
special



FERENTINO TLH SOLID AIR

TLH SOLID AIR

CODE	PRODUCT NAME (FERENTINO TLH SOLID AIR)	TIRE SIZE	RIM SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		WEARABLE HEIGHT	LOAD CAPACITY		
						NORMAL		OVERALL DIAMETER	OVERALL WIDTH	OVERALL DIAMETER	OVERALL WIDTH		COUNTERBALANCE		
						Kg	Pound								
3212418220	NORMAL	13.00-24	8.50	TR	BLACK	257.17	565.77	50.80	13.00	1290	330			14050	
3212418230	QUICK -L	13.00-24	8.50	TR	BLACK	258.52	568.74	50.80	13.00	1290	330			14050	
3212418240	QUICK -R	13.00-24	8.50	TR	BLACK	258.52	568.74	50.80	13.00	1290	330			14050	
3212318250	QUICK -L NMG	13.00-24	8.50	TR	GREY	258.52	568.74	50.80	13.00	1290	330			14050	
3212318260	QUICK -R NMG	13.00-24	8.50	TR	GREY	258.52	568.74	50.80	13.00	1290	330			14050	
3212318270	QUICK -L NMV	13.00-24	8.50	TR	YELLOW	259.63	571.18	50.80	13.00	1290	330			14050	
3212318280	QUICK -R NMV	13.00-24	8.50	TR	YELLOW	259.63	571.18	50.80	13.00	1290	330			14050	
3212318290	QUICK -L NMW	13.00-24	8.50	TR	WHITE	258.52	568.74	50.80	13.00	1290	330			14050	
3212318300	QUICK -R NMW	13.00-24	8.50	TR	WHITE	258.52	568.74	50.80	13.00	1290	330			14050	
3212418225	NORMAL	14.00-24	8.50	TR	BLACK	294.04	646.88	52.40	13.80	1330	350			15550	
3212418235	QUICK -L	14.00-24	8.50	TR	BLACK	294.03	648.86	52.40	13.80	1330	350			15550	
3212418245	QUICK -R	14.00-24	8.50	TR	BLACK	294.03	648.86	52.40	13.80	1330	350			15550	
3212318255	QUICK -L NMG	14.00-24	8.50	TR	GREY	294.03	648.86	52.40	13.80	1330	350			15550	
3212318265	QUICK -R NMG	14.00-24	8.50	TR	GREY	294.03	648.86	52.40	13.80	1330	350			15550	
3212318275	QUICK -L NMV	14.00-24	8.50	TR	YELLOW	296.20	661.64	52.40	13.80	1330	350			15550	
3212318285	QUICK -R NMV	14.00-24	8.50	TR	YELLOW	296.20	661.64	52.40	13.80	1330	350			15550	
3212318295	QUICK -L NMW	14.00-24	8.50	TR	WHITE	294.03	648.86	52.40	13.80	1330	350			15550	
3212318305	QUICK -R NMW	14.00-24	8.50	TR	WHITE	294.03	648.86	52.40	13.80	1330	350			15550	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO PREMIUM POB

PREMIUM

FERENTINO PREMIUM POB



FERENTINO PREMIUM POB NON MARKING

Optimal crowned profile

- Excellent cushioning for improved comfort

High-performance natural rubber compound

- Reduces chunking and cutting Suitable for both IC and electric trucks

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.



FERENTINO PREMIUM POB

PREMIUM POB

CODE	PRODUCT NAME (FERENTINO PREMIUM POB)	TIRE SIZE inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY												
						NORMAL		DIA MM	WID MM	DI MM	TRA MM	HIGH MM	LOW MM	SELE MM	TRA MM	HIGH MM	LOW MM	SELE MM	UP TO 10KMH LOAD WHEEL	STEER WHEEL	UP TO 16KMH LOAD WHEEL	STEER WHEEL	UP TO 25KMH LOAD WHEEL	STEER WHEEL
						Kg	Pound	Inch	Inch	Inch	Mm	Mm	Mm	Inch	Inch	Inch	Inch	Inch	Kg	Kg	Kg	Kg	Kg	Kg
3412413255	HT	10 X 5 X 6 1/2	254x127x165.1	TR	BLACK	7.15	15.73	8.92	5.00	8.84	252	127	227	1010	830	905	780	735	805					
3412313410	HT NMG	10 X 5 X 6 1/2	254x127x165.1	TR	GREY	7.15	15.73	8.92	5.00	8.84	252	127	227	1010	830	905	780	735	805					
3412313035	HT NMY	10 X 5 X 6 1/2	254x127x165.1	TR	YELLOW	7.18	15.80	8.92	5.00	8.84	252	127	227	1010	830	905	780	735	805					
3512314460	HT NMW	10 X 5 X 6 1/2	254x127x165.1	TR	WHITE	7.15	15.73	8.92	5.00	8.84	252	127	227	1010	830	905	780	735	805					
3412413260	HT	13 1/2 X 5 1/2 X 8	343X139X203.2	TR	BLACK	12.10	26.62	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1085	885					
3412313415	HT NMG	13 1/2 X 5 1/2 X 8	343X139X203.2	TR	GREY	12.10	26.62	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1085	885					
3412313040	HT NMY	13 1/2 X 5 1/2 X 8	343X139X203.2	TR	YELLOW	12.15	26.73	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1085	885					
3512314465	HT NMW	13 1/2 X 5 1/2 X 8	343X139X203.2	TR	WHITE	12.10	26.62	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1085	885					
3412413265	HT	14 X 4 1/2 X 8	356x114x203.2	TR	BLACK	10.45	22.09	14.02	4.49	12.28	356	114	312	1170	980	1045	875	850	885					
3412313420	HT NMG	14 X 4 1/2 X 8	356x114x203.2	TR	GREY	10.45	22.09	14.02	4.49	12.28	356	114	312	1170	980	1045	875	850	885					
3412313045	HT NMY	14 X 4 1/2 X 8	356x114x203.2	TR	YELLOW	10.49	23.09	14.02	4.49	12.28	356	114	312	1170	980	1045	875	850	885					
3512314470	HT NMW	14 X 4 1/2 X 8	356x114x203.2	TR	WHITE	10.45	22.09	14.02	4.49	12.28	356	114	312	1170	980	1045	875	850	885					
3412413270	HT	14 X 5 X 10	356x127x254	TR	BLACK	10.75	23.65	14.02	5.00	12.91	356	127	328	1335	1085	1195	1000	970	785					
3412313425	HT NMG	14 X 5 X 10	356x127x254	TR	GREY	10.75	23.65	14.02	5.00	12.91	356	127	328	1335	1085	1195	1000	970	785					
3412313060	HT NMY	14 X 5 X 10	356x127x254	TR	YELLOW	10.80	23.75	14.02	5.00	12.91	356	127	328	1335	1085	1195	1000	970	785					
3512314475	HT NMW	14 X 5 X 10	356x127x254	TR	WHITE	10.75	23.65	14.02	5.00	12.91	356	127	328	1335	1085	1195	1000	970	785					
3412413275	HT	15 1/2 X 5 X 10	393x127x254	TR	BLACK	13.50	29.70	16.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875					
3412313430	HT NMG	15 1/2 X 5 X 10	393x127x254	TR	GREY	13.50	29.70	16.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875					
3412313065	HT NMY	15 1/2 X 5 X 10	393x127x254	TR	YELLOW	13.56	29.83	16.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875					
3512314480	HT NMW	15 1/2 X 5 X 10	393x127x254	TR	WHITE	13.50	29.70	16.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875					
3412413280	HT	16 X 5 X 10 1/2	406x127x266.7	TR	BLACK	13.50	29.70	16.58	5.00	14.45	406	127	387	1510	1240	1345	1130	1085	885					
3412313435	HT NMG	16 X 5 X 10 1/2	406x127x266.7	TR	GREY	13.50	29.70	16.58	5.00	14.45	406	127	387	1510	1240	1345	1130	1085	885					
3412313060	HT NMY	16 X 5 X 10 1/2	406x127x266.7	TR	YELLOW	13.56	29.83	16.58	5.00	14.45	406	127	387	1510	1240	1345	1130	1085	885					
3512314485	HT NMW	16 X 5 X 10 1/2	406x127x266.7	TR	WHITE	13.50	29.70	16.58	5.00	14.45	406	127	387	1510	1240	1345	1130	1085	885					
3412413285	HT	16 X 6 X 10 1/2	406x152x266.7	TR	BLACK	17.70	38.04	16.58	5.98	14.45	406	152	387	1910	1570	1710	1435	1380	1140					
3412313440	HT NMG	16 X 6 X 10 1/2	406x152x266.7	TR	GREY	17.70	38.04	16.58	5.98	14.45	406	152	387	1910	1570	1710	1435	1380	1140					
3412313065	HT NMY	16 X 6 X 10 1/2	406x152x266.7	TR	YELLOW	17.78	39.11	16.58	5.98	14.45	406	152	387	1910	1570	1710	1435	1380	1140					
3512314490	HT NMW	16 X 6 X 10 1/2	406x152x266.7	TR	WHITE	17.70	38.94	16.58	5.98	14.45	406	152	387	1910	1570	1710	1435	1380	1140					
3412413290	HT	16 X 7 X 10 1/2	406x178x266.7	TR	BLACK	20.50	45.10	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380					
3412313445	HT NMG	16 X 7 X 10 1/2	406x178x266.7	TR	GREY	20.50	45.10	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380					
3412313070	HT NMY	16 X 7 X 10 1/2	406x178x266.7	TR	YELLOW	20.59	45.29	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380					
3512314495	HT NMW	16 X 7 X 10 1/2	406x178x266.7	TR	WHITE	20.50	45.10	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380					
3412413295	HT	15 X 5 X 11 1/4	361x127x285.8	TR	BLACK	11.80	25.06	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830					
3412313450	HT NMG	15 X 5 X 11 1/4	361x127x285.8	TR	GREY	11.80	25.06	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830					
3412313075	HT NMY	15 X 5 X 11 1/4	361x127x285.8	TR	YELLOW	11.85	26.07	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830					
3512314500	HT NMW	15 X 5 X 11 1/4	361x127x285.8	TR	WHITE	11.80	25.06	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830					
3412413300	HT	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	BLACK	14.10	31.02	16.30	5.04	14.80	414	128	378	1530	1250	1360	1145	1105	905					
3412313455	HT NMG	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	GREY	14.10	31.02	16.30	5.04	14.80	414	128	378	1530	1250	1360	1145	1105	905					
3412313080	HT NMY	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	YELLOW	14.16	31.15	16.30	5.04	14.80	414	128	378	1530	1250	1360	1145	1105	905					
3512314505	HT NMW	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	WHITE	14.10	31.02	16.30	5.04	14.80	414	128	378	1530	1250	1360	1145	1105	905					
3412413305	HT	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	BLACK	16.50	36.30	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1385	1140					
3412313460	HT NMG	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	GREY	16.50	36.30	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1385	1140					
3412313085	HT NMY	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	YELLOW	16.57	36.45	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1385	1140					
3512314510	HT NMW	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	WHITE	16.50	36.30	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1385	1140					
3412413310	HT	16 1/4 X 7 X 11 1/4	413x178x285.8	TR	BLACK	19.50	42.90	16.34	7.01	14.80	415	178	378	2325	1900	2060	1735	16						

FERENTINO PREMIUM POB

PREMIUM POB

CODE	PRODUCT NAME (FERENTINO PREMIUM POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		16LWNO TIRENO	16LNNO TIRENO										
						Kg	Pound	Inch	Inch	Inch	Mm	Mm	Mm	Kg	Kg	Kg	Kg		
3412313480	HT NMG	18 X 6 X 12 1/8	457x152x308	TR	GREY	19.17	42.17	17.99	5.98	16.34	457	152	152	2100	1720	1670	1675	1625	1250
3412314005	HT NMY	18 X 6 X 12 1/8	457x152x308	TR	YELLOW	19.25	42.36	17.99	5.98	16.34	457	152	152	2100	1720	1670	1675	1625	1250
3512314530	HT NMW	18 X 6 X 12 1/8	457x152x308	TR	WHITE	19.17	42.17	17.99	5.98	16.34	457	152	152	2100	1720	1670	1675	1625	1250
3412413330	HT	18 X 7 X 12 1/8	457x178x308	TR	BLACK	24.40	53.68	17.99	7.01	16.34	457	178	178	2550	2100	2280	1910	1855	1520
3412313485	HT NMG	18 X 7 X 12 1/8	457x178x308	TR	GREY	24.40	53.68	17.99	7.01	16.34	457	178	178	2550	2100	2280	1910	1855	1520
3412314010	HT NMY	18 X 7 X 12 1/8	457x178x308	TR	YELLOW	24.50	53.91	17.99	7.01	16.34	457	178	178	2550	2100	2280	1910	1855	1520
3512314535	HT NMW	18 X 7 X 12 1/8	457x178x308	TR	WHITE	24.40	53.68	17.99	7.01	16.34	457	178	178	2550	2100	2280	1910	1855	1520
3412413335	HT	18 X 8 X 12 1/8	457x203x308	TR	BLACK	26.50	58.30	17.99	7.99	16.34	457	203	203	3000	2475	2680	2250	2180	1790
3412313490	HT NMG	18 X 8 X 12 1/8	457x203x308	TR	GREY	26.50	58.30	17.99	7.99	16.34	457	203	203	3000	2475	2680	2250	2180	1790
3412314015	HT NMY	18 X 8 X 12 1/8	457x203x308	TR	YELLOW	26.61	58.55	17.99	7.99	16.34	457	203	203	3000	2475	2680	2250	2180	1790
3512314540	HT NMW	18 X 8 X 12 1/8	457x203x308	TR	WHITE	26.50	58.30	17.99	7.99	16.34	457	203	203	3000	2475	2680	2250	2180	1790
3412413340	HT	18 X 9 X 12 1/8	457x228x308	TR	BLACK	29.90	65.78	17.99	9.02	16.22	457	229	229	3450	2850	3090	2800	2510	2080
3412313495	HT NMG	18 X 9 X 12 1/8	457x228x308	TR	GREY	29.90	65.78	17.99	9.02	16.22	457	229	229	3450	2850	3090	2800	2510	2080
3412314020	HT NMY	18 X 9 X 12 1/8	457x228x308	TR	YELLOW	30.03	66.06	17.99	9.02	16.22	457	229	229	3450	2850	3090	2800	2510	2080
3512314545	HT NMW	18 X 9 X 12 1/8	457x228x308	TR	WHITE	29.90	65.78	17.99	9.02	16.22	457	229	229	3450	2850	3090	2800	2510	2080
3412413345	HT	21 X 6 X 15	533x152x381	TR	BLACK	25.40	55.88	21.18	5.98	19.29	538	152	152	2350	1930	2100	1785	1710	1400
3412313500	HT NMG	21 X 6 X 15	533x152x381	TR	GREY	25.40	55.88	21.18	5.98	19.29	538	152	152	2350	1930	2100	1785	1710	1400
3412314025	HT NMY	21 X 6 X 15	533x152x381	TR	YELLOW	25.51	56.12	21.18	5.98	19.29	538	152	152	2350	1930	2100	1785	1710	1400
3512314550	HT NMW	21 X 6 X 15	533x152x381	TR	WHITE	25.40	55.88	21.18	5.98	19.29	538	152	152	2350	1930	2100	1785	1710	1400
3412413350	HT	21 X 7 X 15	533x178x381	TR	BLACK	28.20	62.04	20.98	7.01	19.17	533	178	178	2875	2350	2580	2150	2085	1710
3412313505	HT NMG	21 X 7 X 15	533x178x381	TR	GREY	28.20	62.04	20.98	7.01	19.17	533	178	178	2875	2350	2580	2150	2085	1710
3412314030	HT NMY	21 X 7 X 15	533x178x381	TR	YELLOW	28.32	62.31	20.98	7.01	19.17	533	178	178	2875	2350	2580	2150	2085	1710
3512314555	HT NMW	21 X 7 X 15	533x178x381	TR	WHITE	28.20	62.04	20.98	7.01	19.17	533	178	178	2875	2350	2580	2150	2085	1710
3412413355	HT	21 X 8 X 15	533x203x381	TR	BLACK	33.10	72.82	20.98	7.99	19.17	533	203	203	3375	2775	3025	2540	2455	2015
3412313510	HT NMG	21 X 8 X 15	533x203x381	TR	GREY	33.10	72.82	20.98	7.99	19.17	533	203	203	3375	2775	3025	2540	2455	2015
3412314035	HT NMY	21 X 8 X 15	533x203x381	TR	YELLOW	33.24	73.13	20.98	7.99	19.17	533	203	203	3375	2775	3025	2540	2455	2015
3512314560	HT NMW	21 X 8 X 15	533x203x381	TR	WHITE	33.10	72.82	20.98	7.99	19.17	533	203	203	3375	2775	3025	2540	2455	2015
3412413360	HT	21 X 9 X 15	533x228x381	TR	BLACK	37.00	81.40	21.02	9.02	19.29	534	229	229	3800	3200	3475	2920	2830	2320
3412313515	HT NMG	21 X 9 X 15	533x228x381	TR	GREY	37.00	81.40	21.02	9.02	19.29	534	229	229	3800	3200	3475	2920	2830	2320
3412314040	HT NMY	21 X 9 X 15	533x228x381	TR	YELLOW	37.16	81.75	21.02	9.02	19.29	534	229	229	3800	3200	3475	2920	2830	2320
3512314565	HT NMW	21 X 9 X 15	533x228x381	TR	WHITE	37.00	81.40	21.02	9.02	19.29	534	229	229	3800	3200	3475	2920	2830	2320
3412413365	HT	20 X 8 X 16	508x203x406.4	TR	BLACK	27.10	59.62	20.08	7.99	18.80	510	203	203	3010	2470	2685	2255	2185	1790
3412313520	HT NMG	20 X 8 X 16	508x203x406.4	TR	GREY	27.10	59.62	20.08	7.99	18.80	510	203	203	3010	2470	2685	2255	2185	1790
3412314045	HT NMY	20 X 8 X 16	508x203x406.4	TR	YELLOW	27.22	59.88	20.08	7.99	18.80	510	203	203	3010	2470	2685	2255	2185	1790
3512314570	HT NMW	20 X 8 X 16	508x203x406.4	TR	WHITE	27.10	59.62	20.08	7.99	18.80	510	203	203	3010	2470	2685	2255	2185	1790
3412413370	HT	22 X 6 X 16	559x152x406.4	TR	BLACK	26.30	57.86	22.17	5.98	20.28	563	152	152	2450	2000	2180	1830	1770	1450
3412313525	HT NMG	22 X 6 X 16	559x152x406.4	TR	GREY	26.30	57.86	22.17	5.98	20.28	563	152	152	2450	2000	2180	1830	1770	1450
3412314050	HT NMY	22 X 6 X 16	559x152x406.4	TR	YELLOW	26.41	58.11	22.17	5.98	20.28	563	152	152	2450	2000	2180	1830	1770	1450
3512314575	HT NMW	22 X 6 X 16	559x152x406.4	TR	WHITE	26.30	57.86	22.17	5.98	20.28	563	152	152	2450	2000	2180	1830	1770	1450
3412413375	HT	22 X 7 X 16	559x178x406.4	TR	BLACK	30.20	66.44	22.05	7.01	20.31	580	178	178	2975	2450	2650	2230	2180	1770
3412313530	HT NMG	22 X 7 X 16	559x178x406.4	TR	GREY	30.20	66.44	22.05	7.01	20.31	580	178	178	2975	2450	2650	2230	2180	1770
3412314055	HT NMY	22 X 7 X 16	559x178x406.4	TR	YELLOW	30.33	66.73	22.05	7.01	20.31	580	178	178	2975	2450	2650	2230	2180	1770
3512314580	HT NMW	22 X 7 X 16	559x178x406.4	TR	WHITE	30.20	66.44	22.05	7.01	20.31	580	178	178	2975	2450	2650	2230	2180	1770
3412413380	HT	22 X 8 X 16	559x203x406.4	TR	BLACK	35.60	78.32	22.01	7.99	20.31	559	203	203	3500	2875	3130	2825	2545	2085
3412313535	HT NMG	22 X 8 X 16	559x203x406.4	TR	GREY	35.60	78.32	22.01	7.99	20.31	559	203	203	3500	2875	3130	2825	2545	2085
3412314060	HT NMY	22 X 8 X 16	559x203x406.4	TR	YELLOW	35.75	78.66	22.01	7.99	20.31	559	203	203	3500	2875	3130	2825	2545	2085
3512314585	HT NMW	22 X 8 X 16	559x203x406.4	TR	WHITE	35.60	78.32	22.01	7.99	20.31	559	203	203	3500	2875	3130	2825	2545	2085
3412413385	HT	22 X 9 X 16	559x229x406.4	TR	BLACK	41.50	91.30	21.97	9.02	20.31	568	229	229	4050	3325	3600	3025	2930	2400
3412313540	HT NMG	22 X 9 X 16	559x229x406.4	TR	GREY	41.50	91.30	21.97	9.02	20.31	568	229	229	4050	3325	3600	3025	2930	2400
3412314065	HT NMY	22 X 9 X 16	559x229x406.4	TR	YELLOW	41.68	91.69	21.97	9.02										

FERENTINO PREMIUM POB

PREMIUM POB

CODE	PRODUCT NAME (FERENTINO PREMIUM POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE			ACTUAL TIRE			LOAD CAPACITY							
						NORMAL		INCH INCH	MM MM	INCH INCH	MM MM	INCH INCH	MM MM	COUNTERBALANCED LIFT TRUCKS							
						Kg	Pound							UP TO 10KMH	UP TO 16KMH	UP TO 25KMH	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	
3412314075	HT NMY	22 X 12 X 16	550x305x408.4	TR	YELLOW	63.73	118.21	22.01	11.97	20.31	558	304	518	5825	4825	5030	4225	4090	3350		
3512314600	HT NMW	22 X 12 X 16	550x305x408.4	TR	WHITE	53.50	117.70	22.01	11.97	20.31	558	304	518	5825	4825	5030	4225	4090	3350		
3412413400	HT	28 X 10 X 22	711x254x559	TR	BLACK	62.00	136.40	28.03	10.00	28.34	712	254	889	5470	4490	4880	4100	3970	3255		
3412313555	HT NMG	28 X 10 X 22	711x254x559	TR	GREY	62.00	136.40	28.03	10.00	28.34	712	254	889	5470	4490	4880	4100	3970	3255		
3412314080	HT NMY	28 X 10 X 22	711x254x559	TR	YELLOW	62.27	136.99	28.03	10.00	28.34	712	254	889	5470	4490	4880	4100	3970	3255		
3512314605	HT NMW	28 X 10 X 22	711x254x559	TR	WHITE	62.00	136.40	28.03	10.00	28.34	712	254	889	5470	4490	4880	4100	3970	3255		
3412413405	HT	28 X 12 X 22	711x305x559	TR	BLACK	79.40	174.68	28.07	12.01	28.34	713	305	889	6740	5540	6020	5080	4900	4015		
3412313560	HT NMG	28 X 12 X 22	711x305x559	TR	GREY	79.40	174.68	28.07	12.01	28.34	713	305	889	6740	5540	6020	5080	4900	4015		
3412314085	HT NMY	28 X 12 X 22	711x305x559	TR	YELLOW	79.74	175.43	28.07	12.01	28.34	713	305	889	6740	5540	6020	5080	4900	4015		
3512314610	HT NMW	28 X 12 X 22	711x305x559	TR	WHITE	79.40	174.68	28.07	12.01	28.34	713	305	889	6740	5540	6020	5080	4900	4015		
3512313565	SM NMG	9 X 5 X 5	228x127x127	SM	GREY	6.00	13.20	9.02	5.00	7.87	228	127	200	980	790	855	715	695	570		
3512314090	SM NMY	9 X 5 X 5	228x127x127	SM	YELLOW	6.03	13.26	9.02	5.00	7.87	229	127	200	980	790	855	715	695	570		
3512314615	SM NMW	9 X 5 X 5	228x127x127	SM	WHITE	6.00	13.20	9.02	5.00	7.87	229	127	200	980	790	855	715	695	570		
3512414085	SM	9 X 5 X 5	228x127x127	SM	BLACK	6.00	13.20	9.02	5.00	7.87	229	127	200	980	790	855	715	695	570		
3512313570	SM NMG	10 X 4 X 6 1/4	254x102x158.7	SM	GREY	5.80	12.76	9.92	4.02	8.88	252	102	225	780	640	700	580	585	485		
3512314095	SM NMY	10 X 4 X 6 1/4	254x102x158.7	SM	YELLOW	5.82	12.81	9.92	4.02	8.88	252	102	225	780	640	700	580	585	485		
3512314620	SM NMW	10 X 4 X 6 1/4	254x102x158.7	SM	WHITE	5.80	12.76	9.92	4.02	8.88	252	102	225	780	640	700	580	585	485		
3512414090	SM	10 X 4 X 6 1/4	254x102x158.7	SM	BLACK	5.80	12.76	9.92	4.02	8.88	252	102	225	780	640	700	580	585	485		
3512313575	SM NMG	10 X 5 X 6 1/4	254x127x158.7	SM	GREY	6.40	14.08	10.00	5.00	8.84	254	127	227	1030	640	915	770	745	610		
3512314100	SM NMY	10 X 5 X 6 1/4	254x127x158.7	SM	YELLOW	6.43	14.14	10.00	5.00	8.84	254	127	227	1030	640	915	770	745	610		
3512314625	SM NMW	10 X 5 X 6 1/4	254x127x158.7	SM	WHITE	6.40	14.08	10.00	5.00	8.84	254	127	227	1030	640	915	770	745	610		
3512414095	SM	10 X 5 X 6 1/4	254x127x158.7	SM	BLACK	6.40	14.08	10.00	5.00	8.84	254	127	227	1030	640	915	770	745	610		
3512313580	SM NMG	10 X 4 X 6 1/2	254x102x165.1	SM	GREY	5.70	12.54	9.92	4.02	8.84	252	102	227	780	640	695	585	585	485		
3512314105	SM NMY	10 X 4 X 6 1/2	254x102x165.1	SM	YELLOW	5.72	12.59	9.92	4.02	8.84	252	102	227	780	640	695	585	585	485		
3512314630	SM NMW	10 X 4 X 6 1/2	254x102x165.1	SM	WHITE	5.70	12.54	9.92	4.02	8.84	252	102	227	780	640	695	585	585	485		
3512415000	SM	10 X 4 X 6 1/2	254x102x165.1	SM	BLACK	5.70	12.54	9.92	4.02	8.84	252	102	227	780	640	695	585	585	485		
3512313585	SM NMG	10 X 4 3/4 X 6 1/2	254x120x165.1	SM	GREY	6.40	14.08	10.00	5.00	8.84	254	127	227	1030	780	845	710	690	585		
3512314110	SM NMY	10 X 4 3/4 X 6 1/2	254x120x165.1	SM	YELLOW	6.43	14.14	10.00	4.78	9.02	254	121	229	950	780	845	710	690	585		
3512314635	SM NMW	10 X 4 3/4 X 6 1/2	254x120x165.1	SM	WHITE	6.40	14.08	10.00	4.78	9.02	254	121	229	950	780	845	710	690	585		
3512415005	SM	10 X 4 3/4 X 6 1/2	254x120x165.1	SM	BLACK	6.40	14.08	10.00	4.78	9.02	254	121	229	950	780	845	710	690	585		
3512313590	SM NMG	10 X 5 X 6 1/2	254x127x165.1	SM	GREY	6.60	14.52	9.92	5.00	8.84	252	127	227	1010	830	905	780	735	605		
3512314115	SM NMY	10 X 5 X 6 1/2	254x127x165.1	SM	YELLOW	6.63	14.58	9.92	5.00	8.84	252	127	227	1010	830	905	780	735	605		
3512314640	SM NMW	10 X 5 X 6 1/2	254x127x165.1	SM	WHITE	6.60	14.52	9.92	5.00	8.84	252	127	227	1010	830	905	780	735	605		
3512415010	SM	10 X 5 X 6 1/2	254x127x165.1	SM	BLACK	6.60	14.52	9.92	5.00	8.84	252	127	227	1010	830	905	780	735	605		
3512313595	SM NMG	10 1/2 X 5 X 6 1/2	287x127x165.1	SM	GREY	7.00	15.40	10.51	5.00	9.83	287	127	237	1070	880	980	810	780	640		
3512314120	SM NMY	10 1/2 X 5 X 6 1/2	287x127x165.1	SM	YELLOW	7.03	15.47	10.51	5.00	9.83	287	127	237	1070	880	980	810	780	640		
3512314645	SM NMW	10 1/2 X 5 X 6 1/2	287x127x165.1	SM	WHITE	7.00	15.40	10.51	5.00	9.83	287	127	237	1070	880	980	810	780	640		
3512415015	SM	10 1/2 X 5 X 6 1/2	287x127x165.1	SM	BLACK	7.00	15.40	10.51	5.00	9.83	287	127	237	1070	880	980	810	780	640		
3512415020	SM	10 1/2 X 6 X 6 1/2	287x152x165.1	SM	BLACK	8.30	18.26	10.51	5.88	9.83	287	152	237	1340	1100	1190	1000	970	795		
3512313600	SM NMG	10 1/2 X 6 X 6 1/2	287x152x165.1	SM	GREY	8.30	18.26	10.51	5.88	9.83	287	152	237	1340	1100	1190	1000	970	795		
3512314125	SM NMY	10 1/2 X 6 X 6 1/2	287x152x165.1	SM	YELLOW	8.34	18.34	10.51	5.88	9.83	287	152	237	1340	1100	1190	1000	970	795		
3512314650	SM NMW	10 1/2 X 6 X 6 1/2	287x152x165.1	SM	WHITE	8.30	18.26	10.51	5.88	9.83	287	152	237	1340	1100	1190	1000	970	795		
3512313605	SM NMG	12 X 4 X 8	306x102x203.2	SM	GREY	7.00	15.40	12.01	4.02	10.83	306	102	275	905	745	810	680	680	540		
3512314130	SM NMY	12 X 4 X 8	306x102x203.2	SM	YELLOW	7.03	15.47	12.01	4.02	10.83	306	102	275	905	745	810	680	680	540		
3512314655	SM NMW	12 X 4 X 8	306x102x203.2	SM	WHITE	7.00	15.40	12.01	4.02	10.83	306	102	275	905	745	810	680	680	540		
3512415025	SM	12 X 4 X 8	306x102x203.2	SM	BLACK	7.00	15.40	12.01	4.02	10.83	306	102	275	905	745	810	680	680	540		
3512313610	SM NMG	12 X 4 1/2 X 8	306x114x203.2	SM	GREY	8.10	17.82	12.01	4.49	10.83	306	114	275	1040	855	930	780	755	620		
3512314135	SM NMY	12 X 4 1/2 X 8	306x114x203.2	SM	YELLOW	8.13	17.90	12.01	4.49	10.83	306	114	275	1040	855	930	780	755	620		
3512314660	SM NMW	12 X 4 1/2 X 8	306x114x203.2	SM	WHITE	8.10	17.82	12.01	4.49	10.83	306	114	275	1040	855	930	780	755	620		
3512415030	SM	12 X 4 1/2 X 8	306x114x203.2	SM	BLACK	8.10	17.82	12.01	4.49	10.83	306	114	275	1040	855	930	780	755	620		
3512313615																					

FERENTINO PREMIUM POB

PREMIUM POB

CODE	PRODUCT NAME (FERENTINO PREMIUM POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		Inch	Inch	Inch	Mm	Mm	Mm	UP TO 10KMH		UP TO 16KMH		UP TO 25KMH	
						Kg	Pound							LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL
3512416040	SM	12 X 5 1/2 X 8	305x140x203.2	SM	BLACK	9.70	21.34	12.01	5.51	10.83	305	140	275	1340	1100	1195	1005	870	795
3512313625	SM NMG	13 X 4 1/2 X 8	330x114x203.2	SM	GREY	9.05	19.91	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512314150	SM NMV	13 X 4 1/2 X 8	330x114x203.2	SM	YELLOW	9.09	20.00	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512314675	SM NMW	13 X 4 1/2 X 8	330x114x203.2	SM	WHITE	9.05	19.91	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512415045	SM	13 X 4 1/2 X 8	330x114x203.2	SM	BLACK	9.05	19.91	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512313630	SM NMG	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	GREY	10.60	23.32	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512314155	SM NMV	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	YELLOW	10.65	23.42	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512314680	SM NMW	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	WHITE	10.60	23.32	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512415050	SM	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	BLACK	10.60	23.32	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512313635	SM NMG	13 1/2 X 5 1/2 X 8	343X159X203.2	SM	GREY	13.00	28.60	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512314160	SM NMV	13 1/2 X 5 1/2 X 8	343X159X203.2	SM	YELLOW	13.06	28.72	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512314685	SM NMW	13 1/2 X 5 1/2 X 8	343X159X203.2	SM	WHITE	13.00	28.60	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512415055	SM	13 1/2 X 5 1/2 X 8	343X159X203.2	SM	BLACK	13.00	28.60	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512313640	SM NMG	14 X 4 1/2 X 8	358x114x203.2	SM	GREY	11.00	24.20	13.88	4.49	12.17	352	114	309	1170	960	1045	875	850	695
3512314165	SM NMV	14 X 4 1/2 X 8	358x114x203.2	SM	YELLOW	11.05	24.30	13.88	4.49	12.17	352	114	309	1170	960	1045	875	850	695
3512314690	SM NMW	14 X 4 1/2 X 8	358x114x203.2	SM	WHITE	11.00	24.20	13.88	4.49	12.17	352	114	309	1170	960	1045	875	850	695
3512415060	SM	14 X 4 1/2 X 8	358x114x203.2	SM	BLACK	11.00	24.20	13.88	4.49	12.17	352	114	309	1170	960	1045	875	850	695
3512313645	SM NMG	14 X 5 X 10	358x127x254	SM	GREY	10.90	23.98	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	870	795
3512314170	SM NMV	14 X 5 X 10	358x127x254	SM	YELLOW	10.95	24.08	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	870	795
3512314695	SM NMW	14 X 5 X 10	358x127x254	SM	WHITE	10.90	23.98	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	870	795
3512415065	SM	14 X 5 X 10	358x127x254	SM	BLACK	10.90	23.98	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	870	795
3512313650	SM NMG	15 1/2 X 8 X 10	393x152x254	SM	GREY	16.30	35.86	15.59	5.00	13.80	398	127	353	1870	1530	1665	1400	1355	1110
3512314175	SM NMV	15 1/2 X 8 X 10	393x152x254	SM	YELLOW	16.37	36.01	15.59	5.00	13.80	398	127	353	1870	1530	1665	1400	1355	1110
3512314700	SM NMW	15 1/2 X 8 X 10	393x152x254	SM	WHITE	16.30	35.86	15.59	5.00	13.80	398	127	353	1870	1530	1665	1400	1355	1110
3512415070	SM	15 1/2 X 8 X 10	393x152x254	SM	BLACK	16.30	35.86	15.59	5.00	13.80	398	127	353	1870	1530	1665	1400	1355	1110
3512313655	SM NMG	16 X 5 X 10 1/2	408x127x268.7	SM	GREY	13.60	29.92	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512314180	SM NMV	16 X 5 X 10 1/2	408x127x268.7	SM	YELLOW	13.66	30.05	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512314705	SM NMW	16 X 5 X 10 1/2	408x127x268.7	SM	WHITE	13.60	29.92	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512415075	SM	16 X 5 X 10 1/2	408x127x268.7	SM	BLACK	13.60	29.92	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512313660	SM NMG	16 X 8 X 10 1/2	408x152x268.7	SM	GREY	16.60	36.52	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512314185	SM NMV	16 X 8 X 10 1/2	408x152x268.7	SM	YELLOW	16.67	36.68	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512314710	SM NMW	16 X 8 X 10 1/2	408x152x268.7	SM	WHITE	16.60	36.52	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512415080	SM	16 X 8 X 10 1/2	408x152x268.7	SM	BLACK	16.60	36.52	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512313665	SM NMG	16 X 7 X 10 1/2	408x178x268.7	SM	GREY	19.25	42.35	15.98	7.01	14.37	408	178	385	2325	1910	2070	1740	1685	1380
3512314190	SM NMV	16 X 7 X 10 1/2	408x178x268.7	SM	YELLOW	19.33	42.53	15.98	7.01	14.37	408	178	385	2325	1910	2070	1740	1685	1380
3512314715	SM NMW	16 X 7 X 10 1/2	408x178x268.7	SM	WHITE	19.25	42.35	15.98	7.01	14.37	408	178	385	2325	1910	2070	1740	1685	1380
3512415085	SM	16 X 7 X 10 1/2	408x178x268.7	SM	BLACK	19.25	42.35	15.98	7.01	14.37	408	178	385	2325	1910	2070	1740	1685	1380
3512313670	SM NMG	15 X 4 X 11 1/4	381x101x285.8	SM	GREY	10.00	22.00	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512314195	SM NMV	15 X 4 X 11 1/4	381x101x285.8	SM	YELLOW	10.04	22.09	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512314720	SM NMW	15 X 4 X 11 1/4	381x101x285.8	SM	WHITE	10.00	22.00	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512415090	SM	15 X 4 X 11 1/4	381x101x285.8	SM	BLACK	10.00	22.00	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512313675	SM NMG	15 X 5 X 11 1/4	381x127x285.8	SM	GREY	13.00	28.60	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512314200	SM NMV	15 X 5 X 11 1/4	381x127x285.8	SM	YELLOW	13.06	28.72	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512314725	SM NMW	15 X 5 X 11 1/4	381x127x285.8	SM	WHITE	13.00	28.60	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512416095	SM	15 X 5 X 11 1/4	381x127x285.8	SM	BLACK	13.00	28.60	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512313680	SM NMG	15 X 6 X 11 1/4	381x152x285.8	SM	GREY	13.70	30.14	15.00	5.88	13.84	381	152	354	1715	1410	1530	1285	1245	1020
3512314205	SM NMV	15 X 6 X 11 1/4	381x152x285.8	SM	YELLOW	13.76	30.27	15.00	5.88	13.84	381	152	354	1715	1410	1530	1285	1245	1020
3512314730	SM NMW	15 X 6 X 11 1/4	381x152x285.8	SM	WHITE	13.70	30.14	15.00	5.88	13.84	381	152	354	1715	1410	1530	1285	1245	1020
3512415100	SM	15 X 6 X 11 1/4	381x152x285.8	SM	BLACK	13.70	30.14	15.00	5.88	13.84	381	152	354	1715	1410	1530	1285	1245	1020
3512313685	SM NMG	16 1/4 X 5 X 11 1/4	413x127x285.8	SM	GREY	14.60	32.12	18.14	5.00	14.72	4								

FERENTINO PREMIUM POB

PREMIUM POB

CODE	PRODUCT NAME (FERENTINO PREMIUM POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		HEAVY DUTY TIRE	MEDIUM DUTY TIRE	HEAVY DUTY TIRE	MEDIUM DUTY TIRE	SEMI-AW TIRE	AW TIRE	COUNTERBALANCED LIFT TRUCKS					
						Kg	Pound	Inch	Inch	Inch	Mm	Mm	Mm	Kg	Kg	Kg	Kg	Kg	Kg
3512313695	SM NMG	18 1/4 X 7 X 11 1/4	413x178x285.8	SM	GREY	20.30	44.66	18.28	7.01	14.76	413	178	375	2325	1900	2080	1735	1680	1380
3512314220	SM NMY	18 1/4 X 7 X 11 1/4	413x178x285.8	SM	YELLOW	20.39	44.85	18.28	7.01	14.76	413	178	375	2325	1900	2080	1735	1680	1380
3512314745	SM NMW	18 1/4 X 7 X 11 1/4	413x178x285.8	SM	WHITE	20.30	44.66	18.28	7.01	14.76	413	178	375	2325	1900	2080	1735	1680	1380
3512415115	SM	18 1/4 X 7 X 11 1/4	413x178x285.8	SM	BLACK	20.30	44.66	18.28	7.01	14.76	413	178	375	2325	1900	2080	1735	1680	1380
3512313700	SM NMG	18 1/4 X 8 X 11 1/4	413x203x285.8	SM	GREY	22.00	48.40	18.28	7.99	14.76	413	203	375	2715	2225	2420	2080	1985	1815
3512314225	SM NMY	18 1/4 X 8 X 11 1/4	413x203x285.8	SM	YELLOW	22.09	48.61	18.28	7.99	14.76	413	203	375	2715	2225	2420	2080	1985	1815
3512314750	SM NMW	18 1/4 X 8 X 11 1/4	413x203x285.8	SM	WHITE	22.00	48.40	18.28	7.99	14.76	413	203	375	2715	2225	2420	2080	1985	1815
3512415120	SM	18 1/4 X 8 X 11 1/4	413x203x285.8	SM	BLACK	22.00	48.40	18.28	7.99	14.76	413	203	375	2715	2225	2420	2080	1985	1815
3512313705	SM NMG	17 X 5 X 12 1/8	432x127x308	SM	GREY	15.10	33.22	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935
3512314230	SM NMY	17 X 5 X 12 1/8	432x127x308	SM	YELLOW	15.16	33.36	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935
3512314755	SM NMW	17 X 5 X 12 1/8	432x127x308	SM	WHITE	15.10	33.22	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935
3512415125	SM	17 X 5 X 12 1/8	432x127x308	SM	BLACK	15.10	33.22	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935
3512313710	SM NMG	18 X 5 X 12 1/8	457x127x308	SM	GREY	17.10	37.62	17.98	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980
3512314235	SM NMY	18 X 5 X 12 1/8	457x127x308	SM	YELLOW	17.17	37.78	17.99	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980
3512314760	SM NMW	18 X 5 X 12 1/8	457x127x308	SM	WHITE	17.10	37.62	17.99	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980
3512415130	SM	18 X 5 X 12 1/8	457x127x308	SM	BLACK	17.10	37.62	17.98	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980
3512313715	SM NMG	18 X 8 X 12 1/8	457x152x308	SM	GREY	20.00	44.00	17.83	5.88	16.22	453	152	412	2100	1720	1870	1575	1525	1250
3512314240	SM NMY	18 X 8 X 12 1/8	457x152x308	SM	YELLOW	20.09	44.19	17.83	5.88	16.22	453	152	412	2100	1720	1870	1575	1525	1250
3512314765	SM NMW	18 X 8 X 12 1/8	457x152x308	SM	WHITE	20.00	44.00	17.83	5.88	16.22	453	152	412	2100	1720	1870	1575	1525	1250
3512415135	SM	18 X 8 X 12 1/8	457x152x308	SM	BLACK	20.00	44.00	17.83	5.88	16.22	453	152	412	2100	1720	1870	1575	1525	1250
3512313720	SM NMG	18 X 7 X 12 1/8	457x178x308	SM	GREY	24.40	53.68	17.99	7.01	18.22	457	178	412	2560	2100	2280	1910	1855	1520
3512314245	SM NMY	18 X 7 X 12 1/8	457x178x308	SM	YELLOW	24.50	53.91	17.99	7.01	18.22	457	178	412	2560	2100	2280	1910	1855	1520
3512314770	SM NMW	18 X 7 X 12 1/8	457x178x308	SM	WHITE	24.40	53.68	17.99	7.01	18.22	457	178	412	2550	2100	2280	1910	1855	1520
3512415140	SM	18 X 7 X 12 1/8	457x178x308	SM	BLACK	24.40	53.68	17.99	7.01	18.22	457	178	412	2550	2100	2280	1910	1855	1520
3512313725	SM NMG	18 X 8 X 12 1/8	457x203x308	SM	GREY	26.70	58.74	17.83	7.99	16.22	453	203	412	3000	2475	2680	2250	2180	1780
3512314250	SM NMY	18 X 8 X 12 1/8	457x203x308	SM	YELLOW	26.81	58.99	17.83	7.99	16.22	453	203	412	3000	2475	2680	2250	2180	1780
3512314775	SM NMW	18 X 8 X 12 1/8	457x203x308	SM	WHITE	26.70	58.74	17.83	7.99	16.22	453	203	412	3000	2475	2680	2250	2180	1780
3512415145	SM	18 X 8 X 12 1/8	457x203x308	SM	BLACK	26.70	58.74	17.83	7.99	16.22	453	203	412	3000	2475	2680	2250	2180	1780
3512313730	SM NMG	18 X 9 X 12 1/8	457x228x308	SM	GREY	29.90	65.78	17.83	9.02	18.10	453	229	409	3450	2850	3090	2600	2510	2080
3512314255	SM NMY	18 X 9 X 12 1/8	457x228x308	SM	YELLOW	30.03	66.06	17.83	9.02	18.10	453	229	409	3450	2850	3090	2600	2510	2080
3512314780	SM NMW	18 X 9 X 12 1/8	457x228x308	SM	WHITE	29.90	65.78	17.83	9.02	18.10	453	229	409	3450	2850	3090	2600	2510	2080
3512415150	SM	18 X 9 X 12 1/8	457x228x308	SM	BLACK	29.90	65.78	17.83	9.02	18.10	453	229	409	3450	2850	3090	2600	2510	2080
3512313735	SM NMG	21 X 7 X 15	533x178x381	SM	GREY	28.80	63.36	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710
3512314260	SM NMY	21 X 7 X 15	533x178x381	SM	YELLOW	28.92	63.63	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710
3512314785	SM NMW	21 X 7 X 15	533x178x381	SM	WHITE	28.80	63.36	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710
3512415155	SM	21 X 7 X 15	533x178x381	SM	BLACK	28.80	63.36	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710
3512313740	SM NMG	21 X 8 X 15	533x203x381	SM	GREY	33.05	72.71	20.83	7.89	19.17	529	203	487	3375	2775	3025	2540	2455	2015
3512314265	SM NMY	21 X 8 X 15	533x203x381	SM	WHITE	33.19	73.02	20.83	7.89	19.17	529	203	487	3375	2775	3025	2540	2455	2015
3512314790	SM NMW	21 X 8 X 15	533x203x381	SM	BLACK	33.05	72.71	20.83	7.89	19.17	529	203	487	3375	2775	3025	2540	2455	2015
3512415160	SM	21 X 8 X 15	533x203x381	SM	WHITE	33.05	72.71	20.83	7.89	19.17	529	203	487	3375	2775	3025	2540	2455	2015
3512313745	SM NMG	21 X 9 X 15	533x228x381	SM	GREY	36.20	79.64	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320
3512314270	SM NMY	21 X 9 X 15	533x228x381	SM	WHITE	36.36	79.98	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320
3512314795	SM NMW	21 X 9 X 15	533x228x381	SM	BLACK	36.20	79.64	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320
3512415165	SM	21 X 9 X 15	533x228x381	SM	WHITE	36.20	79.64	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320
3512313750	SM NMG	20 X 8 X 16	508x203x406.4	SM	GREY	34.00	74.80	20.08	7.89	18.80	510	203	480	3010	2470	2685	2255	2185	1780
3512314275	SM NMY	20 X 8 X 16	508x203x406.4	SM	WHITE	34.15	75.12	20.08	7.89	18.80	510	203	480	3010	2470	2685	2255	2185	1780
3512314800	SM NMW	20 X 8 X 16	508x203x406.4	SM	BLACK	34.00	74.80	20.08	7.89	18.80	510	203	480	3010	2470	2685	2255	2185	1780
3512415170	SM	20 X 8 X 16	508x203x406.4	SM	BLACK	34.00	74.80	20.08	7.89	18.80	510	203	480	3010	2470	2685	2255	2185	1780
3512313755	SM NMG	20 X 9 X 16	508x228x406.4	SM	GREY	31.60	69.52	20.00	9.02	18.80	508	229	480	3445	2830	3075	2580	2500	2050
3512314280	SM NMY																		

FERENTINO PREMIUM POB



PREMIUM POB

CODE	PRODUCT NAME (FERENTINO PREMIUM POB)	TIRE SIZE	TIRE SIZE	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		SEIN TIRE	HIGH TIRE	SEIN TIRE	HIGH TIRE	SEIN TIRE	HIGH TIRE	SEIN TIRE	HIGH TIRE	UP TO 10KM/H	UP TO 18KM/H	UP TO 25KM/H	
		Inch	Mm			Kg	Pound	Inch	Inch	Inch	Mm	Mm	Mm	Mm	Mm	Kg	Kg	Kg	
3512314290	SM NMY	22 X 7 X 16	550x178x408.4	SM	YELLOW	30.63	67.39	21.89	7.05	20.24	556	179	514	2975	2450	2650	2230	2160	1770
3512314815	SM NMW	22 X 7 X 16	550x178x408.4	SM	WHITE	30.60	67.10	21.89	7.05	20.24	556	179	514	2975	2450	2650	2230	2160	1770
3512415185	SM	22 X 7 X 16	550x178x408.4	SM	BLACK	30.60	67.10	21.89	7.05	20.24	556	179	514	2975	2450	2650	2230	2160	1770
3512313770	SM NMG	22 X 8 X 16	550x203x408.4	SM	GREY	38.00	83.60	21.89	7.99	20.24	556	203	514	3500	2875	3130	2825	2545	2085
3512314295	SM NMY	22 X 8 X 16	550x203x408.4	SM	YELLOW	38.16	83.96	21.89	7.99	20.24	556	203	514	3500	2875	3130	2825	2545	2085
3512314820	SM NMW	22 X 8 X 16	550x203x408.4	SM	WHITE	38.00	83.60	21.89	7.99	20.24	556	203	514	3500	2875	3130	2825	2545	2085
3512415190	SM	22 X 8 X 16	550x203x408.4	SM	BLACK	38.00	83.60	21.89	7.99	20.24	556	203	514	3500	2875	3130	2825	2545	2085
3512313775	SM NMG	22 X 8 X 16	550x229x408.4	SM	GREY	42.30	93.06	22.01	9.08	20.24	559	230	514	4050	3325	3600	3025	2830	2400
3512314300	SM NMY	22 X 8 X 16	550x229x408.4	SM	YELLOW	42.48	93.46	22.01	9.08	20.24	559	230	514	4050	3325	3600	3025	2830	2400
3512314825	SM NMW	22 X 8 X 16	550x229x408.4	SM	WHITE	42.30	93.06	22.01	9.08	20.24	559	230	514	4050	3325	3600	3025	2830	2400
3512415195	SM	22 X 8 X 16	550x229x408.4	SM	BLACK	42.30	93.06	22.01	9.08	20.24	559	230	514	4050	3325	3600	3025	2830	2400
3512313780	SM NMG	22 X 10 X 16	550x254x408.4	SM	GREY	35.60	78.10	21.89	10.0	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512314305	SM NMY	22 X 10 X 16	550x254x408.4	SM	YELLOW	35.65	78.44	21.89	10.0	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512314830	SM NMW	22 X 10 X 16	550x254x408.4	SM	WHITE	35.60	78.10	21.89	10.0	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512415200	SM	22 X 10 X 16	550x254x408.4	SM	BLACK	35.60	78.10	21.89	10.0	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512313785	SM NMG	22 X 12 X 16	550x205x408.4	SM	GREY	57.90	127.38	21.85	10.0	20.24	555	305	514	5825	4825	5030	4225	4090	3350
3512314310	SM NMY	22 X 12 X 16	550x205x408.4	SM	YELLOW	58.15	127.93	21.85	10.0	20.24	555	305	514	5825	4825	5030	4225	4090	3350
3512314835	SM NMW	22 X 12 X 16	550x205x408.4	SM	WHITE	57.90	127.38	21.85	10.0	20.24	555	305	514	5825	4825	5030	4225	4090	3350
3512415205	SM	22 X 12 X 16	550x205x408.4	SM	BLACK	57.90	127.38	21.85	10.0	20.24	555	305	514	5825	4825	5030	4225	4090	3350
3512313790	SM NMG	22 X 14 X 16	550x356x408.4	SM	GREY	70.10	154.22	21.89	12.0	20.24	556	356	514	6700	5505	5880	5025	4865	3990
3512314315	SM NMY	22 X 14 X 16	550x356x408.4	SM	YELLOW	70.40	154.88	21.89	11	20.24	556	356	514	6700	5505	5880	5025	4865	3990
3512314840	SM NMW	22 X 14 X 16	550x356x408.4	SM	WHITE	70.10	154.22	21.89	12.0	20.24	556	356	514	6700	5505	5880	5025	4865	3990
3512415210	SM	22 X 14 X 16	550x356x408.4	SM	BLACK	70.10	154.22	21.89	11	20.24	556	356	514	6700	5505	5880	5025	4865	3990
3512313795	SM NMG	22 X 16 X 16	550x406x408.4	SM	GREY	76.00	167.20	22.01	12.0	20.24	556	406	514	7745	6380	6915	5810	5625	4610
3512314320	SM NMY	22 X 16 X 16	550x406x408.4	SM	YELLOW	76.33	167.92	22.01	11	20.24	559	406	514	7745	6380	6915	5810	5625	4610
3512314845	SM NMW	22 X 16 X 16	550x406x408.4	SM	WHITE	76.00	167.20	22.01	12.0	20.24	556	406	514	7745	6380	6915	5810	5625	4610
3512415215	SM	22 X 16 X 16	550x406x408.4	SM	BLACK	76.00	167.20	22.01	11	20.24	559	406	514	7745	6380	6915	5810	5625	4610
3512313815	SM NMG	28 X 8 X 20	880x152x508	SM	GREY	35.40	77.88	28.10	14.0	24.29	863	152	617	2775	2275	2470	2075	1645	
3512313840	SM NMY	28 X 8 X 20	880x152x508	SM	YELLOW	35.65	78.21	28.10	12	24.29	863	152	617	2775	2275	2470	2075	1645	
3512314865	SM NMW	28 X 8 X 20	880x152x508	SM	WHITE	35.40	77.88	28.10	14.0	24.29	863	152	617	2775	2275	2470	2075	1645	
3512415235	SM	28 X 8 X 20	880x152x508	SM	BLACK	35.40	77.88	28.10	12	24.29	863	152	617	2775	2275	2470	2075	1645	
3512313820	SM NMG	28 X 8 X 20	880x203x508	SM	GREY	48.10	105.82	28.10	14.0	24.29	863	178	617	3875	3275	3550	2880	2885	2385
3512314345	SM NMY	28 X 8 X 20	880x203x508	SM	YELLOW	48.31	106.27	28.10	12	24.29	863	178	617	3875	3275	3550	2880	2885	2385
3512314870	SM NMW	28 X 8 X 20	880x203x508	SM	WHITE	48.10	105.82	28.10	14.0	24.29	863	178	617	3875	3275	3550	2880	2885	2385
3512415240	SM	28 X 8 X 20	880x203x508	SM	BLACK	48.10	105.82	28.10	12	24.29	863	178	617	3875	3275	3550	2880	2885	2385
3512313825	SM NMG	28 X 10 X 22	711x254x559	SM	GREY	62.00	136.40	27.81	15.9	26.22	709	254	668	5470	4490	4880	4100	3970	3255
3512314325	SM NMG	28 X 10 X 22	711x254x559	SM	YELLOW	62.27	136.99	27.81	8	26.22	709	254	668	5470	4490	4880	4100	3970	3255
3512314875	SM NMW	28 X 10 X 22	711x254x559	SM	WHITE	62.00	136.40	27.81	15.9	26.22	709	254	668	5470	4490	4880	4100	3970	3255
3512415245	SM	28 X 10 X 22	711x254x559	SM	BLACK	62.00	136.40	27.81	8	26.22	709	254	668	5470	4490	4880	4100	3970	3255
3512313830	SM NMG	28 X 12 X 22	711x305x559	SM	GREY	76.00	167.20	27.89	15.9	26.22	711	305	668	6740	5840	6020	5080	4800	4015
3512314355	SM NMY	28 X 12 X 22	711x305x559	SM	YELLOW	76.33	167.92	27.89	8	26.22	711	305	668	6740	5840	6020	5080	4800	4015
3512314880	SM NMW	28 X 12 X 22	711x305x559	SM	WHITE	76.00	167.20	27.89	15.9	26.22	711	305	668	6740	5840	6020	5080	4800	4015
3512415250	SM	28 X 12 X 22	711x305x559	SM	BLACK	76.00	167.20	27.89	8	26.22	711	305	668	6740	5840	6020	5080	4800	4015
3512313835	SM NMG	28 X 14 X 22	711x356x559	SM	GREY	86.60	190.30	27.83	5.88	26.34	707	356	668	8020	6590	7160	6020	5820	4780
3512314360	SM NMY	28 X 14 X 22	711x356x559	SM	YELLOW	86.87	191.12	27.83	5.88	26.34	707	356	668	8020	6590	7160	6020	5820	4780
3512314885	SM NMW	28 X 14 X 22	711x356x559	SM	WHITE	86.60	190.30	27.83	5.88	26.34	707	356	668	8020	6590	7160	6020	5820	4780
3512415255	SM	28 X 14 X 22	711x356x559	SM	BLACK	86.60	190.30	27.83	5.88	26.34	707	356	668	8020	6590	7160	6020	5820	4780
3512313840	SM NMG	28 X 16 X 22	711x406x559	SM	GREY	102.50	226.50	27.89	7.01	26.22	711	406	668	9270	7620	8280	6950	6730	5520
3512314365	SM NMY	28 X 16 X 22	711x406x559	SM	YELLOW	102.94	226.47	27.89	7.01	26.22	711	406	668	9270	7620	8280	6950	6730	5520
3512314890	SM NMW	28 X 16 X 22	711x406x559	SM	WHITE	102.50	226.50	27.89	7.01	26.22	711	406	668	9270	7620	8280	6950	6730	5520

FERENTINO PREMIUM POB

PREMIUM POB

CODE	PRODUCT NAME (FERENTINO PREMIUM POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		INCH INCH	INCH INCH	INCH INCH	OPERATING DIA. MM	UP TO 10KMH		UP TO 16KMH		UP TO 25KMH			
						Kg	Pound	Inch	Inch	Inch	Mm	Kg	Kg	Kg	Kg	Kg	Kg		
3512314920	SM NMW	300 / 75 - 240	SM	WHITE	4.70	10.34	11.85	2.95	11.22	301	75	285	825	515	580	470			
3512415290	SM	300 / 75 - 240	SM	BLACK	4.70	10.34	11.85	2.95	11.22	301	75	285	825	515	580	470			
3512313880	SM NMG	300 / 85 - 270	SM	GREY	7.30	16.06	14.25	3.35	13.23	362	85	338	880	720	785	655			
3512314405	SM NMY	300 / 85 - 270	SM	YELLOW	7.33	16.13	14.25	3.35	13.23	362	85	338	880	720	785	655			
3512314930	SM NMW	300 / 85 - 270	SM	WHITE	7.30	16.06	14.25	3.35	13.23	362	85	338	880	720	785	655			
3512415300	SM	300 / 85 - 270	SM	BLACK	7.30	16.06	14.25	3.35	13.23	362	85	338	880	720	785	655			
3512313890	SM NMG	415 / 75 - 305	SM	GREY	7.60	16.72	18.42	2.95	15.12	417	75	384	825	875	730	810			
3512314415	SM NMY	415 / 75 - 305	SM	YELLOW	7.63	16.79	18.42	2.95	15.12	417	75	384	825	875	730	810			
3512314940	SM NMW	415 / 75 - 305	SM	WHITE	7.60	16.72	18.42	2.95	15.12	417	75	384	825	875	730	810			
3512415310	SM	415 / 75 - 305	SM	BLACK	7.60	16.72	18.42	2.95	15.12	417	75	384	825	875	730	810			
3512313895	SM NMG	415 / 90 - 305	SM	GREY	10.20	22.44	18.42	3.54	15.12	417	90	384	1070	875	950	795			
3512314420	SM NMY	415 / 90 - 305	SM	YELLOW	10.24	22.54	18.42	3.54	15.12	417	90	384	1070	875	950	795			
3512314945	SM NMW	415 / 90 - 305	SM	WHITE	10.20	22.44	18.42	3.54	15.12	417	90	384	1070	875	950	795			
3512415315	SM	415 / 90 - 305	SM	BLACK	10.20	22.44	18.42	3.54	15.12	417	90	384	1070	875	950	795			
3512313900	SM NMG	415 / 100 - 305	SM	GREY	10.60	23.32	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665	
3512314425	SM NMY	415 / 100 - 305	SM	YELLOW	10.65	23.42	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665	
3512314950	SM NMW	415 / 100 - 305	SM	WHITE	10.60	23.32	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665	
3512415320	SM	415 / 100 - 305	SM	BLACK	10.60	23.32	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665	
3512313910	SM NMG	550 / 150 - 370	SM	GREY	28.30	62.26	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395	
3512314435	SM NMY	550 / 150 - 370	SM	YELLOW	28.42	62.53	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395	
3512314960	SM NMW	550 / 150 - 370	SM	WHITE	28.30	62.26	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395	
3512415330	SM	550 / 150 - 370	SM	BLACK	28.30	62.26	21.77	5.91	19.53	553	150	496	2355	1930	2095	1780	1705	1395	
3512313920	SM NMG	660 / 250 - 480	SM	GREY	63.20	139.04	25.79	9.84	23.88	655	250	606	4780	3910	4160	3415	3290	2735	
3512314445	SM NMY	660 / 250 - 480	SM	YELLOW	63.47	139.64	25.79	9.84	23.88	655	250	606	4780	3910	4160	3415	3290	2735	
3512314970	SM NMW	660 / 250 - 480	SM	WHITE	63.20	139.04	25.79	9.84	23.88	655	250	606	4780	3910	4160	3415	3290	2735	
3512415340	SM	660 / 250 - 480	SM	BLACK	63.20	139.04	25.79	9.84	23.88	655	250	606	4780	3910	4160	3415	3290	2735	
3512313925	SM NMG	660 / 280 - 480	SM	GREY	71.30	156.86	25.88	11.02	23.88	660	280	606	5485	4480	4785	3915	3840	3130	
3512314450	SM NMY	660 / 280 - 480	SM	YELLOW	71.61	157.53	25.88	11.02	23.88	660	280	606	5485	4480	4785	3915	3840	3130	
3512314975	SM NMW	660 / 280 - 480	SM	WHITE	71.30	156.86	25.88	11.02	23.88	660	280	606	5485	4480	4785	3915	3840	3130	
3512415345	SM	660 / 280 - 480	SM	BLACK	71.30	156.86	25.88	11.02	23.88	660	280	606	5485	4480	4785	3915	3840	3130	
3512313930	SM NMG	840 / 350 - 559	SM	GREY	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200	
3512314455	SM NMY	840 / 350 - 559	SM	YELLOW	157.67	346.88	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200	
3512314980	SM NMW	840 / 350 - 559	SM	WHITE	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200	
3512415350	SM	840 / 350 - 559	SM	BLACK	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6500	6380	5200	

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW



FERENTINO ECOPLUS POB

ECOPLUS

ECOPLUS POB



ECOPLUS POB NON MARKING



S
pecial

Unique lug pattern

- Increased traction and lifetime

High performance compound

- Low rolling resistance
- Excellent quality to price ratio
- Reduces chunking and cutting

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.

FERENTINO ECOPLUS POB

ECOPLUS POB

CODE	PRODUCT NAME (FERENTINO ECOPLUS POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY									
						NORMAL		HHR INCH	HHR MM	HHR INCH	HHR MM	COUNTERBALANCED LIFT TRUCKS			LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	
						Kg	Pound					UP TO 10KMH	UP TO 16KMH	UP TO 25KMH							
						Inch	Inch	Mm	Mm	Inch	Mm			LOAD WHEEL		STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	
3412437520	HT	14 x 4 1/2 x 8	358x114x203.2	TR	BLACK	10.10	22.22	13.90	4.5	363.1	114.3	1184.8	954.8	1040.1	875	845	895				
3412337640	HT NMG	14 x 4 1/2 x 8	358x114x203.2	TR	GREY	10.10	22.22	13.90	4.5	363.1	114.3	1184.8	954.8	1040.1	875	845	895				
3412337780	HT NMY	14 x 4 1/2 x 8	358x114x203.2	TR	YELLOW	10.14	22.32	13.90	4.5	363.1	114.3	1184.8	954.8	1040.1	875	845	895				
3512337880	HT NMW	14 x 4 1/2 x 8	358x114x203.2	TR	WHITE	10.10	22.22	13.90	4.5	363.1	114.3	1184.8	954.8	1040.1	875	845	895				
3412437525	HT	18 x 5 x 10 1/2	406x127x268.7	TR	BLACK	13.00	28.60	15.90	5	403.9	127	1505	1240.1	1344.9	1128.9	1095	895				
3412337645	HT NMG	18 x 5 x 10 1/2	406x127x268.7	TR	GREY	13.00	28.60	15.90	5	403.9	127	1505	1240.1	1344.9	1128.9	1095	895				
3412337785	HT NMY	18 x 5 x 10 1/2	406x127x268.7	TR	YELLOW	13.06	28.72	15.90	5	403.9	127	1505	1240.1	1344.9	1128.9	1095	895				
3512337885	HT NMW	18 x 5 x 10 1/2	406x127x268.7	TR	WHITE	13.00	28.60	15.90	5	403.9	127	1505	1240.1	1344.9	1128.9	1095	895				
3412437530	HT	18 x 8 x 10 1/2	406x152x268.7	TR	BLACK	16.80	36.96	15.90	6	403.9	152.4	1905.1	1584.9	1700.1	1430.2	1385	1135				
3412337650	HT NMG	18 x 8 x 10 1/2	406x152x268.7	TR	GREY	16.80	36.96	15.90	6	403.9	152.4	1905.1	1584.9	1700.1	1430.2	1385	1135				
3412337770	HT NMY	18 x 8 x 10 1/2	406x152x268.7	TR	YELLOW	16.87	37.12	15.90	6	403.9	152.4	1905.1	1584.9	1700.1	1430.2	1385	1135				
3512337890	HT NMW	18 x 8 x 10 1/2	406x152x268.7	TR	WHITE	16.80	36.96	15.90	6	403.9	152.4	1905.1	1584.9	1700.1	1430.2	1385	1135				
3412437535	HT	18 1/4 x 5 x 11 1/4	413x127x265.8	TR	BLACK	13.90	30.58	16.10	5	408.9	127	1525	1250.1	1359.9	1144.9	1105	905				
3412337655	HT NMG	18 1/4 x 5 x 11 1/4	413x127x265.8	TR	GREY	13.90	30.58	16.10	5	408.9	127	1525	1250.1	1359.9	1144.9	1105	905				
3412337775	HT NMY	18 1/4 x 5 x 11 1/4	413x127x265.8	TR	YELLOW	13.96	30.71	16.10	5	408.9	127	1525	1250.1	1359.9	1144.9	1105	905				
3512337895	HT NMW	18 1/4 x 5 x 11 1/4	413x127x265.8	TR	WHITE	13.90	30.58	16.10	5	408.9	127	1525	1250.1	1359.9	1144.9	1105	905				
3412437540	HT	18 1/4 x 6 x 11 1/4	413x152x265.8	TR	BLACK	15.80	34.76	16.10	6	408.9	152.4	1915.1	1589.9	1710	1435.2	1390	1140				
3412337660	HT NMG	18 1/4 x 6 x 11 1/4	413x152x265.8	TR	GREY	15.80	34.76	16.10	6	408.9	152.4	1915.1	1589.9	1710	1435.2	1390	1140				
3412337780	HT NMY	18 1/4 x 6 x 11 1/4	413x152x265.8	TR	YELLOW	15.87	34.91	16.10	6	408.9	152.4	1915.1	1589.9	1710	1435.2	1390	1140				
3512337900	HT NMW	18 1/4 x 6 x 11 1/4	413x152x265.8	TR	WHITE	15.80	34.76	16.10	6	408.9	152.4	1915.1	1589.9	1710	1435.2	1390	1140				
3412437545	HT	18 x 6 x 12 1/8	457x152x308	TR	BLACK	19.00	41.80	17.90	6	454.7	152.4	2090.2	1715	1885.2	1584.9	1515	1245				
3412337665	HT NMG	18 x 6 x 12 1/8	457x152x308	TR	GREY	19.00	41.80	17.90	6	454.7	152.4	2090.2	1715	1885.2	1584.9	1515	1245				
3412337785	HT NMY	18 x 6 x 12 1/8	457x152x308	TR	YELLOW	19.08	41.98	17.90	6	454.7	152.4	2090.2	1715	1885.2	1584.9	1515	1245				
3512337905	HT NMW	18 x 6 x 12 1/8	457x152x308	TR	WHITE	19.00	41.80	17.90	6	454.7	152.4	2090.2	1715	1885.2	1584.9	1515	1245				
3412437550	HT	18 x 7 x 12 1/8	457x178x308	TR	BLACK	23.90	52.58	17.90	7	454.7	177.8	2555.1	2100.1	2279.8	1915.1	1855	1520				
3412337670	HT NMG	18 x 7 x 12 1/8	457x178x308	TR	GREY	23.90	52.58	17.90	7	454.7	177.8	2555.1	2100.1	2279.8	1915.1	1855	1520				
3412337790	HT NMY	18 x 7 x 12 1/8	457x178x308	TR	YELLOW	24.00	52.81	17.90	7	454.7	177.8	2555.1	2100.1	2279.8	1915.1	1855	1520				
3512337910	HT NMW	18 x 7 x 12 1/8	457x178x308	TR	WHITE	23.90	52.58	17.90	7	454.7	177.8	2555.1	2100.1	2279.8	1915.1	1855	1520				
3412437555	HT	18 x 8 x 12 1/8	457x203x308	TR	BLACK	27.00	59.40	17.90	8	454.7	203.2	3000.1	2484.8	2879.8	2249.8	2180	1785				
3412337675	HT NMG	18 x 8 x 12 1/8	457x203x308	TR	GREY	27.00	59.40	17.90	8	454.7	203.2	3000.1	2484.8	2879.8	2249.8	2180	1785				
3412337795	HT NMY	18 x 8 x 12 1/8	457x203x308	TR	YELLOW	27.12	59.65	17.90	8	454.7	203.2	3000.1	2484.8	2879.8	2249.8	2180	1785				
3512337915	HT NMW	18 x 8 x 12 1/8	457x203x308	TR	WHITE	27.00	59.40	17.90	8	454.7	203.2	3000.1	2484.8	2879.8	2249.8	2180	1785				
3412437560	HT	21 x 7 x 15	533x178x381	TR	BLACK	29.10	64.02	20.90	7	530.9	177.8	2889.9	2380	2585.1	2155	2085	1710				
3412337680	HT NMG	21 x 7 x 15	533x178x381	TR	GREY	29.10	64.02	20.90	7	530.9	177.8	2889.9	2380	2585.1	2155	2085	1710				
3412337800	HT NMY	21 x 7 x 15	533x178x381	TR	YELLOW	29.22	64.29	20.90	7	530.9	177.8	2889.9	2380	2585.1	2155	2085	1710				
3512337920	HT NMW	21 x 7 x 15	533x178x381	TR	WHITE	29.10	64.02	20.90	7	530.9	177.8	2889.9	2380	2585.1	2155	2085	1710				
3412437565	HT	21 x 8 x 15	533x203x381	TR	BLACK	33.50	73.70	20.90	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010				
3412337685	HT NMG	21 x 8 x 15	533x203x381	TR	GREY	33.50	73.70	20.90	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010				
3412337805	HT NMY	21 x 8 x 15	533x203x381	TR	YELLOW	33.64	74.02	20.90	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010				
3512337925	HT NMW	21 x 8 x 15	533x203x381	TR	WHITE	33.50	73.70	20.90	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010				
3412437570	HT	22 x 9 x 16	559x229x406.4	TR	BLACK	39.20	86.24	21.90	9	566.3	228.6	4045.1	3324.8	3615.1	3035	2940	2140				
3412337690	HT NMG	22 x 9 x 16	559x229x406.4	TR	GREY	39.20	86.24	21.90	9	566.3	228.6	4045.1	3324.8	3615.1	3035	2940	2140				
3412337810	HT NMY	22 x 9 x 16	559x229x406.4	TR	YELLOW	39.37	86.61	21.90	9	566.3	228.6	4045.1	3324.8	3615.1	3035	2940	2140				
3512337930	HT NMW	22 x 9 x 16	559x229x406.4	TR	WHITE	39.20	86.24	21.90	9	566.3	228.6	4045.1	3324.8	3615.1	3035	2940	2140				
3612437455	SMOOTH	10 x 5 x 8 1/2	254x127x165.1	SM	BLACK	7.20	15.84	10.00	5	254	127	1015.1	835.1	904.9	759.8	735	605				
3512337575	SMOOTH NMG	10 x 5 x 8 1/2	254x127x165.1	SM	GREY	7.20	15.84	10.00	5	254	127	1015.1	835.1	904.9	759.8	735	605				
3512337695	SMOOTH NMW	10 x 5 x 8 1/2	254x127x165.1	SM	YELLOW	7.23	15.91	10.00	5	254	127	1015.1	835.1	904.9	759.8						



FERENTINO ECOPLUS POB SMOOTH

ECOPLUS POB

CODE	PRODUCT NAME (FERENTINO ECOPLUS POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY					
						NORMAL		SLOW TIME/H	SLOW TIME/H	SLOW TIME/H	SLOW TIME/H	UP TO 10KM/H		UP TO 18KM/H		UP TO 25KM/H	
						Kg	Pound					Kg	Kg	Kg	Kg	Kg	Kg
3512337590	SMOOTH NMG	18 x 6 x 10 1/2	406x152x286.7	SM	GREY	18.00	39.00	15.80	8	403.9	152.4	1905.1	1564.9	1700.1	1430.2	1385	1135
3512337710	SMOOTH NMV	18 x 6 x 10 1/2	406x152x286.7	SM	YELLOW	18.08	39.77	15.80	8	403.9	152.4	1905.1	1564.9	1700.1	1430.2	1385	1135
3512337830	SMOOTH NMW	18 x 6 x 10 1/2	406x152x286.7	SM	WHITE	18.00	39.00	15.80	8	403.9	152.4	1905.1	1564.9	1700.1	1430.2	1385	1135
3512437475	SMOOTH	15 x 5 x 11 1/4	381x127x285.8	SM	BLACK	12.10	26.82	14.80	5	378.5	127	1389.8	1144.9	1240.1	1045.1	1010	830
3512337595	SMOOTH NMG	15 x 5 x 11 1/4	381x127x285.8	SM	GREY	12.10	26.82	14.80	5	378.5	127	1389.8	1144.9	1240.1	1045.1	1010	830
3512337715	SMOOTH NMV	15 x 5 x 11 1/4	381x127x285.8	SM	YELLOW	12.15	26.73	14.80	5	378.5	127	1389.8	1144.9	1240.1	1045.1	1010	830
3512337835	SMOOTH NMW	15 x 5 x 11 1/4	381x127x285.8	SM	WHITE	12.10	26.82	14.80	5	378.5	127	1389.8	1144.9	1240.1	1045.1	1010	830
3512437480	SMOOTH	18 1/4 x 5 x 11 1/4	413x127x285.8	SM	BLACK	14.50	31.90	18.20	5	411.5	127	1525	1250.1	1359.8	1144.9	1105	905
3512337600	SMOOTH NMG	18 1/4 x 5 x 11 1/4	413x127x285.8	SM	GREY	14.50	31.90	18.20	5	411.5	127	1525	1250.1	1359.8	1144.9	1105	905
3512337720	SMOOTH NMV	18 1/4 x 5 x 11 1/4	413x127x285.8	SM	YELLOW	14.56	32.04	18.20	5	411.5	127	1525	1250.1	1359.8	1144.9	1105	905
3512337840	SMOOTH NMW	18 1/4 x 5 x 11 1/4	413x127x285.8	SM	WHITE	14.50	31.90	18.20	5	411.5	127	1525	1250.1	1359.8	1144.9	1105	905
3512437485	SMOOTH	18 1/4 x 6 x 11 1/4	413x152x285.8	SM	BLACK	16.35	35.97	18.20	6	411.5	152.4	1915.1	1569.9	1710	1435.2	1390	1140
3512337605	SMOOTH NMG	18 1/4 x 6 x 11 1/4	413x152x285.8	SM	GREY	16.35	35.97	18.20	6	411.5	152.4	1915.1	1569.9	1710	1435.2	1390	1140
3512337725	SMOOTH NMV	18 1/4 x 6 x 11 1/4	413x152x285.8	SM	YELLOW	16.42	36.12	18.20	6	411.5	152.4	1915.1	1569.9	1710	1435.2	1390	1140
3512337845	SMOOTH NMW	18 1/4 x 6 x 11 1/4	413x152x285.8	SM	WHITE	16.35	35.97	18.20	6	411.5	152.4	1915.1	1569.9	1710	1435.2	1390	1140
3512437490	SMOOTH	18 x 6 x 12 1/8	457x152x308	SM	BLACK	20.25	44.55	17.80	6	454.7	152.4	2090.2	1715	1865.2	1564.9	1515	1245
3512337610	SMOOTH NMG	18 x 6 x 12 1/8	457x152x308	SM	GREY	20.25	44.55	17.80	6	454.7	152.4	2090.2	1715	1865.2	1564.9	1515	1245
3512337730	SMOOTH NMV	18 x 6 x 12 1/8	457x152x308	SM	YELLOW	20.34	44.74	17.80	6	454.7	152.4	2090.2	1715	1865.2	1564.9	1515	1245
3512337850	SMOOTH NMW	18 x 6 x 12 1/8	457x152x308	SM	WHITE	20.25	44.55	17.80	6	454.7	152.4	2090.2	1715	1865.2	1564.9	1515	1245
3512437495	SMOOTH	18 x 7 x 12 1/8	457x178x308	SM	BLACK	24.50	53.90	17.80	7	454.7	177.8	2556.1	2100.1	2279.8	1915.1	1855	1520
3512337815	SMOOTH NMG	18 x 7 x 12 1/8	457x178x308	SM	GREY	24.50	53.90	17.80	7	454.7	177.8	2556.1	2100.1	2279.8	1915.1	1855	1520
3512337735	SMOOTH NMV	18 x 7 x 12 1/8	457x178x308	SM	YELLOW	24.61	54.13	17.80	7	454.7	177.8	2556.1	2100.1	2279.8	1915.1	1855	1520
3512337855	SMOOTH NMW	18 x 7 x 12 1/8	457x178x308	SM	WHITE	24.50	53.90	17.80	7	454.7	177.8	2556.1	2100.1	2279.8	1915.1	1855	1520
3512437500	SMOOTH	18 x 8 x 12 1/8	457x203x308	SM	BLACK	26.80	59.18	17.80	8	454.7	203.2	3000.1	2464.8	2679.8	2249.8	2180	1785
3512337620	SMOOTH NMG	18 x 8 x 12 1/8	457x203x308	SM	GREY	26.80	59.18	17.80	8	454.7	203.2	3000.1	2464.8	2679.8	2249.8	2180	1785
3512337740	SMOOTH NMV	18 x 8 x 12 1/8	457x203x308	SM	YELLOW	27.02	59.43	17.80	8	454.7	203.2	3000.1	2464.8	2679.8	2249.8	2180	1785
3512337860	SMOOTH NMW	18 x 8 x 12 1/8	457x203x308	SM	WHITE	26.80	59.18	17.80	8	454.7	203.2	3000.1	2464.8	2679.8	2249.8	2180	1785
3512437505	SMOOTH	21 x 7 x 15	533x178x381	SM	BLACK	30.00	66.00	20.80	7	530.9	177.8	2869.8	2360	2565.1	2155	2085	1710
3512337825	SMOOTH NMG	21 x 7 x 15	533x178x381	SM	GREY	30.00	66.00	20.80	7	530.9	177.8	2869.8	2360	2565.1	2155	2085	1710
3512337745	SMOOTH NMV	21 x 7 x 15	533x178x381	SM	YELLOW	30.13	66.28	20.80	7	530.9	177.8	2869.8	2360	2565.1	2155	2085	1710
3512337865	SMOOTH NMW	21 x 7 x 15	533x178x381	SM	WHITE	30.00	66.00	20.80	7	530.9	177.8	2869.8	2360	2565.1	2155	2085	1710
3512437510	SMOOTH	21 x 8 x 15	533x203x381	SM	BLACK	32.80	72.38	20.80	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010
3512337830	SMOOTH NMG	21 x 8 x 15	533x203x381	SM	GREY	32.80	72.38	20.80	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010
3512337750	SMOOTH NMV	21 x 8 x 15	533x203x381	SM	YELLOW	33.04	72.69	20.80	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010
3512337870	SMOOTH NMW	21 x 8 x 15	533x203x381	SM	WHITE	32.80	72.38	20.80	8	530.9	203.2	3375.2	2775.1	3015	2530.1	2450	2010
3512437515	SMOOTH	22 x 9 x 16	559x229x406.4	SM	BLACK	44.00	96.80	21.80	9	553.7	228.6	4045.1	3324.8	3815.1	3035	2940	2140
3512337835	SMOOTH NMG	22 x 9 x 16	559x229x406.4	SM	GREY	44.00	96.80	21.80	9	553.7	228.6	4045.1	3324.8	3815.1	3035	2940	2140
3512337755	SMOOTH NMV	22 x 9 x 16	559x229x406.4	SM	YELLOW	44.19	97.22	21.80	9	553.7	228.6	4045.1	3324.8	3815.1	3035	2940	2140
3512337875	SMOOTH NMW	22 x 9 x 16	559x229x406.4	SM	WHITE	44.00	96.80	21.80	9	553.7	228.6	4045.1	3324.8	3815.1	3035	2940	2140

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMV - NON MARKING YELLOW



 **FERENTINO**
TIRES CORPORATION

FERENTINO HIGHRIDE POB

HIGHRIDE

FERENTINO HIGHRIDE POB



FERENTINO HIGHRIDE POB NON MARKING



NM
non marking

Unique lug pattern

- Increased traction and lifetime

High performance compound

- Low rolling resistance
- Excellent quality to price ratio
- Reduces chunking and cutting

Perfect bonding

- High quality bonding technology is used to keep the layers intact while working with heavy loads.

FERENTINO HIGHRIDE POB

HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE			ACTUAL TIRE			LOAD CAPACITY							
						NORMAL		DIAMETER OVERALL INCH	WIDTH OVERALL INCH	DIAMETER OVERALL MM	WIDTH OVERALL MM	DIAMETER OVERALL MM	COUNTERBALANCED LIFT TRUCKS								
						Kg	Pound						UP TO 10KM/H	UP TO 16KM/H	UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL
														Kg	Kg	Kg	Kg	Kg	Kg	Kg	Kg
3412425355	HT	10 X 5 X 8 1/2	254x127x165.1	TR	BLACK	7.15	15.73	9.92	5.00	8.94	252	127	227	1010	830	905	780	735	805		
3412325880	HT NMG	10 X 5 X 8 1/2	254x127x165.1	TR	GREY	7.15	15.73	9.92	5.00	8.94	252	127	227	1010	830	905	780	735	805		
3412326405	HT NMY	10 X 5 X 8 1/2	254x127x165.1	TR	YELLOW	7.18	15.80	9.92	5.00	8.94	252	127	227	1010	830	905	780	735	805		
3412326930	HT NMW	10 X 5 X 8 1/2	254x127x165.1	TR	WHITE	7.15	15.73	9.92	5.00	8.94	252	127	227	1010	830	905	780	735	805		
3412425360	HT	13 1/2 X 5 1/2 X 8	343X188X203.2	TR	BLACK	12.10	28.62	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895		
3412325885	HT NMG	13 1/2 X 5 1/2 X 8	343X188X203.2	TR	GREY	12.10	28.62	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895		
3412326410	HT NMY	13 1/2 X 5 1/2 X 8	343X188X203.2	TR	YELLOW	12.15	28.73	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895		
3412326935	HT NMW	13 1/2 X 5 1/2 X 8	343X188X203.2	TR	WHITE	12.10	28.62	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895		
3412425365	HT	14 X 4 1/2 X 8	356x114x203.2	TR	BLACK	10.45	22.99	14.02	4.49	12.28	356	114	312	1170	960	1045	875	850	895		
3412325880	HT NMG	14 X 4 1/2 X 8	356x114x203.2	TR	GREY	10.45	22.99	14.02	4.49	12.28	356	114	312	1170	960	1045	875	850	895		
3412326415	HT NMY	14 X 4 1/2 X 8	356x114x203.2	TR	YELLOW	10.49	23.09	14.02	4.49	12.28	356	114	312	1170	960	1045	875	850	895		
3412326940	HT NMW	14 X 4 1/2 X 8	356x114x203.2	TR	WHITE	10.45	22.99	14.02	4.49	12.28	356	114	312	1170	960	1045	875	850	895		
3412425370	HT	14 X 5 X 10	356x127x254	TR	BLACK	10.75	23.65	14.02	5.00	12.91	356	127	328	1335	1095	1195	1000	970	795		
3412325895	HT NMG	14 X 5 X 10	356x127x254	TR	GREY	10.75	23.65	14.02	5.00	12.91	356	127	328	1335	1095	1195	1000	970	795		
3412326420	HT NMY	14 X 5 X 10	356x127x254	TR	YELLOW	10.80	23.75	14.02	5.00	12.91	356	127	328	1335	1095	1195	1000	970	795		
3412326945	HT NMW	14 X 5 X 10	356x127x254	TR	WHITE	10.75	23.65	14.02	5.00	12.91	356	127	328	1335	1095	1195	1000	970	795		
3412425375	HT	15 1/2 X 5 X 10	393x127x254	TR	BLACK	13.50	29.70	15.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875		
3412325900	HT NMG	15 1/2 X 5 X 10	393x127x254	TR	GREY	13.50	29.70	15.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875		
3412326425	HT NMY	15 1/2 X 5 X 10	393x127x254	TR	YELLOW	13.56	29.83	15.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875		
3412326950	HT NMW	15 1/2 X 5 X 10	393x127x254	TR	WHITE	13.50	29.70	15.59	5.00	13.90	396	127	353	1470	1210	1315	1100	1070	875		
3412425380	HT	16 x 5 x 10 1/2	406x127x286.7	TR	BLACK	13.50	29.70	15.66	5.00	14.45	406	127	387	1510	1240	1345	1130	1095	895		
3412326905	HT NMG	16 x 5 x 10 1/2	406x127x286.7	TR	GREY	13.50	29.70	15.66	5.00	14.45	406	127	387	1510	1240	1345	1130	1095	895		
3412326430	HT NMY	16 x 5 x 10 1/2	406x127x286.7	TR	YELLOW	13.56	29.83	15.66	5.00	14.45	406	127	387	1510	1240	1345	1130	1095	895		
3412326955	HT NMW	16 x 5 x 10 1/2	406x127x286.7	TR	WHITE	13.50	29.70	15.66	5.00	14.45	406	127	387	1510	1240	1345	1130	1095	895		
3412425385	HT	16 X 6 X 10 1/2	406x152x286.7	TR	BLACK	17.70	38.84	15.66	5.98	14.45	406	152	387	1910	1570	1710	1435	1390	1140		
3412326910	HT NMG	16 X 6 X 10 1/2	406x152x286.7	TR	GREY	17.70	38.84	15.66	5.98	14.45	406	152	387	1910	1570	1710	1435	1390	1140		
3412326435	HT NMY	16 X 6 X 10 1/2	406x152x286.7	TR	YELLOW	17.78	39.11	15.66	5.98	14.45	406	152	387	1910	1570	1710	1435	1390	1140		
3412326960	HT NMW	16 X 6 X 10 1/2	406x152x286.7	TR	WHITE	17.70	38.84	15.66	5.98	14.45	406	152	387	1910	1570	1710	1435	1390	1140		
3412425390	HT	16 X 7 X 10 1/2	406x178x286.7	TR	BLACK	20.50	45.10	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380		
3412325915	HT NMG	16 X 7 X 10 1/2	406x178x286.7	TR	GREY	20.50	45.10	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380		
3412326440	HT NMY	16 X 7 X 10 1/2	406x178x286.7	TR	YELLOW	20.59	45.29	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380		
3412326965	HT NMW	16 X 7 X 10 1/2	406x178x286.7	TR	WHITE	20.50	45.10	16.18	7.01	14.49	411	178	388	2325	1910	2070	1740	1685	1380		
3412425395	HT	15 X 5 X 11 1/4	381x127x285.8	TR	BLACK	11.80	25.66	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830		
3412325920	HT NMG	15 X 5 X 11 1/4	381x127x285.8	TR	GREY	11.80	25.66	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830		
3412326445	HT NMY	15 X 5 X 11 1/4	381x127x285.8	TR	YELLOW	11.85	26.07	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830		
3412326970	HT NMW	15 X 5 X 11 1/4	381x127x285.8	TR	WHITE	11.80	25.66	14.96	5.04	13.98	380	128	355	1390	1140	1240	1040	1010	830		
3412425400	HT	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	BLACK	14.10	31.02	16.30	5.04	14.80	414	128	378	1530	1250	1380	1145	1105	905		
3412326925	HT NMG	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	GREY	14.10	31.02	16.30	5.04	14.80	414	128	378	1530	1250	1380	1145	1105	905		
3412326450	HT NMY	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	YELLOW	14.16	31.15	16.30	5.04	14.80	414	128	378	1530	1250	1380	1145	1105	905		
3412326975	HT NMW	16 1/4 X 5 X 11 1/4	413x127x285.8	TR	WHITE	14.10	31.02	16.30	5.04	14.80	414	128	378	1530	1250	1380	1145	1105	905		
3412425405	HT	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	BLACK	16.50	38.30	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1395	1140		
3412326930	HT NMG	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	GREY	16.50	38.30	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1395	1140		
3412326455	HT NMY	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	YELLOW	16.57	38.48	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1395	1140		
3412326980	HT NMW	16 1/4 X 6 X 11 1/4	413x152x285.8	TR	WHITE	16.50	38.30	16.22	5.98	14.89	412	152	373	1920	1580	1715	1440	1395	1140		
3412425410	HT	16 1/4 X 7 X 11 1/4	413x178x285.8	TR	BLACK	19.50	42.90	16.34	7.01	14.80	415	178	378	2325	1900	2060	1735	1680	1380		
3412326935	HT NMG	16 1/4 X 7 X 11 1/4	413x178x285.8	TR	GREY	19.50	42.90	16.34	7.01	14.80	415	178	378	2325	1900	2060	1735	1680	1380		
3412326460	HT NMY	16 1/4 X 7 X 11 1																			

FERENTINO HIGHRIDE POB



HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		LOW TIRE PRESSURE INCH	HIGH TIRE PRESSURE INCH	LOW TIRE PRESSURE MM	HIGH TIRE PRESSURE MM	COUNTERBALANCED LIFT TRUCKS		UP TO 10KM/H		UP TO 16KM/H		UP TO 25KM/H	
						Kg	Pound					LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL
3412325050	HT NMG	18 X 8 X 12 1/8	457x152x308	TR	GREY	19.17	42.17	17.99	5.98	16.84	457	152	415	2100	1720	1870	1575	1525	1250
3412326475	HT NMY	18 X 8 X 12 1/8	457x152x308	TR	YELLOW	19.25	42.38	17.99	5.98	16.84	457	152	415	2100	1720	1870	1575	1525	1250
3412327000	HT NMW	18 X 8 X 12 1/8	457x152x308	TR	WHITE	19.17	42.17	17.99	5.98	16.84	457	152	415	2100	1720	1870	1575	1525	1250
3412425430	HT	18 X 7 X 12 1/8	457x178x308	TR	BLACK	24.40	53.68	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412325055	HT NMG	18 X 7 X 12 1/8	457x178x308	TR	GREY	24.40	53.68	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412326480	HT NMY	18 X 7 X 12 1/8	457x178x308	TR	YELLOW	24.50	53.91	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412327005	HT NMW	18 X 7 X 12 1/8	457x178x308	TR	WHITE	24.40	53.68	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412425435	HT	18 X 8 X 12 1/8	457x203x308	TR	BLACK	28.50	58.30	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412325060	HT NMG	18 X 8 X 12 1/8	457x203x308	TR	GREY	28.50	58.30	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412326485	HT NMY	18 X 8 X 12 1/8	457x203x308	TR	YELLOW	28.61	58.55	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412327010	HT NMW	18 X 8 X 12 1/8	457x203x308	TR	WHITE	28.50	58.30	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412425440	HT	18 X 9 X 12 1/8	457x228x308	TR	BLACK	29.80	65.78	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412325065	HT NMG	18 X 9 X 12 1/8	457x228x308	TR	GREY	29.80	65.78	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412326490	HT NMY	18 X 9 X 12 1/8	457x228x308	TR	YELLOW	30.03	66.08	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412327015	HT NMW	18 X 9 X 12 1/8	457x228x308	TR	WHITE	29.80	65.78	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412425445	HT	21 X 6 X 15	533x152x381	TR	BLACK	25.40	55.88	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412325070	HT NMG	21 X 6 X 15	533x152x381	TR	GREY	25.40	55.88	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412326495	HT NMY	21 X 6 X 15	533x152x381	TR	YELLOW	25.51	56.12	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412327020	HT NMW	21 X 6 X 15	533x152x381	TR	WHITE	25.40	55.88	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412425450	HT	21 X 7 X 15	533x178x381	TR	BLACK	28.20	62.04	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2085	1710
3412325075	HT NMG	21 X 7 X 15	533x178x381	TR	GREY	28.20	62.04	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2085	1710
3412326500	HT NMY	21 X 7 X 15	533x178x381	TR	YELLOW	28.32	62.31	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2085	1710
3412327025	HT NMW	21 X 7 X 15	533x178x381	TR	WHITE	28.20	62.04	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2085	1710
3412425455	HT	21 X 8 X 15	533x203x381	TR	BLACK	33.10	72.82	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412325080	HT NMG	21 X 8 X 15	533x203x381	TR	GREY	33.10	72.82	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412326505	HT NMW	21 X 8 X 15	533x203x381	TR	WHITE	33.24	73.13	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412327030	HT NMW	21 X 8 X 15	533x203x381	TR	WHITE	33.10	72.82	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412425460	HT	21 X 9 X 15	533x228x381	TR	BLACK	37.00	81.40	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412325085	HT NMG	21 X 9 X 15	533x228x381	TR	GREY	37.00	81.40	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412326610	HT NMY	21 X 9 X 15	533x228x381	TR	YELLOW	37.16	81.75	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412327035	HT NMW	21 X 9 X 15	533x228x381	TR	WHITE	37.00	81.40	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412425465	HT	20 X 8 X 16	508x203x406.4	TR	BLACK	27.10	59.82	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412325090	HT NMG	20 X 8 X 16	508x203x406.4	TR	GREY	27.10	59.82	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412326615	HT NMY	20 X 8 X 16	508x203x406.4	TR	YELLOW	27.22	59.88	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412327040	HT NMW	20 X 8 X 16	508x203x406.4	TR	WHITE	27.10	59.82	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412425470	HT	22 X 6 X 16	550x152x406.4	TR	BLACK	28.30	57.88	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412325095	HT NMG	22 X 6 X 16	550x152x406.4	TR	GREY	28.30	57.88	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412326620	HT NMW	22 X 6 X 16	550x152x406.4	TR	WHITE	28.41	58.11	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412327045	HT NMW	22 X 6 X 16	550x152x406.4	TR	WHITE	28.30	57.88	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412425475	HT	22 X 7 X 16	550x178x406.4	TR	BLACK	30.20	68.44	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412326000	HT NMG	22 X 7 X 16	550x178x406.4	TR	GREY	30.20	68.44	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412326625	HT NMW	22 X 7 X 16	550x178x406.4	TR	WHITE	30.33	68.73	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412327050	HT NMW	22 X 7 X 16	550x178x406.4	TR	WHITE	30.20	68.44	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412425480	HT	22 X 8 X 16	550x203x406.4	TR	BLACK	35.80	78.32	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412326005	HT NMG	22 X 8 X 16	550x203x406.4	TR	GREY	35.80	78.32	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412326630	HT NMY	22 X 8 X 16	550x203x406.4	TR	YELLOW	35.75	78.66	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412327055	HT NMW	22 X 8 X 16	550x203x406.4	TR	WHITE	35.80	78.32	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412425485	HT	22 X 9 X 16	550x229x406.4	TR	BLACK	41.50	91.30	21.97	9.02	20.31	588	229	518	4050	3325	3800	3025	2930	2400
3412326010	HT NMG	22 X 9 X 16	550x229x406.4	TR	GREY	41.50	91.30	21.97	9.02	20.31	588	229</							

FERENTINO HIGHRIDE POB

HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		HEAVY DUTY TIRE	HIGH LOAD TIRE	DIADE SE	REPAIRMENT KIT	DIADE SE	HIGH LOAD TIRE	SEMI HEAVY DUTY TIRE	SEMI HEAVY DUTY TIRE	COUNTERBALANCED LIFT TRUCKS			
						Kg	Pound	Inch	Inch	Inch	Mm	Mm	Mm	Mm	Kg	Kg	Kg	Kg	Kg
3412326545	HT NMV	22 X 12 X 16	559x305x408.4	TR	YELLOW	58.73	118.21	22.01	11.87	20.31	559	304	516	5825	4825	5030	4225	4090	3350
3412327070	HT NMW	22 X 12 X 16	559x305x408.4	TR	WHITE	58.50	117.70	22.01	11.87	20.31	559	304	516	5825	4825	5030	4225	4090	3350
3412425500	HT	28 X 10 X 22	711x254x559	TR	BLACK	82.00	138.40	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255
3412326025	HT NMG	28 X 10 X 22	711x254x559	TR	GREY	82.00	138.40	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255
3412326550	HT NMV	28 X 10 X 22	711x254x559	TR	YELLOW	82.27	138.99	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255
3412327075	HT NMW	28 X 10 X 22	711x254x559	TR	WHITE	82.00	138.40	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255
3412425505	HT	28 X 12 X 22	711x305x559	TR	BLACK	79.40	174.68	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015
3412326030	HT NMG	28 X 12 X 22	711x305x559	TR	GREY	79.40	174.68	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015
3412326555	HT NMV	28 X 12 X 22	711x305x559	TR	YELLOW	79.74	175.43	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015
3412327080	HT NMW	28 X 12 X 22	711x305x559	TR	WHITE	79.40	174.68	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015
3512425510	SM	9 X 5 X 5	228x127x127	SM	BLACK	6.00	18.20	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570
3512326035	SM NMG	9 X 5 X 5	228x127x127	SM	GREY	6.00	18.20	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570
3512326560	SM NMV	9 X 5 X 5	228x127x127	SM	YELLOW	6.03	18.28	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570
3512327085	SM NMW	9 X 5 X 5	228x127x127	SM	WHITE	6.00	18.20	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570
3512425515	SM	10 X 4 X 8 1/4	254x102x158.7	SM	BLACK	5.80	12.76	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485
3512326040	SM NMG	10 X 4 X 8 1/4	254x102x158.7	SM	GREY	5.80	12.76	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485
3512326565	SM NMV	10 X 4 X 8 1/4	254x102x158.7	SM	YELLOW	5.82	12.80	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485
3512327090	SM NMW	10 X 4 X 8 1/4	254x102x158.7	SM	WHITE	5.80	12.78	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485
3512425520	SM	10 X 5 X 8 1/4	254x127x158.7	SM	BLACK	6.40	14.08	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610
3512326045	SM NMG	10 X 5 X 8 1/4	254x127x158.7	SM	GREY	6.40	14.08	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610
3512326570	SM NMV	10 X 5 X 8 1/4	254x127x158.7	SM	YELLOW	6.43	14.15	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610
3512327095	SM NMW	10 X 5 X 8 1/4	254x127x158.7	SM	WHITE	6.40	14.08	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610
3512425525	SM	10 X 4 X 8 1/2	254x102x185.1	SM	BLACK	6.70	12.54	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485
3512326050	SM NMG	10 X 4 X 8 1/2	254x102x185.1	SM	GREY	6.70	12.54	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485
3512326575	SM NMV	10 X 4 X 8 1/2	254x102x185.1	SM	YELLOW	6.72	12.58	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485
3512327100	SM NMW	10 X 4 X 8 1/2	254x102x185.1	SM	WHITE	6.70	12.54	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485
3512425530	SM	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	BLACK	6.40	14.08	10.00	4.78	9.02	254	121	228	980	780	845	710	890	585
3512326055	SM NMG	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	GREY	6.40	14.08	10.00	4.78	9.02	254	121	228	980	780	845	710	890	585
3512326580	SM NMV	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	YELLOW	6.43	14.15	10.00	4.78	9.02	254	121	228	980	780	845	710	890	585
3512327105	SM NMW	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	WHITE	6.40	14.08	10.00	4.78	9.02	254	121	228	980	780	845	710	890	585
3512425535	SM	10 X 5 X 8 1/2	254x127x185.1	SM	BLACK	6.80	14.52	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605
3512326060	SM NMG	10 X 5 X 8 1/2	254x127x185.1	SM	GREY	6.80	14.52	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605
3512326585	SM NMV	10 X 5 X 8 1/2	254x127x185.1	SM	YELLOW	6.83	14.59	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605
3512327110	SM NMW	10 X 5 X 8 1/2	254x127x185.1	SM	WHITE	6.80	14.52	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605
3512425540	SM	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	BLACK	7.00	15.40	10.51	5.00	9.33	287	127	237	1070	880	980	810	780	640
3512326065	SM NMG	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	GREY	7.00	15.40	10.51	5.00	9.33	287	127	237	1070	880	980	810	780	640
3512326590	SM NMV	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	YELLOW	7.03	15.47	10.51	5.00	9.33	287	127	237	1070	880	980	810	780	640
3512327115	SM NMW	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	WHITE	7.00	15.40	10.51	5.00	9.33	287	127	237	1070	880	980	810	780	640
3512425545	SM	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	BLACK	8.30	18.26	10.51	5.98	9.33	287	182	237	1340	1100	1190	1000	970	795
3512326070	SM NMG	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	GREY	8.30	18.26	10.51	5.98	9.33	287	182	237	1340	1100	1190	1000	970	795
3512326595	SM NMV	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	YELLOW	8.34	18.34	10.51	5.98	9.33	287	182	237	1340	1100	1190	1000	970	795
3512327120	SM NMW	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	WHITE	8.30	18.26	10.51	5.98	9.33	287	182	237	1340	1100	1190	1000	970	795
3512425550	SM	12 X 4 X 8	305x102x203.2	SM	BLACK	7.00	15.40	12.01	4.02	10.83	305	102	275	805	745	810	880	640	540
3512326075	SM NMG	12 X 4 X 8	305x102x203.2	SM	GREY	7.00	15.40	12.01	4.02	10.83	305	102	275	805	745	810	880	640	540
3512326600	SM NMV	12 X 4 X 8	305x102x203.2	SM	YELLOW	7.03	15.47	12.01	4.02	10.83	305	102	275	805	745	810	880	640	540
3512327125	SM NMW	12 X 4 X 8	305x102x203.2	SM	WHITE	7.00	15.40	12.01	4.02	10.83	305	102	275	805	745	810	880	640	540
3512425555	SM	12 X 4 1/2 X 8	305x114x203.2	SM	BLACK	8.10	17.82	12.01	4.49	10.83	305	114	275	1040	865	980	780	755	620
3512326080	SM NMG	12 X 4 1/2 X 8	305x114x203.2	SM	GREY	8.10	17.82	12.01	4.49	10.83	305	114	275	1040	865	980	780	755	620
3512326605	SM NMV	12 X 4 1/2 X 8	305x114x203.2	SM	YELLOW	8.13	17.89	12.01	4.49	10.83	305	114	275	1040	865	980	780	755	620
3512327130	SM NMW	12 X 4 1/2 X 8	305x114x203.2	SM	WHITE	8.10	17.82	12.01	4.49	10.83	305	114	275	1040	865	980	780	755	620
3512425560	SM	12 X 5																	

FERENTINO HIGHRIDE POB



HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		LOW TIRENO. S.E. 100/100 TIRENO. S.E. 100/100 TIRENO. S.E. 100/100 TIRENO. S.E. 100/100		HIGH TIRENO. S.E. 100/100 TIRENO. S.E. 100/100 TIRENO. S.E. 100/100 TIRENO. S.E. 100/100		COUNTERBALANCED LIFT TRUCKS				UP TO 10KM/H			
						Kg	Pound					Inch	Inch	Mm	Mm	Kg	Kg	Load Wheel	Steering Wheel
3412325050	HT NMG	18 X 8 X 12 1/8	457x152x308	TR	GREY	19.17	42.17	17.99	5.98	16.84	457	152	415	2100	1720	1870	1575	1525	1250
3412326475	HT NMY	18 X 8 X 12 1/8	457x152x308	TR	YELLOW	19.25	42.38	17.99	5.98	16.84	457	152	415	2100	1720	1870	1575	1525	1250
3412327000	HT NMW	18 X 8 X 12 1/8	457x152x308	TR	WHITE	19.17	42.17	17.99	5.98	16.84	457	152	415	2100	1720	1870	1575	1525	1250
3412425430	HT	18 X 7 X 12 1/8	457x178x308	TR	BLACK	24.40	53.68	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412325055	HT NMG	18 X 7 X 12 1/8	457x178x308	TR	GREY	24.40	53.68	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412326480	HT NMY	18 X 7 X 12 1/8	457x178x308	TR	YELLOW	24.50	53.91	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412327005	HT NMW	18 X 7 X 12 1/8	457x178x308	TR	WHITE	24.40	53.68	17.99	7.01	16.84	457	178	415	2550	2100	2280	1910	1855	1520
3412425435	HT	18 X 8 X 12 1/8	457x203x308	TR	BLACK	28.50	58.30	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412325060	HT NMG	18 X 8 X 12 1/8	457x203x308	TR	GREY	28.50	58.30	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412326485	HT NMY	18 X 8 X 12 1/8	457x203x308	TR	YELLOW	28.61	58.55	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412327010	HT NMW	18 X 8 X 12 1/8	457x203x308	TR	WHITE	28.50	58.30	17.99	7.99	16.84	457	203	415	3000	2475	2880	2250	2180	1790
3412425440	HT	18 X 9 X 12 1/8	457x228x308	TR	BLACK	29.80	65.78	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412325065	HT NMG	18 X 9 X 12 1/8	457x228x308	TR	GREY	29.80	65.78	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412326490	HT NMY	18 X 9 X 12 1/8	457x228x308	TR	YELLOW	30.03	66.08	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412327015	HT NMW	18 X 9 X 12 1/8	457x228x308	TR	WHITE	29.80	65.78	17.99	9.02	16.22	457	229	412	3450	2850	3090	2800	2510	2060
3412425445	HT	21 X 6 X 15	533x152x381	TR	BLACK	25.40	55.88	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412325070	HT NMG	21 X 6 X 15	533x152x381	TR	GREY	25.40	55.88	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412326495	HT NMY	21 X 6 X 15	533x152x381	TR	YELLOW	25.51	56.12	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412327020	HT NMW	21 X 6 X 15	533x152x381	TR	WHITE	25.40	55.88	21.18	5.98	19.29	538	152	490	2350	1930	2100	1765	1710	1400
3412425450	HT	21 X 7 X 15	533x178x381	TR	BLACK	28.20	62.04	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2065	1710
3412325075	HT NMG	21 X 7 X 15	533x178x381	TR	GREY	28.20	62.04	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2065	1710
3412326500	HT NMY	21 X 7 X 15	533x178x381	TR	YELLOW	28.32	62.31	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2065	1710
3412327025	HT NMW	21 X 7 X 15	533x178x381	TR	WHITE	28.20	62.04	20.88	7.01	19.17	533	178	487	2875	2350	2580	2150	2065	1710
3412425455	HT	21 X 8 X 15	533x203x381	TR	BLACK	33.10	72.82	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412325080	HT NMG	21 X 8 X 15	533x203x381	TR	GREY	33.10	72.82	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412326505	HT NMW	21 X 8 X 15	533x203x381	TR	WHITE	33.24	73.13	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412327030	HT NMW	21 X 8 X 15	533x203x381	TR	WHITE	33.10	72.82	20.88	7.99	19.17	533	203	487	3375	2775	3025	2540	2455	2015
3412425460	HT	21 X 9 X 15	533x228x381	TR	BLACK	37.00	81.40	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412325085	HT NMG	21 X 9 X 15	533x228x381	TR	GREY	37.00	81.40	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412326610	HT NMY	21 X 9 X 15	533x228x381	TR	YELLOW	37.16	81.75	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412327035	HT NMW	21 X 9 X 15	533x228x381	TR	WHITE	37.00	81.40	21.02	9.02	19.29	534	229	490	3900	3200	3475	2920	2830	2320
3412425465	HT	20 X 8 X 16	508x203x406.4	TR	BLACK	27.10	59.82	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412326590	HT NMG	20 X 8 X 16	508x203x406.4	TR	GREY	27.10	59.82	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412326515	HT NMY	20 X 8 X 16	508x203x406.4	TR	YELLOW	27.22	59.88	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412327040	HT NMW	20 X 8 X 16	508x203x406.4	TR	WHITE	27.10	59.82	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790
3412425470	HT	22 X 6 X 16	550x152x406.4	TR	BLACK	28.30	57.88	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412325095	HT NMG	22 X 6 X 16	550x152x406.4	TR	GREY	28.30	57.88	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412326620	HT NMW	22 X 6 X 16	550x152x406.4	TR	WHITE	28.41	58.11	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412327045	HT NMW	22 X 6 X 16	550x152x406.4	TR	WHITE	28.30	57.88	22.17	5.98	20.28	583	152	515	2450	2000	2180	1830	1770	1450
3412425475	HT	22 X 7 X 16	550x178x406.4	TR	BLACK	30.20	68.44	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412326000	HT NMG	22 X 7 X 16	550x178x406.4	TR	GREY	30.20	68.44	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412326625	HT NMW	22 X 7 X 16	550x178x406.4	TR	WHITE	30.33	68.73	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412327050	HT NMW	22 X 7 X 16	550x178x406.4	TR	WHITE	30.20	68.44	22.05	7.01	20.31	580	178	518	2975	2450	2860	2230	2160	1770
3412425480	HT	22 X 8 X 16	550x203x406.4	TR	BLACK	35.80	78.32	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412326005	HT NMG	22 X 8 X 16	550x203x406.4	TR	GREY	35.80	78.32	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412326630	HT NMY	22 X 8 X 16	550x203x406.4	TR	YELLOW	35.75	78.66	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412327055	HT NMW	22 X 8 X 16	550x203x406.4	TR	WHITE	35.80	78.32	22.01	7.99	20.31	589	203	518	3500	2875	3130	2825	2545	2085
3412425485	HT	22 X 9 X 16																	

FERENTINO HIGHRIDE POB

HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY														
						NORMAL		SHINING THIN	HIGH THIN	DIADE THIN	REPAIRMENT THIN	DIADE THIN	HIGH THIN	SHINING THIN	SHINING THIN	SHINING THIN	SHINING THIN	UP TO 10KM/H	UP TO 16KM/H	UP TO 25KM/H	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL
						Kg	Pound	Inch	Inch	Inch	Mm	Mm	Mm	Mm	Kg	Kg	Kg	Kg	Kg	Kg	Kg	Kg	Kg	Kg	Kg	
3412326545	HT NMY	22 X 12 X 16	559x305x408.4	TR	YELLOW	58.73	118.21	22.01	11.87	20.31	559	304	516	5825	4825	5030	4225	4090	3350							
3412327070	HT NMW	22 X 12 X 16	559x305x408.4	TR	WHITE	58.50	117.70	22.01	11.87	20.31	559	304	516	5825	4825	5030	4225	4090	3350							
3412425500	HT	28 X 10 X 22	711x254x559	TR	BLACK	82.00	138.40	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255							
3412326025	HT NMG	28 X 10 X 22	711x254x559	TR	GREY	82.00	138.40	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255							
3412326550	HT NMY	28 X 10 X 22	711x254x559	TR	YELLOW	82.27	138.99	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255							
3412327075	HT NMW	28 X 10 X 22	711x254x559	TR	WHITE	82.00	138.40	28.03	10.00	26.34	712	254	889	5470	4490	4880	4100	3970	3255							
3412425505	HT	28 X 12 X 22	711x305x559	TR	BLACK	79.40	174.68	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015							
3412326030	HT NMG	28 X 12 X 22	711x305x559	TR	GREY	79.40	174.68	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015							
3412326555	HT NMY	28 X 12 X 22	711x305x559	TR	YELLOW	79.74	175.43	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015							
3412327080	HT NMW	28 X 12 X 22	711x305x559	TR	WHITE	79.40	174.68	28.07	12.01	26.34	713	305	889	6740	5540	6020	5080	4900	4015							
3512425510	SM	9 X 5 X 5	228x127x127	SM	BLACK	6.00	18.20	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570							
3512326035	SM NMG	9 X 5 X 5	228x127x127	SM	GREY	6.00	18.20	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570							
3512326560	SM NMY	9 X 5 X 5	228x127x127	SM	YELLOW	6.03	18.28	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570							
3512327085	SM NMW	9 X 5 X 5	228x127x127	SM	WHITE	6.00	18.20	9.02	5.00	7.87	229	127	200	980	790	855	715	895	570							
3512425515	SM	10 X 4 X 8 1/4	254x102x158.7	SM	BLACK	5.80	12.76	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485							
3512326040	SM NMG	10 X 4 X 8 1/4	254x102x158.7	SM	GREY	5.80	12.76	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485							
3512326565	SM NMY	10 X 4 X 8 1/4	254x102x158.7	SM	YELLOW	5.82	12.80	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485							
3512327090	SM NMW	10 X 4 X 8 1/4	254x102x158.7	SM	WHITE	5.80	12.76	9.92	4.02	8.88	252	102	225	780	840	700	590	585	485							
3512425520	SM	10 X 5 X 8 1/4	254x127x158.7	SM	BLACK	6.40	14.08	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610							
3512326045	SM NMG	10 X 5 X 8 1/4	254x127x158.7	SM	GREY	6.40	14.08	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610							
3512326570	SM NMY	10 X 5 X 8 1/4	254x127x158.7	SM	YELLOW	6.43	14.15	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610							
3512327095	SM NMW	10 X 5 X 8 1/4	254x127x158.7	SM	WHITE	6.40	14.08	10.00	5.00	8.94	254	127	227	1030	840	915	770	745	610							
3512425525	SM	10 X 4 X 8 1/2	254x102x185.1	SM	BLACK	6.70	12.54	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485							
3512326050	SM NMG	10 X 4 X 8 1/2	254x102x185.1	SM	GREY	6.70	12.54	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485							
3512326575	SM NMY	10 X 4 X 8 1/2	254x102x185.1	SM	YELLOW	6.72	12.58	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485							
3512327100	SM NMW	10 X 4 X 8 1/2	254x102x185.1	SM	WHITE	6.70	12.54	9.92	4.02	8.84	252	102	227	780	840	885	585	585	485							
3512425530	SM	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	BLACK	6.40	14.08	10.00	4.78	9.02	254	121	228	860	780	845	710	890	585							
3512326055	SM NMG	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	GREY	6.40	14.08	10.00	4.78	9.02	254	121	228	860	780	845	710	890	585							
3512326580	SM NMY	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	YELLOW	6.43	14.15	10.00	4.78	9.02	254	121	228	860	780	845	710	890	585							
3512327105	SM NMW	10 X 4 3/4 X 8 1/2	254x120x185.1	SM	WHITE	6.40	14.08	10.00	4.78	9.02	254	121	228	860	780	845	710	890	585							
3512425535	SM	10 X 5 X 8 1/2	254x127x185.1	SM	BLACK	6.80	14.52	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605							
3512326060	SM NMG	10 X 5 X 8 1/2	254x127x185.1	SM	GREY	6.80	14.52	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605							
3512326585	SM NMY	10 X 5 X 8 1/2	254x127x185.1	SM	YELLOW	6.83	14.59	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605							
3512327110	SM NMW	10 X 5 X 8 1/2	254x127x185.1	SM	WHITE	6.80	14.52	9.92	5.00	8.94	252	127	227	1010	880	905	780	735	605							
3512425540	SM	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	BLACK	7.00	15.40	10.51	5.00	9.33	287	127	237	1070	880	880	810	780	840							
3512326065	SM NMG	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	GREY	7.00	15.40	10.51	5.00	9.33	287	127	237	1070	880	880	810	780	840							
3512326590	SM NMY	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	YELLOW	7.03	15.47	10.51	5.00	9.33	287	127	237	1070	880	880	810	780	840							
3512327115	SM NMW	10 1/2 X 5 X 8 1/2	287x127x185.1	SM	WHITE	7.00	15.40	10.51	5.00	9.33	287	127	237	1070	880	880	810	780	840							
3512425545	SM	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	BLACK	8.30	18.26	10.51	5.98	9.33	287	182	237	1340	1100	1190	1000	970	795							
3512326070	SM NMG	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	GREY	8.30	18.26	10.51	5.98	9.33	287	152	237	1340	1100	1190	1000	970	795							
3512326595	SM NMY	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	YELLOW	8.34	18.34	10.51	5.98	9.33	287	152	237	1340	1100	1190	1000	970	795							
3512327120	SM NMW	10 1/2 X 6 X 8 1/2	287x152x185.1	SM	WHITE	8.30	18.26	10.51	5.98	9.33	287	152	237	1340	1100	1190	1000	970	795							
3512425550	SM	12 X 4 X 8	305x102x203.2	SM	BLACK	7.00	15.40	12.01	4.02	10.83	305	102	275	805	745	810	880	880	540							
3512326075	SM NMG	12 X 4 X 8	305x102x203.2	SM	GREY	7.00	15.40	12.01	4.02	10.83	305	102	275	805	745	810	880	880	540							

FERENTINO HIGHRIDE POB

HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		LOAD WHEEL INCHES TIRE SIZE	LOAD WHEEL INCHES TIRE SIZE	LOAD WHEEL INCHES TIRE SIZE	LOAD WHEEL INCHES TIRE SIZE	COUNTERBALANCED LIFT TRUCKS		UP TO 10KM/H		UP TO 16KM/H		UP TO 25KM/H	
						Kg	Pound					Inch	Inch	Inch	Mm	Mm	Mm	Kg	Kg
3512327140	SM NMW	12 X 5 1/2 X 8	305x140x203.2	SM	WHITE	9.70	21.34	12.01	5.51	10.83	305	140	275	1340	1100	1195	1005	970	795
3512425570	SM	13 X 4 1/2 X 8	330x114x203.2	SM	BLACK	9.05	19.91	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512326095	SM NMG	13 X 4 1/2 X 8	330x114x203.2	SM	GREY	9.05	19.91	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512326620	SM NMY	13 X 4 1/2 X 8	330x114x203.2	SM	YELLOW	9.09	20.00	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512327145	SM NMW	13 X 4 1/2 X 8	330x114x203.2	SM	WHITE	9.05	19.91	12.99	4.49	11.50	330	114	292	1120	920	1000	840	815	670
3512425575	SM	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	BLACK	10.80	23.32	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512326100	SM NMG	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	GREY	10.80	23.32	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512326625	SM NMY	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	YELLOW	10.85	23.43	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512327150	SM NMW	13 1/2 X 4 1/2 X 8	343X114X203.2	SM	WHITE	10.80	23.32	13.50	4.49	11.85	343	114	301	1150	940	1025	880	835	685
3512425580	SM	13 1/2 X 5 1/2 X 8	343X118X203.2	SM	BLACK	13.00	28.60	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512326105	SM NMG	13 1/2 X 5 1/2 X 8	343X118X203.2	SM	GREY	13.00	28.60	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512326630	SM NMY	13 1/2 X 5 1/2 X 8	343X118X203.2	SM	YELLOW	13.06	28.73	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512327155	SM NMW	13 1/2 X 5 1/2 X 8	343X118X203.2	SM	WHITE	13.00	28.60	13.50	5.51	11.85	343	140	301	1510	1240	1345	1130	1095	895
3512425585	SM	14 X 4 1/2 X 8	356x114x203.2	SM	BLACK	11.00	24.20	13.88	4.49	12.17	352	114	309	1170	980	1045	875	850	695
3512326110	SM NMG	14 X 4 1/2 X 8	356x114x203.2	SM	GREY	11.00	24.20	13.88	4.49	12.17	352	114	309	1170	980	1045	875	850	695
3512326635	SM NMY	14 X 4 1/2 X 8	356x114x203.2	SM	YELLOW	11.05	24.31	13.88	4.49	12.17	352	114	309	1170	980	1045	875	850	695
3512327160	SM NMW	14 X 4 1/2 X 8	356x114x203.2	SM	WHITE	11.00	24.20	13.88	4.49	12.17	352	114	309	1170	980	1045	875	850	695
3512425590	SM	14 X 5 X 10	356x127x254	SM	BLACK	10.90	23.88	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	970	795
3512326115	SM NMG	14 X 5 X 10	356x127x254	SM	GREY	10.90	23.88	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	970	795
3512326640	SM NMY	14 X 5 X 10	356x127x254	SM	YELLOW	10.85	24.09	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	970	795
3512327165	SM NMW	14 X 5 X 10	356x127x254	SM	WHITE	10.90	23.88	13.94	5.00	12.91	354	127	328	1335	1095	1195	1000	970	795
3512425595	SM	15 1/2 X 6 X 10	393x152x254	SM	BLACK	16.30	35.88	15.59	5.00	13.80	398	127	363	1870	1530	1885	1400	1355	1110
3512326120	SM NMG	15 1/2 X 6 X 10	393x152x254	SM	GREY	16.30	35.88	15.59	5.00	13.80	398	127	363	1870	1530	1885	1400	1355	1110
3512326645	SM NMY	15 1/2 X 6 X 10	393x152x254	SM	YELLOW	16.37	36.01	15.59	5.00	13.80	398	127	363	1870	1530	1885	1400	1355	1110
3512327170	SM NMW	15 1/2 X 6 X 10	393x152x254	SM	WHITE	16.30	35.88	15.59	5.00	13.80	398	127	363	1870	1530	1885	1400	1355	1110
3512425600	SM	18 X 5 X 10 1/2	408x127x286.7	SM	BLACK	13.80	29.92	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512326125	SM NMG	18 X 5 X 10 1/2	408x127x286.7	SM	GREY	13.80	29.92	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512326650	SM NMY	18 X 5 X 10 1/2	408x127x286.7	SM	YELLOW	13.86	30.05	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512327175	SM NMW	18 X 5 X 10 1/2	408x127x286.7	SM	WHITE	13.80	29.92	15.87	5.00	14.25	403	127	382	1510	1240	1345	1130	1095	895
3512425605	SM	18 X 8 X 10 1/2	408x152x286.7	SM	BLACK	16.60	38.52	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512326130	SM NMG	18 X 8 X 10 1/2	408x152x286.7	SM	GREY	16.60	38.62	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512326655	SM NMY	18 X 8 X 10 1/2	408x152x286.7	SM	YELLOW	16.67	38.67	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512327180	SM NMW	18 X 8 X 10 1/2	408x152x286.7	SM	WHITE	16.60	38.52	15.87	5.88	14.25	403	152	382	1910	1570	1710	1435	1380	1140
3512425610	SM	18 X 7 X 10 1/2	408x178x286.7	SM	BLACK	19.25	42.35	15.98	7.01	14.37	408	178	365	2325	1910	2070	1740	1685	1380
3512326135	SM NMG	18 X 7 X 10 1/2	408x178x286.7	SM	GREY	19.25	42.35	15.98	7.01	14.37	408	178	365	2325	1910	2070	1740	1685	1380
3512326660	SM NMY	18 X 7 X 10 1/2	408x178x286.7	SM	YELLOW	19.33	42.53	15.98	7.01	14.37	408	178	365	2325	1910	2070	1740	1685	1380
3512327185	SM NMW	18 X 7 X 10 1/2	408x178x286.7	SM	WHITE	19.25	42.35	15.98	7.01	14.37	408	178	365	2325	1910	2070	1740	1685	1380
3512425615	SM	15 X 4 X 11 1/4	381x101x285.8	SM	BLACK	10.00	22.00	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512326140	SM NMG	15 X 4 X 11 1/4	381x101x285.8	SM	GREY	10.00	22.00	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512326665	SM NMY	15 X 4 X 11 1/4	381x101x285.8	SM	YELLOW	10.04	22.09	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512327190	SM NMW	15 X 4 X 11 1/4	381x101x285.8	SM	WHITE	10.00	22.00	15.04	4.02	13.84	382	102	354	1085	875	950	800	775	635
3512425620	SM	15 X 5 X 11 1/4	381x127x285.8	SM	BLACK	13.00	28.60	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512326145	SM NMG	15 X 5 X 11 1/4	381x127x285.8	SM	GREY	13.00	28.60	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512326670	SM NMY	15 X 5 X 11 1/4	381x127x285.8	SM	YELLOW	13.06	28.73	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512327195	SM NMW	15 X 5 X 11 1/4	381x127x285.8	SM	WHITE	13.00	28.60	14.92	5.00	13.84	379	127	354	1390	1140	1240	1040	1010	830
3512425625	SM	15 X 6 X 11 1/4	381x152x285.8	SM	BLACK	13.70	30.14	15.00	5.88	13.84	381	152	354	1715	1410	1530	1285	1245	1020
3512326150	SM NMG	15 X 6 X 11 1/4	381x152x285.8	SM	GREY	13.70	30.14	15.00	5.88	13.84	381	152	354	1715	1410	1530	1285	1245	1020
3512326675	SM NMY	15 X 6 X 11 1/4	381x152x285.8	SM	YELLOW	13.76	30.27	15.00	5.88	13.84	381	152	354	1715	1410	1530	1285	1245	1020
3512327200	SM NMW	15 X 6 X 11 1/4	381x152x285.8	SM	WHITE	13.70	30.												

FERENTINO HIGHRIDE POB

HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE			ACTUAL TIRE			LOAD CAPACITY							
						NORMAL		INCH TIRE	MM TIRE	INCH TIRE	MM TIRE	INCH TIRE	MM TIRE	COUNTERBALANCED LIFT TRUCKS							
						Kg	Pound							UP TO 10KMH	UP TO 16KMH	UP TO 25KMH	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL
3512426640	SM	16 1/4 X 7 X 11 1/4	413x178x285.8	SM	BLACK	20.80	44.68	16.26	7.01	14.78	413	178	375	2325	1900	2080	1735	1880	1380		
3512326165	SM NMG	16 1/4 X 7 X 11 1/4	413x178x285.8	SM	GREY	20.80	44.68	16.26	7.01	14.78	413	178	375	2325	1900	2080	1735	1880	1380		
3512326690	SM NMY	16 1/4 X 7 X 11 1/4	413x178x285.8	SM	YELLOW	20.89	44.88	16.26	7.01	14.78	413	178	375	2325	1900	2080	1735	1880	1380		
3512327215	SM NMW	16 1/4 X 7 X 11 1/4	413x178x285.8	SM	WHITE	20.80	44.68	16.26	7.01	14.78	413	178	375	2325	1900	2080	1735	1880	1380		
3512426645	SM	16 1/4 X 8 X 11 1/4	413x203x285.8	SM	BLACK	22.00	48.40	16.26	7.99	14.78	413	203	375	2715	2225	2420	2030	1985	1615		
3512326170	SM NMG	16 1/4 X 8 X 11 1/4	413x203x285.8	SM	GREY	22.00	48.40	16.26	7.99	14.78	413	203	375	2715	2225	2420	2030	1985	1615		
3512326695	SM NMY	16 1/4 X 8 X 11 1/4	413x203x285.8	SM	YELLOW	22.09	48.60	16.26	7.99	14.78	413	203	375	2715	2225	2420	2030	1985	1615		
3512327220	SM NMW	16 1/4 X 8 X 11 1/4	413x203x285.8	SM	WHITE	22.00	48.40	16.26	7.99	14.78	413	203	375	2715	2225	2420	2030	1985	1615		
3512426650	SM	17 X 5 X 12 1/8	432x127x308	SM	BLACK	15.10	33.22	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935		
3512326175	SM NMG	17 X 5 X 12 1/8	432x127x308	SM	GREY	15.10	33.22	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935		
3512326700	SM NMY	17 X 5 X 12 1/8	432x127x308	SM	YELLOW	15.18	33.35	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935		
3512327225	SM NMW	17 X 5 X 12 1/8	432x127x308	SM	WHITE	15.10	33.22	17.01	5.00	15.55	432	127	385	1570	1280	1400	1180	1145	935		
3512426655	SM	18 X 5 X 12 1/8	457x127x308	SM	BLACK	17.10	37.82	17.98	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980		
3512326180	SM NMG	18 X 5 X 12 1/8	457x127x308	SM	GREY	17.10	37.82	17.98	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980		
3512326705	SM NMY	18 X 5 X 12 1/8	457x127x308	SM	YELLOW	17.17	37.77	17.98	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980		
3512327230	SM NMW	18 X 5 X 12 1/8	457x127x308	SM	WHITE	17.10	37.82	17.98	5.00	18.22	457	127	412	1840	1350	1470	1230	1195	980		
3512426660	SM	18 X 6 X 12 1/8	457x152x308	SM	BLACK	20.00	44.00	17.83	5.88	18.22	453	152	412	2100	1720	1870	1575	1525	1250		
3512326185	SM NMG	18 X 6 X 12 1/8	457x152x308	SM	GREY	20.00	44.00	17.83	5.88	18.22	453	152	412	2100	1720	1870	1575	1525	1250		
3512326710	SM NMY	18 X 6 X 12 1/8	457x152x308	SM	YELLOW	20.09	44.20	17.83	5.88	18.22	453	152	412	2100	1720	1870	1575	1525	1250		
3512327235	SM NMW	18 X 6 X 12 1/8	457x152x308	SM	WHITE	20.00	44.00	17.83	5.88	18.22	453	152	412	2100	1720	1870	1575	1525	1250		
3512426665	SM	18 X 7 X 12 1/8	457x178x308	SM	BLACK	24.40	53.88	17.99	7.01	18.22	457	178	412	2550	2100	2280	1910	1855	1520		
3512326190	SM NMG	18 X 7 X 12 1/8	457x178x308	SM	GREY	24.40	53.88	17.99	7.01	18.22	457	178	412	2550	2100	2280	1910	1855	1520		
3512326715	SM NMY	18 X 7 X 12 1/8	457x178x308	SM	YELLOW	24.50	53.90	17.99	7.01	18.22	457	178	412	2550	2100	2280	1910	1855	1520		
3512327240	SM NMW	18 X 7 X 12 1/8	457x178x308	SM	WHITE	24.40	53.88	17.99	7.01	18.22	457	178	412	2550	2100	2280	1910	1855	1520		
3512426670	SM	18 X 8 X 12 1/8	457x203x308	SM	BLACK	28.70	58.74	17.83	7.99	18.22	453	203	412	3000	2475	2880	2250	2180	1790		
3512326195	SM NMG	18 X 8 X 12 1/8	457x203x308	SM	GREY	28.70	58.74	17.83	7.99	18.22	453	203	412	3000	2475	2880	2250	2180	1790		
3512326720	SM NMY	18 X 8 X 12 1/8	457x203x308	SM	YELLOW	28.81	58.98	17.83	7.99	18.22	453	203	412	3000	2475	2880	2250	2180	1790		
3512327245	SM NMW	18 X 8 X 12 1/8	457x203x308	SM	WHITE	28.70	58.74	17.83	7.99	18.22	453	203	412	3000	2475	2880	2250	2180	1790		
3512426675	SM	18 X 9 X 12 1/8	457x228x308	SM	BLACK	29.90	65.78	17.83	9.02	18.10	453	229	409	3450	2850	3090	2800	2510	2080		
3512326200	SM NMG	18 X 9 X 12 1/8	457x228x308	SM	GREY	29.90	65.78	17.83	9.02	18.10	453	229	409	3450	2850	3090	2800	2510	2080		
3512326725	SM NMY	18 X 9 X 12 1/8	457x228x308	SM	YELLOW	30.03	66.08	17.83	9.02	18.10	453	229	409	3450	2850	3090	2800	2510	2080		
3512327250	SM NMW	18 X 9 X 12 1/8	457x228x308	SM	WHITE	29.90	65.78	17.83	9.02	18.10	453	229	409	3450	2850	3090	2800	2510	2080		
3512426680	SM	21 X 7 X 15	533x178x381	SM	BLACK	28.80	63.38	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710		
3512326205	SM NMG	21 X 7 X 15	533x178x381	SM	GREY	28.80	63.38	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710		
3512326730	SM NMY	21 X 7 X 15	533x178x381	SM	YELLOW	28.82	63.62	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710		
3512327255	SM NMW	21 X 7 X 15	533x178x381	SM	WHITE	28.80	63.38	20.83	7.01	19.29	529	178	480	2875	2350	2580	2150	2085	1710		
3512426685	SM	21 X 8 X 15	533x203x381	SM	BLACK	33.05	72.71	20.83	7.99	19.17	529	203	487	3875	2775	3025	2540	2455	2015		
3512326210	SM NMG	21 X 8 X 15	533x203x381	SM	GREY	33.05	72.71	20.83	7.99	19.17	529	203	487	3875	2775	3025	2540	2455	2015		
3512326735	SM NMY	21 X 8 X 15	533x203x381	SM	YELLOW	33.19	73.02	20.83	7.99	19.17	529	203	487	3875	2775	3025	2540	2455	2015		
3512327260	SM NMW	21 X 8 X 15	533x203x381	SM	WHITE	33.05	72.71	20.83	7.99	19.17	529	203	487	3875	2775	3025	2540	2455	2015		
3512426690	SM	21 X 9 X 15	533x228x381	SM	BLACK	38.20	79.84	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320		
3512326215	SM NMG	21 X 9 X 15	533x228x381	SM	GREY	38.20	79.84	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320		
3512326740	SM NMY	21 X 9 X 15	533x228x381	SM	YELLOW	38.38	79.98	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320		
3512327265	SM NMW	21 X 9 X 15	533x228x381	SM	WHITE	38.20	79.64	20.91	9.06	19.17	531	230	487	3900	3200	3475	2920	2830	2320		
3512426695	SM	20 X 8 X 16	508x203x408.4	SM	BLACK	34.00	74.80	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790		
3512326220	SM NMG	20 X 8 X 16	508x203x408.4	SM	GREY	34.00	74.80	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790		
3512326745	SM NMY	20 X 8 X 16	508x203x408.4	SM	YELLOW	34.15	75.12	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	2185	1790		
3512327270	SM NMW	20 X 8 X 16	508x203x408.4	SM	WHITE	34.00	74.80	20.08	7.99	18.90	510	203	480	3010	2470	2885	2255	218			

FERENTINO HIGHRIDE POB



HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY							
						NORMAL		INCH TIRE	INCH TIRE	INCH TIRE	INCH TIRE	COUNTERBALANCED LIFT TRUCKS		UP TO 10KMH		UP TO 18KMH		UP TO 25KMH	
						Kg	Pound					INCH LOAD WHEEL	INCH STEERING WHEEL	INCH LOAD WHEEL	INCH STEERING WHEEL	INCH LOAD WHEEL	INCH STEERING WHEEL		
3512326235	SM NMG	22 X 7 X 16	550x178x408.4	SM	GREY	30.50	67.10	21.89	7.05	20.24	558	179	514	2975	2450	2660	2230	2160	1770
3512326760	SM NMY	22 X 7 X 16	550x178x408.4	SM	YELLOW	30.63	67.39	21.89	7.05	20.24	556	179	514	2975	2450	2660	2230	2160	1770
3512327285	SM NMW	22 X 7 X 16	550x178x408.4	SM	WHITE	30.50	67.10	21.89	7.05	20.24	558	179	514	2975	2450	2660	2230	2160	1770
3512425715	SM	22 X 8 X 16	550x203x408.4	SM	BLACK	38.00	83.80	21.89	7.99	20.24	556	203	514	3500	2875	3130	2625	2545	2085
3512326240	SM NMG	22 X 8 X 16	550x203x408.4	SM	GREY	38.00	83.80	21.89	7.99	20.24	556	203	514	3500	2875	3130	2625	2545	2085
3512326765	SM NMY	22 X 8 X 16	550x203x408.4	SM	YELLOW	38.08	83.73	21.89	7.99	20.24	556	203	514	3500	2875	3130	2625	2545	2085
3512327290	SM NMW	22 X 8 X 16	550x203x408.4	SM	WHITE	38.00	83.80	21.89	7.99	20.24	556	203	514	3500	2875	3130	2625	2545	2085
3512425720	SM	22 X 9 X 16	550x229x408.4	SM	BLACK	42.80	93.08	22.01	9.08	20.24	559	230	514	4050	3225	3600	3025	2930	2400
3512326245	SM NMG	22 X 9 X 16	550x229x408.4	SM	GREY	42.80	93.08	22.01	9.08	20.24	559	230	514	4050	3225	3600	3025	2930	2400
3512326770	SM NMY	22 X 9 X 16	550x229x408.4	SM	YELLOW	42.48	93.48	22.01	9.08	20.24	559	230	514	4050	3225	3600	3025	2930	2400
3512327295	SM NMW	22 X 9 X 16	550x229x408.4	SM	WHITE	42.80	93.08	22.01	9.08	20.24	559	230	514	4050	3225	3600	3025	2930	2400
3512425725	SM	22 X 10 X 16	550x254x408.4	SM	BLACK	55.50	78.10	21.89	10.00	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512326250	SM NMG	22 X 10 X 16	550x254x408.4	SM	GREY	55.50	78.10	21.89	10.00	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512326775	SM NMY	22 X 10 X 16	550x254x408.4	SM	YELLOW	55.65	78.44	21.89	10.00	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512327200	SM NMW	22 X 10 X 16	550x254x408.4	SM	WHITE	55.50	78.10	21.89	10.00	20.24	556	254	514	4575	3750	4080	3425	3315	2720
3512425730	SM	22 X 12 X 16	550x305x408.4	SM	BLACK	57.90	127.38	21.85	12.01	20.24	556	305	514	5825	4825	5030	4225	4090	3350
3512326255	SM NMG	22 X 12 X 16	550x305x408.4	SM	GREY	57.90	127.38	21.85	12.01	20.24	556	305	514	5825	4825	5030	4225	4090	3350
3512326780	SM NMY	22 X 12 X 16	550x305x408.4	SM	YELLOW	58.15	127.93	21.85	12.01	20.24	556	305	514	5825	4825	5030	4225	4090	3350
3512327305	SM NMW	22 X 12 X 16	550x305x408.4	SM	WHITE	57.90	127.38	21.85	12.01	20.24	556	305	514	5825	4825	5030	4225	4090	3350
3512425735	SM	22 X 14 X 16	550x355x408.4	SM	BLACK	70.10	154.22	21.89	14.02	20.24	558	356	514	8700	5505	5980	5025	4885	3990
3512326260	SM NMG	22 X 14 X 16	550x355x408.4	SM	GREY	70.10	154.22	21.89	14.02	20.24	558	356	514	8700	5505	5980	5025	4885	3990
3512326785	SM NMY	22 X 14 X 16	550x355x408.4	SM	YELLOW	70.40	154.88	21.89	14.02	20.24	558	356	514	8700	5505	5980	5025	4885	3990
3512327310	SM NMW	22 X 14 X 16	550x355x408.4	SM	WHITE	70.10	154.22	21.89	14.02	20.24	558	356	514	8700	5505	5980	5025	4885	3990
3512425740	SM	22 X 18 X 16	550x408x408.4	SM	BLACK	78.00	167.20	22.01	15.98	20.24	559	408	514	7745	6360	6915	5810	5825	4610
3512326265	SM NMG	22 X 18 X 16	550x408x408.4	SM	GREY	78.00	167.20	22.01	15.98	20.24	559	408	514	7745	6360	6915	5810	5825	4610
3512326790	SM NMY	22 X 18 X 16	550x408x408.4	SM	YELLOW	78.33	167.92	22.01	15.98	20.24	559	408	514	7745	6360	6915	5810	5825	4610
3512327315	SM NMW	22 X 18 X 16	550x408x408.4	SM	WHITE	78.00	167.20	22.01	15.98	20.24	559	408	514	7745	6360	6915	5810	5825	4610
3512425760	SM	28 X 6 X 20	880x152x508	SM	BLACK	35.40	77.88	28.10	5.98	24.29	883	152	617	2775	2275	2470	2075	2005	1645
3512326285	SM NMG	28 X 6 X 20	880x152x508	SM	GREY	35.40	77.88	28.10	5.98	24.29	883	152	617	2775	2275	2470	2075	2005	1645
3512326810	SM NMY	28 X 6 X 20	880x152x508	SM	YELLOW	35.55	78.21	28.10	5.98	24.29	883	152	617	2775	2275	2470	2075	2005	1645
3512327335	SM NMW	28 X 6 X 20	880x152x508	SM	WHITE	35.40	77.88	28.10	5.98	24.29	883	152	617	2775	2275	2470	2075	2005	1645
3512425765	SM	28 X 8 X 20	880x203x508	SM	BLACK	48.10	105.82	28.10	7.01	24.29	883	178	617	3975	3275	3550	2980	2885	2385
3512326290	SM NMG	28 X 8 X 20	880x203x508	SM	GREY	48.10	105.82	28.10	7.01	24.29	883	178	617	3975	3275	3550	2980	2885	2385
3512326815	SM NMY	28 X 8 X 20	880x203x508	SM	YELLOW	48.31	106.27	28.10	7.01	24.29	883	178	617	3975	3275	3550	2980	2885	2385
3512327340	SM NMW	28 X 8 X 20	880x203x508	SM	WHITE	48.10	105.82	28.10	7.01	24.29	883	178	617	3975	3275	3550	2980	2885	2385
3512425770	SM	28 X 10 X 22	711x254x559	SM	BLACK	82.00	136.40	27.91	10.00	28.22	709	254	688	5470	4490	4880	4100	3970	3255
3512326295	SM NMG	28 X 10 X 22	711x254x559	SM	GREY	82.00	136.40	27.91	10.00	28.22	709	254	688	5470	4490	4880	4100	3970	3255
3512326820	SM NMW	28 X 10 X 22	711x254x559	SM	WHITE	82.27	136.98	27.91	10.00	28.22	709	254	688	5470	4490	4880	4100	3970	3255
3512327345	SM NMW	28 X 10 X 22	711x254x559	SM	BLACK	82.00	138.40	27.91	10.00	28.22	709	254	688	5470	4490	4880	4100	3970	3255
3512425775	SM	28 X 12 X 22	711x305x559	SM	BLACK	78.00	167.20	27.99	12.01	28.22	711	305	688	8740	5540	6020	5060	4900	4015
3512326300	SM NMG	28 X 12 X 22	711x305x559	SM	GREY	78.00	167.20	27.99	12.01	28.22	711	305	688	8740	5540	6020	5060	4900	4015
3512326825	SM NMW	28 X 12 X 22	711x305x559	SM	WHITE	78.33	167.92	27.99	12.01	28.22	711	305	688	8740	5540	6020	5060	4900	4015
3512327350	SM NMW	28 X 12 X 22	711x305x559	SM	BLACK	78.00	167.20	27.99	12.01	28.22	711	305	688	8740	5540	6020	5060	4900	4015
3512425780	SM	28 X 14 X 22	711x355x559	SM	BLACK	88.50	190.30	27.83	14.02	28.34	707	356	689	8020	6590	7160	6020	5820	4780
3512326305	SM NMG	28 X 14 X 22	711x355x559	SM	GREY	88.50	190.30	27.83	14.02	28.34	707	356	689	8020	6590	7160	6020	5820	4780
3512326830	SM NMY	28 X 14 X 22	711x355x559	SM	YELLOW	88.67	191.12	27.83	14.02	28.34	707	356	689	8020	6590	7160	6020	5820	4780
3512327355	SM NMW	28 X 14 X 22	711x355x559	SM	WHITE	88.50	190.30	27.83	14.02	28.34	707	356	689	8020	6590	7160	6020	5820	4780
3512425785	SM	28 X 16 X 22	711x406x559	SM	BLACK	102.50	225.50	27.99	15.98	28.22	711	406	688	9270	7820	8280	6950	8730	5520
3512326310	SM NMG	28 X 16 X 22	711x406x559	SM	GREY	102.50	225.50	27.99	15.98	28.22	711	406	688	9270	7820</				



FERENTINO HIGHRIDE POB

HIGHRIDE POB

CODE	PRODUCT NAME (FERENTINO HIGHRIDE POB)	TIRE SIZE Inch	TIRE SIZE Mm	PROFILE	COLOR	TIRE WEIGHT		ACTUAL TIRE		ACTUAL TIRE		LOAD CAPACITY								
						NORMAL		WIDE INCH	WIDE MM	DIADE INCH	DIADE MM	REINFORC. INCH	REINFORC. MM	TYRE INCH	TYRE MM	SIDEWALL INCH	SIDEWALL MM	UP TO 10KM/H	UP TO 16KM/H	UP TO 25KM/H
						Kg	Pound	Inch	Inch	Inch	Mm	Mm	Mm	Inch	Inch	Inch	Inch	LOAD WHEEL	STEERING WHEEL	LOAD WHEEL
3512326865	SM NMY	300 / 75 - 240	SM	YELLOW	4.72	10.38	11.85	2.95	11.22	301	75	285	825	515	580	470				
3512327390	SM NMW	300 / 75 - 240	SM	WHITE	4.70	10.34	11.85	2.95	11.22	301	75	285	825	515	580	470				
3512425825	SM	380 / 85 - 270	SM	BLACK	7.80	18.06	14.25	3.35	13.23	382	85	336	880	720	785	665				
3512326350	SM NMG	380 / 85 - 270	SM	GREY	7.80	18.06	14.25	3.35	13.23	382	85	336	880	720	785	665				
3512326875	SM NMY	380 / 85 - 270	SM	YELLOW	7.83	18.13	14.25	3.35	13.23	382	85	336	880	720	785	665				
3512327400	SM NMW	380 / 85 - 270	SM	WHITE	7.80	18.06	14.25	3.35	13.23	382	85	336	880	720	785	665				
3512425835	SM	415 / 75 - 305	SM	BLACK	7.80	18.72	18.42	2.95	15.12	417	75	384	825	875	780	810				
3512326360	SM NMG	415 / 75 - 305	SM	GREY	7.80	18.72	18.42	2.95	15.12	417	75	384	825	875	780	810				
3512326885	SM NMY	415 / 75 - 305	SM	YELLOW	7.83	18.79	18.42	2.95	15.12	417	75	384	825	875	780	810				
3512327410	SM NMW	415 / 75 - 305	SM	WHITE	7.80	18.72	18.42	2.95	15.12	417	75	384	825	875	780	810				
3512425840	SM	415 / 90 - 305	SM	BLACK	10.20	22.44	18.42	3.54	15.12	417	90	384	1070	875	950	795				
3512326365	SM NMG	415 / 90 - 305	SM	GREY	10.20	22.44	18.42	3.54	15.12	417	90	384	1070	875	950	795				
3512326890	SM NMY	415 / 90 - 305	SM	YELLOW	10.24	22.54	18.42	3.54	15.12	417	90	384	1070	875	950	795				
3512327415	SM NMW	415 / 90 - 305	SM	WHITE	10.20	22.44	18.42	3.54	15.12	417	90	384	1070	875	950	795				
3512425845	SM	415 / 100 - 305	SM	BLACK	10.80	23.32	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665		
3512326370	SM NMG	415 / 100 - 305	SM	GREY	10.80	23.32	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665		
3512326895	SM NMY	415 / 100 - 305	SM	YELLOW	10.85	23.42	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665		
3512327420	SM NMW	415 / 100 - 305	SM	WHITE	10.80	23.32	18.42	3.94	15.12	417	100	384	1115	915	1000	835	810	665		
3512425855	SM	550 / 150 - 370	SM	BLACK	28.30	62.26	21.77	5.91	19.53	553	150	486	2355	1930	2095	1780	1705	1395		
3512326380	SM NMG	550 / 150 - 370	SM	GREY	28.30	62.26	21.77	5.91	19.53	553	150	486	2355	1930	2095	1780	1705	1395		
3512326905	SM NMY	550 / 150 - 370	SM	YELLOW	28.42	62.53	21.77	5.91	19.53	553	150	486	2355	1930	2095	1780	1705	1395		
3512327430	SM NMW	550 / 150 - 370	SM	WHITE	28.30	62.26	21.77	5.91	19.53	553	150	486	2355	1930	2095	1780	1705	1395		
3512425865	SM	660 / 250 - 480	SM	BLACK	68.20	139.04	25.79	8.84	23.88	665	250	806	4780	3910	4180	3415	3290	2735		
3512326390	SM NMG	660 / 250 - 480	SM	GREY	68.20	139.04	25.79	8.84	23.88	665	250	806	4780	3910	4180	3415	3290	2735		
3512326915	SM NMY	660 / 250 - 480	SM	YELLOW	68.47	139.64	25.79	8.84	23.88	665	250	806	4780	3910	4180	3415	3290	2735		
3512327440	SM NMW	660 / 250 - 480	SM	WHITE	68.20	139.04	25.79	8.84	23.88	665	250	806	4780	3910	4180	3415	3290	2735		
3512425870	SM	660 / 280 - 480	SM	BLACK	71.30	158.88	25.98	11.02	23.88	660	280	806	5485	4480	4785	3915	3840	3130		
3512326395	SM NMG	660 / 280 - 480	SM	GREY	71.30	158.88	25.98	11.02	23.88	660	280	806	5485	4480	4785	3915	3840	3130		
3512326920	SM NMY	660 / 280 - 480	SM	YELLOW	71.61	157.53	25.98	11.02	23.88	660	280	806	5485	4480	4785	3915	3840	3130		
3512327445	SM NMW	660 / 280 - 480	SM	WHITE	71.30	158.88	25.98	11.02	23.88	660	280	806	5485	4480	4785	3915	3840	3130		
3512425875	SM	840 / 350 - 559	SM	BLACK	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6600	6380	5200		
3512326400	SM NMG	840 / 350 - 559	SM	GREY	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6600	6380	5200		
3512326925	SM NMY	840 / 350 - 559	SM	YELLOW	157.67	348.88	33.27	13.78	29.80	845	350	757	9100	7445	7920	6600	6380	5200		
3512327450	SM NMW	840 / 350 - 559	SM	WHITE	157.00	345.40	33.27	13.78	29.80	845	350	757	9100	7445	7920	6600	6380	5200		

NMW - NON MARKING WHITE

NMG - NON MARKING GRAY

NMY - NON MARKING YELLOW

FERENTINO CURED-ON

CURED-ON

FERENTINO CURED-ON



FERENTINO CURED-ON NON MARKING

WHITE & GRAY
AVAILABLE



S special

OPTIMIZED TREAD DESIGN WITH SIPPING
Enhance water evacuation for better maneuverability

GREY NON-MARKING COMPOUND
Provides low ground disturbance for indoor applications

ENGINEERED RUBBER COMPOUND
Optimizes tread life on hard surface

DURABLE CAST STEEL WHEEL
Provides ultimate wheel durability

FERENTINO CURED-ON



CURED-ON

CODE	TYRE SIZE	RIM SIZE	ACTUAL TYRE DIMENSIONS		TREAD WIDTH Mm Inch
			OUTSIDE DIAMETER Mm Inch	OVERALL WIDTH Mm Inch	
			Mm Inch	Inch	
10X3(8)	76.2X203		254 10.0	76.2 3.0	74 2.9
12X4.5(255)	114.3X255		306 12.0	114.3 4.5	112 4.4
12.5X4.25(267)	107X267		318 12.5	107 4.2	105 4.1
323X100(280)	100X280		323 12.7	100 3.9	93 3.7
15X5(318)	127X318		381 15.0	12.7 5.0	125 4.9
15X5(320)	127X320		381 15.0	127 5.0	125 4.9
406X125(354)	126X354		406 16.0	125 4.9	121 4.8



CONVENTIONAL PNEUMATIC INDUSTRIAL TYRES

PNEUMATIC

SW



LT



NM
non marking

- Deep tread.
- Good stability.
- Resistant to damage to sidewalls: Side wall structure.
- Good traction.
- Good driving comfort.
- Complete SET*: Tyre + Tube + Flap.

APPLICATIONS

- Forklifts.
- Small - sized industrial tractors.
- Indoor trailers.
- Airport vehicles.

*The conventional industrial tyres SW and LT are TT (Tube Type) models for which complete assembly of tube and flap is recommended.

CONVENTIONAL PNEUMATIC PNEUMATIC

CODE	TIRE SIZE	PROFILE	PR	TYPE	RIM WIDTH	INFLATION PRESSURE ETRTO (bar)	OVERALL DIAMETER (mm) ± 2%	OVERALL SECTION WIDTH (mm) ± 2%	LOAD CAPACITY (kg)		WEIGHT(kg)	
									8 km/h	16 km/h	Kg	Pound
4.00-8		WL	6	TT	3.00D-8	4.25	420	110	600	905	4.60	9.90
6.00-8		SW	8	TT	3.00D; 3.75L-8	8.25	485	150	950	1.435	8.10	17.82
15X4.5-8 (125/75-8)*		LT	12	TT	3.25L-8	10.00	385	122	750	1.130	4.20	9.24
16X6-8 (150/75-8)		SW	18	TT	4.33R-8	10.50	420	155	1.180	1.780	9.00	19.80
18X7-8 (180/70-8)		SW	16	TT	4.33R-8	10.00	465	175	1.650	2.490	12.30	27.06
6.00-9		SW	14	TT	4.00E-09	10.50	540	170	1.495	2.260	13.00	28.60
21X8-9(200/75-9)		SW	16	TT	6.00E-09	10.00	630	215	2.120	3.200	21.20	46.64
6.50-10		SW	14	TT	5.00; 5.50F-10	10.00	590	190	1.800	2.720	16.10	35.42
23X9-10 (225/75-10)		SW	20	TT	7.00F-10	10.00	585	230	2.650	4.000	23.30	51.26
7.00-10		SW	16	TT	5.00S-12	10.00	675	200	2.240	3.380	22.30	49.06
23X10-12 (250/60-12)		SW	22	TT	8.00G-12	10.50	600	260	2.985	4.510	30.30	66.66
27X10-12 (250/75-12)		SW	20	TT	8.00G-12	10.00	695	270	3.550	5.360	33.60	73.92
7.00-15		SW	16	TT	5.00; 5.50-15	10.00	740	205	2.725	4.115	24.50	53.90
7.50-15		SW	16	TT	5.00; 6.00; 6.60-15	10.00	785	225	3.000	4.530	27.70	60.94
28X9-15 (225/75-15)		SW	16	TT	7.0-15	10.50	715	220	3.090	4.665	27.10	59.62
32X12.1-15		SW	24	TT	9.75-15	10.30	810	325	4.835	7.300	64.70	142.34
8.25-15		SW	18	TT	6.0; 6.5; 7.0-15	9.25	840	255	3.650	5.510	43.20	95.04
250-15 (250/70-15)		SW	20	TT	7.0; 7.5-15	10.00	735	245	3.875	5.850	36.40	80.08
300-15 (315/70-15)		SW	20	TT	8.0-15	9.00	820	280	5.000	7.550	56.50	124.30
28X12 1/2-15 (355/45-15)		SW	24	TT	9.75-15	10.50	710	305	3.730	5.630	45.40	99.88
9.00-20		LT	14	TT	7.00-20	7.60	1.034	250	4.500	6.795	48.50	106.70
10.00-20		SW	20	TT	7.0; 7.50; 8.0-20	10.00	1.070	290	5.320	8.035	103.50	227.70
12.00-20		SW	20	TT	8.00; 8.50; 9.00-20	10.00	1.145	320	6.900	10.420	103.50	227.70

FERENTINO CONVENTIONAL PNEUMATIC FOR SMALL-SIZED MACHINES

PNEUMATIC

SS



SD



SKZ+



SS

- Standard tread with sidewall properties.
- Good traction.

SD

- Resistant tread reinforced in the middle.
- Compound resistant to punctures.
- Balanced tread wear.
- Reinforced sidewalls.

SKZ+

- Sturdy tyres for extreme condition.
- High pattern: improves performance and tyre life.
- Good self- cleaning properties.



FERENTINO CONVENTIONAL PNEUMATIC

PNEUMATIC

CODE	TIRE SIZE	PROFILE	PR	TYPE	RIM WIDTH	INFLATION PRESSURE ETRTO (bar)	OVERALL DIAMETER (mm) ± 2%	OVERALL SECTION WIDTH (mm) ± 2%	LOAD CAPACITY (kg)		WEIGHT(kg)	
									8 km/h	16 km/h	Kg	Pound
6.70 - 12	SD	6	TL	4.60	4.10	570	146	660	620	7.90	17.38	
23x8.60 - 12	SS	6	TL	7.0	3.40	575	215	820	650	12.70	27.94	
27x8.60 - 15	SS	8	TL	7.0	4.80	680	210	1.250	990	16.20	33.44	
27 x 10.60 - 15	SS	8	TL	8.50	3.50	700	260	1.280	1.010	18.10	39.82	
10x16.5	SS	10	TL	8.25	5.10	775	280	2.135	1.685	22.70	49.94	
10x16.5	SKZ +	10	TL	8.25	5.20	773	264	2.135	1.685	20.20	44.44	
12x16.5	SS	12	TL	9.75	5.60	845	330	2.890	2.285	36.60	80.52	
12x16.5	SKZ +	12	TL	9.75	5.50	831	307	2.890	2.285	40.20	88.44	

CONVENTIONAL PNEUMATIC TYRES FOR INDUSTRIAL TRACTORS FOR CONSTRUCTION AND ROAD WORKS

PNEUMATIC

IM54



T109



NM
non marking

IM54

- Structure ensuring excellent traction.
- Suitable for industrial and agricultural application.

T109

- Industrial pattern with sturdy tread.
- Compound highly resistant to abrasion.
- Good traction and self - cleaning properties.



FERENTINO CONVENTIONAL PNEUMATIC PNEUMATIC

CODE	TIRE SIZE	PROFILE	PR	TYPE	RIM WIDTH	INFLATION PRESSURE ETRTO (bar)	OVERALL DIAMETER (mm) ± 2%	OVERALL SECTION WIDTH (mm) ± 2%	LOAD CAPACITY (kg) 40km/h	WEIGHT(kg)	
										Kg	Pound
15.6/80 - 24	IM54	16	TL	W12	4.00	1.260	415	4.680	70.60	156.10	
18.4 - 26	TI09	12	TL	16.00	2.50	1.420	490	4.000	93.50	206.70	
16.9 - 28	TI09	14	TL	15.00	3.00	1.415	460	3.860	83.50	183.70	

MULTI-PURPOSE CONVENTIONAL PNEUMATIC FOR MANUFACTURING MACHINES

PNEUMATIC

MT63



MT45



MT54



MT72



MT90



MT63

- Tread for on/off - road application.
- Good traction.

Applications:

Municipal vehicle used on roads.
Agricultural vehicles.
Special service vehicles.

MT45

- Tread with good traction and self - cleaning properties for on/off - road applications.
- Good stability and manoeuvrability.

MT54

- Multi purpose tread with excellent pattern for special applications.
- Good traction and self-cleaning properties.

MT72

- Tread especially suitable for loader applications.
- Good traction and self-cleaning properties.

MT90

- Tread with good traction characteristics and increased stability.
- Suitable for excavators and telescopic hoisting devices.



FERENTINO MULTI-PURPOSE CONVENTIONAL PNEUMATIC PNEUMATIC

CODE	TIRE SIZE	PROFILE	PR	TYPE	RIM WIDTH	INFLATION PRESSURE ETRTO (bar)	OVERALL DIAMETER (mm) ± 2%	OVERALL SECTION WIDTH (mm) ± 2%	LOAD CAPACITY (kg) 40 km/h	WEIGHT(kg)	
										Kg	Pound
10.6/80-18	MT45	10	TL	9.00	3.70	910	280	1.960	31.90	70.18	
12.6/80-18	MT45	12	TL	W9	3.70	990	310	2.660	42.10	92.62	
18-19.5	MT63	18	TL	14.00	6.75	1.090	455	5.605	76.00	166.00	
10.6-20	MT64	10	TL	9.00	3.75	960	275	2.070	31.80	69.96	
12.6-20	MT64	12	TL	11.00	3.50	1.055	330	2.300	48.80	107.36	
14.6-20	MT64	14	TL	11.00	3.50	1.095	355	2.795	58.40	128.48	
406/70-20	MT64	14	TL	13.00	3.50	1.090	385	3.335	60.60	133.10	
406/70-20	MT72	14	TL	13.00	3.50	1.150	405	3.335	67.20	147.84	
18-22.5											
406/70-24	MT64	14	TL	13.00	3.50	1.190	415	3.620	76.00	167.20	
406/70-24											

MT54

- Classical tread with excellent pattern for all applications.
- Good traction and self-cleaning properties.



FERENTINO MULTI-PURPOSE CONVENTIONAL PNEUMATIC PNEUMATIC

CODE	TIRE SIZE	PROFILE	PR	TYPE	RIM WIDTH	INFLATION PRESSURE ETRTO (bar)	OVERALL DIAMETER (mm) ± 2%	OVERALL SECTION WIDTH (mm) ± 2%	LOAD CAPACITY (kg) 40 km/h	WEIGHT(kg)	
										Kg	Pound
8.25-20	MT64	14	TT	6.5-20	6.75	970	232	2.180	35.00	77.00	
9.00-20	MT64	14	TT	7.0-20	7.00	1.012	256	2.650	43.00	94.60	
10.00-20	MT64	16	TT	7.5-20	7.50	1.060	280	3.190	50.00	110.00	

FERENTINO AWP

FERENTINO AWP

AWP



YELLOW COLOR
AVAILABLE



S
pecial

OPTIMIZED TREAD DESIGN WITH SIPPING
Enhance water evacuation for better maneuverability

GREY NON-MARKING COMPOUND
Provides low ground disturbance for indoor applications

ENGINEERED RUBBER COMPOUND
Optimizes tread life on hard surface

DURABLE CAST STEEL WHEEL
Provides ultimate wheel durability

FERENTINO AWP
AWP

CODE	TYRE SIZE	RIM SIZE	ACTUAL TYRE DIMENSIONS		TREAD WIDTH Mm
			OUTSIDE DIAMETER Mm	OVERALL WIDTH Mm	
			Inch	Inch	
10X3(8)	76.2X203		264 10.0	76.2 3.0	74 2.9
12X4.5(255)	114.3X255		305 12.0	114.3 4.5	112 4.4
12.5X4.25(267)	107X267		318 12.5	107 4.2	105 4.1
323X100(280)	100X280		323 12.7	100 3.9	93 3.7
15X5(318)	127X318		381 15.0	12.7 5.0	125 4.9
15X5(320)	127X320		381 15.0	127 5.0	125 4.9
406X125(354)	125X354		406 16.0	125 4.9	121 4.8

SERVICE, ACCESSORIES - SOLID TIRES
FITTING PRESS 250 TON



FITTING AND REMOVAL PRESS FOR SUPER ELASTIC AND CUSHION TIRES

This press is able to perform fitting and removal operations of all sizes of super-elastic tires (with the exception of 14.00-24).

The machine's fundamental characteristics are: reliability, speed, power and precision. The press is composed of a metal structure, an adjustable lower work platform with area of 200 mm and an upper moveable platform with 600 mm of usable stroke. Manually controlled hydraulic movements. The press does not require a foundation. The press comes complete with CE certification, an Instruction Booklet for fitting and removal operations, as well as Use and Maintenance Booklet. The equipment necessary for fitting and removal of the super-elastic and cushion tires is sold separately upon request.

FERENTINO PREMIUM TIRES INSTALATION EQUIPMENT

- The installation equipment is available for wheel size from 8" to 24".
- Each size is painted in a different colour.



1 - Thrusting ring



2 - Bevelled ring



3 - Press ring



4 - QUICK de-mounting ring



5 - Seating rim

SOLID TIRES - USER INSTRUCTIONS, MAINTENANCE, REPLACEMENT AND CALCULATION OF WEAR LIMITS

1) INTRODUCTION

Tires are the only contact between the vehicle and the ground. It is therefore of paramount importance that they are maintained in good condition at all times, and that when the time comes to change them, correct replacements are done.

The tires fitted to your vehicle as Original Equipment were selected by the vehicle and tire manufacturers concerned taking into account the intended operations of the vehicle.

Changes in tire type, size and load capacity should not be made without first checking with the tire and/or vehicle manufacturer regarding possible effects on vehicle behaviour and safety.

2) FITTING AND REMOVAL OF TIRES

It is recommended that these operations be entrusted only to specialists who have the necessary equipment and expertise. Inexpert fitment may lead to personal injury and concealed damage to tires and wheels.

No special equipment is necessary for fitting solid tires on centrally divided conical rims, but appropriate presses and accessories are required for fitment on offset divided conical rims, cylindrical rims and pneumatic tire rims.

The published instructions of the tire manufacturer must be strictly followed. Only approved proprietary tire lubricants should be used.

To avoid damage to the base of the tire, it must be placed on the rim concentrically and parallel to the axis. Only rims recommended by the tire manufacturer must be used.

3) TIRE LOAD AND SPEED

Tire load capacities are specified per tire. Published Standards or manufacturers' Manuals should be consulted to obtain the actual values applicable to a particular application at the speed specified, up to a maximum of 25 km/h.

Load interpolation within the specified speed steps is not permitted and the speed rating of the tire must be at least equal to the maximum speed capability of the unladen vehicle.

Continuous running should be avoided in order to

prevent excessive heat build-up which may lead to tire break-up.

4) TIRE MAINTENANCE

Although solid tires require relatively little maintenance, they should be inspected from time to time in order to check their suitability for further use.

5) TIRE REPLACEMENT

Worn or damaged tires must be replaced in accordance with the tire manufacturer's recommendations. Also, national legal requirements should be checked as they vary from Country to country. When replacing a tire, special attention should be paid to the condition and suitability of the rim, as rim damage and incorrect fitment can result in tire break-up.

6) TIRE AGEING

Tires age even if they have not been used or have only been used occasionally. Rubber cracking may be evidence of ageing. Exposure to sunlight, heat and ozone will accelerate this process. Aged tires should be examined by a tire specialist to check their suitability for further use.

7) TIRE MIXING

Tires mounted on the same axle must be of the same type and size and must have approximately the same external diameter.

8) TREAD WEAR

8.1 INTRODUCTION

The limit for the tread wear of industrial vehicles is not defined by national or international standards. Several manufacturers provide instructions solely for their products. Recommendations by tire manufacturers should always be followed. However, in case no recommendations are provided by manufacturers, please abide by the contents published in this standard.

8.2 PURPOSE

This standard suggests tread wear limits for solid tires used on industrial vehicles that operate under conditions that are not regulated by the Highway Code and are to be used in case no instructions are provided by the manufacturer of the vehicle or tires. NOTE: Industrial vehicles that operate on public roads must be in order and comply with traffic circulation standards.

8.3 HAZARDS DUE TO EXCESSIVE TIRE TREAD WEAR

The hazards due to excessive tire wear are the following:

- a) Loss of load capacity that promotes the accelerated wear of the tread and leads to overheating of the tire.
- b) Loss of adhesion while accelerating or braking on unstable road conditions.
- c) Hazards are heightened if the tires mounted on the same axle are worn differently.
- d) Reduction in the vehicle's stability.
- e) Loss of the vehicle's directional control.
- f) Uneven load on twinned tires.

8.4 REDUCING HAZARDS

The hazards mentioned in the foregoing section can be reduced if: The tires mounted on the same axle are built by the same manufacturer, have the same size and are worn equally (this applies to any type of tire).

8.5 TIRE TREAD WEAR LIMITS

1) Pneumatic tire rim sizes

Wear indicators or Kerbing Rib are recommended. Solid Rubber tires for Pneumatic Rims may be used until the tread is worn to the wear indicator, if the tire has such a marking, or to the top of the kerbing rib, see page IS.3 of EDI. Where there is no indicator, use the tire until 3/4 of the original total thickness of the tire remains. To calculate the minimum diameter corresponding to this wear limit, measure the outside diameter of the worn tire, the outside diameter of an unworn tire of the same type, make and size, and the diameter of the wheel rim. The minimum permitted diameter of the worn tire is given by the formula:

$$D_{\text{worn}} = \frac{3}{4} (D_{\text{new}} - D_{\text{rim}}) + D_{\text{rim}}$$

where D_{worn} = the outside diameter of the worn tire
 D_{new} = the outside diameter of an unworn
 D_{rim} = the diameter of the wheel rim

2) Press-on-band, cured-on-band and conical base tires (rubber and non-rubber)

Press-on-band, cured-on and conical base tires may be used until 2/3 of the original total radial thickness of the tire remains, as given by the formula:

Cured-on tires:

$$D_{\text{worn}} = \frac{2}{3} (D_{\text{new}} - D_{\text{rim}}) + D_{\text{rim}}$$

Press-on-band and conical base tires:

$$D_{\text{worn}} = \frac{2}{3} (D_{\text{new}} - D_{\text{rim}} - 20) + (D_{\text{rim}} + 20)$$

Notes:

- a) All dimensions are measured in millimetres.
- b) The outside diameter of the tire D_{worn} and D_{new} may be calculated by measuring the circumference of the tire with a flexible tape, and calculating the diameter from the formula:

$$\text{Diameter} = \frac{\text{Circumference}}{\pi}$$

TREAD WEAR INDICATOR (TWI) FERENTINO INDUSTRIAL TIRES recommends for tires not to be worn beyond the TWI (Tread Wear Indicator) positioned on the tread of the tire.

The height of the TWI was defined according to a study based on safety and cost savings for the user. However, in case there is no TWI, FERENTINO INDUSTRIAL TIRES recommends to replace the tires for safety reasons when 10% of the original tread is worn.

General conditions of sales available on
www.ferentinoindustrial.us



 **FERENTINO**
TYRE CORPORATION



Ferentino Tyre Corporation (Private) Limited.
M & M Centre, No: 341/5, Kotte Road,
Rajagiriya, Sri Lanka.
inquiry@ferentinoindustrial.com
www.ferentinoindustrial.com